### ANNUAL REPORT

OF THE

# DEPARTMENT OF REVENUE SETTLEMENT AND AGRICULTURE

FOR

1884-85.

MADRAS:
PRINTED BY E. KEYS, AT THE GOVERNMENT PRESS.

1886.

No. 2698A.

From

J. F. PRICE, Esq.,

Acting Director of Revenue Settlement and Agriculture,

Madras,

To

THE HON. W. WILSON,

Ag. Secretary to Government, Revenue Department, through the Board of Revenue.

SIR,

I have the honor to submit the report, for the past official year, on the administration of the departments under my control.

- 2. The operations of the Settlement and Inam Departments have been separately dealt with, and the report on the Irrigation Accounts will be submitted at an early date. It is therefore only necessary to, here, refer to these subjects as briefly as possible.
- 3. Settlement Department.—The work of this department was, as in the previous year, conducted in four districts, viz., North Arcot, Madura, South Arcot and the Nılgiris. The settlement of the Palmanér and Pólúr Taluks and of all but sixteen villages of the Wandiwash Taluk was completed. A revised scheme for the settlement of the Madura District was submitted to Government in November last. Proposals for the settlement of the South Arcot District were received from the Deputy Director in charge No. V Party, but have been returned for revision with reference to the recent orders of Government, altering the period upon which the commutation rate is to be calculated to the 20 years immediately preceding each settlement, famine years being excluded.

The settlement of the Nílgiri District was completed on the 30th September 1884, and a separate report with regard to it was submitted to Government. This was reviewed in G.O., Revenue Department, No. 449, dated 20th April last. The inquiry into janm titles in the Nílgiri-Wynaad and in the Ganapativattam, Putati and Kuppatod Amshoms of the Malabar-Wynaad was completed during the year.

- 4. During the term of 27 years that the department has been at work, it has dealt with 12,963,541 acres. The cost of the survey (Rs. 1,03,14,774) and settlement (Rs. 66,37,316) operations, up to 31st March last, was Rs. 1,69,52,090. The increase of assessment due to resettlement was Rs. 16,93,994, being a return of nearly 10 per cent. on the outlay. In the year under report, the expenditure was Rs. 2,89,760, or Rs. 10,071 more than in that preceding it. The area dealt with was 30,048 acres, or about 47 square miles. The cost of survey operations during the year was Rs. 7,52,072, and the outturn of work was 1,691 square miles of Revenue and 3,037 square miles of Topographical Survey.
- 5. INAM DEPARTMENT.—During the year, 20,852 acres of inam land, the full assessment of which was Rs. 59,678, were enfranchised on a quit-rent of Rs. 36,340. The number of title-deeds issued was 3,891, of which 3,442 were for village service inams, 260 for religious and charitable institutions, and 189 for personal and other grants.

- 6. The Special Deputy Collector attached to the department conducted inquiries in the Gudiyátam, Chandragiri and Chittoor Taluks of the North Arcot District and in the Hospet and Kúdligi Taluks of the Bellary District.
- 7. Since the constitution of this department, 25 years ago, it has dealt with 6,773,655 acres, the full assessment of which was Rs. 1,07,33,572. The financial results of its operations, up to 31st March last, were, including the assessment of inams that were resumed and fully assessed, an addition of Rs. 18,57,221 to the public revenue. These were obtained at a cost of Rs. 14,08,941—a sum which is less by Rs. 4,48,280 than one year's income due to the department.
- 8. Irrigation Accounts.—The details of the irrigation of the year from all sources in the Presidency will be reviewed in a separate report, which will be submitted in a few weeks. The Revenue Accounts of all works for which Capital and Revenue Accounts are kept, have already been forwarded to Government.
- 9. Matters are dealt with in this report in the manner laid down in the Resolution of the Government of India, No. 54-A, dated 28th April 1884.
- 10. Department of Agriculture.—I. Organization and Maintenance of Village Records.—During the year, Government were pleased to lay down that, from April 1885, all candidates for appointment as Revenue Inspectors and all officers of that grade, then in employment and aspiring to promotion, must pass the Revenue Test Lower Grade and that from and after April 1888 they must, in addition, pass a Special Test in surveying.
- 11. A Special Committee, appointed by Government for the revision of the village and taluk manuals and accounts, has completed its task and its report is now in the press.
- 12. II. Analysis of Districts with reference to security from Famine.—An analysis of the Kurnool District, as far as one could be made from the records available, was compiled and is now before Government. Proposals for completing the work as regards Kurnool and for drawing up similar analyses for other districts have also been submitted. These involve the entertainment of a small extra establishment, without the aid of which the work is not likely to progress so expeditiously or satisfactorily as is desirable. The agricultural analyses of districts is a task which is clearly by no means a light one and which must be dealt with by an expert. It is impossible for Mr. Benson, who is now engaged upon that of Kurnool, to get through it in any reasonable time, singlehanded. Aid in the way of Agricultural Inspectors will, if anything worth reading is to be turned out, be indispensable.
- 13. III. System of Collection of Revenue and Rental in precarious Tracts.—The subject of the kistbandy, or land-revenue instalments, was recently under the consideration of Government, who recognized the principle that the demand for land revenue should be made only after the ryot has harvested his crop. As this date varies in different localities and as, therefore, it would be impossible to frame a scale of instalments which could be applied to all parts of the Presidency, they proposed one, based on certain broad principles, which had reference to the agricultural practices and conditions of the several districts, and requested the Board of Revenue to report on the practicability or otherwise of the scheme. This matter has not been finally disposed of.
- 14. In connection with this subject, certain inhabitants of the Nellore District prayed that no interest should be charged on arrears of land revenue before the end of the fasli year. The levy of interest on current instalments afforded, to the village officers, so it was alleged, opportunities for oppression and exaction, while the amount collected under this head was never considerable. Government therefore directed that except in the case of zemindaries and whole inam villages, interest on arrears, excepting in special cases where the Collector or the Divisional officer might consider it necessary, should not be charged until the end of the revenue year.
- 15. Other measures calculated to afford relief to the ryots, impoverished by the disastrous famine of 1876-78, were, in recent years, sanctioned by Government. These were not adverted to in previous reports of this department. The principal of them were the remission of the arrears of land revenue, which had accrued during the period of scarcity and in subsequent years, in all cases where they could not be

collected without undue pressure and the restoration of land to ryots who had lost them during the famine, either owing to relinquishment on their parts, or through sale and purchase by Government for the arrears of revenue which then accrued.

- 16. Suspension of Collection of Revenue.—Owing to the losses sustained by the agricultural population through the floods arising from the extraordinary heavy rains which fell at the close of 1884, the collection of the instalments of land revenue and the issue of coercive processes for the recovery of the same were, under the orders of Government, suspended at the discretion of the Collectors concerned.
- 17. IV. Measures of Protection—Fodder Reserves and Arboriculture.—From the Forest Administration Report for the year under report, it appears that the area of reserved forests and reserved lands in the Presidency, at the end of the year, was 9,020 square miles. Of this area, 4,136 square miles were reserved forests, and 4,884 square miles were reserved lands. The area of forests reserved during the year under report was 1,267 square miles. Information regarding the total length of road avenues is not available. It is suggested that Local Boards should be instructed to give this in their administration reports. The area of topes and orchards, excluding palmyras and cocoanuts, was, in Fasli 1293 (1883-84), 356,000 acres. Information for Fasli 1294 (1884-85) is not available.
- 18. Reclamation of Sandy Waste.—Seeds of Atriplex numularia, or the Australian Salt-Bush, were procured from Sarahanpore and sent to the Saidapet Farm and the Bellary District. None of the seeds sent to the latter mentioned locality germinated. The Agricultural Reporter does not mention anything touching those forwarded to the farm.
- 19. Nothing has been heard from Collectors or officers of the Salt Department regarding the efforts which it was suggested should be made to discover indigenous salt-feeders.
- 20. Edible Cactus.—Dr. Bonavia, Civil Surgeon of Etawah, North-West Provinces, suggested, during the year, the desirability of converting the common prickly-pear of the country from a noxious weed into a wholesome fruit bearer, by grafting on it the edible cacti of Southern Europe. A supply of leaves of the best fruited varieties to be found in Malta and Cyprus was, through the courtesy of Colonel H. McLeod, R.A., obtained and distributed to certain gentlemen for experiment. Their reports on the results obtained have not yet reached this office, but I may state that I have personally ascertained that a few plants have grown. Those which I myself received all died. They were in such a state when they reached me that it was evident that the chances were very much against their striking.
- 21. Olive and Chestnut trees.—Referring to paragraph 19 of the report for 1882-83, I would mention that as no seeds of these trees could be had at the Khandeish Farm, it was not possible to make any experiments in this direction. From a recent communication received from the Superintendent of the Farm, however, it appears that neither of these trees promises to be a success.
- 22. Agricultural Banks.—In the beginning of 1884 certain inhabitants of Cuddalore addressed a memorial to the Government of India praying for the grant of concessions on behalf of an agricultural bank, which they proposed to establish. These were, however, of such a nature that they did not meet with the approval of the Local Government, who, moreover, considered that the condition of the farming population of this Presidency was not such as to call for the establishment of an agricultural bank, with exceptional concessions, some of which were of a nature such as to demand special legislation.
- 23. Extension of Communications.—Two important lines of railway were under construction in 1884-85. One, the Cuddapah-Nellore line, is expected to be completed within three years. Work on the other, the Bellary-Kistna State Railway, was commenced. An extension of the former line, from Tirupati to Madanapalle and thence viâ Kadiri, to join the Hindupur extension at Dharmavaram, was under consideration and a survey was in progress.
- 24. Irrigation.—No new important projects were, so far as this department has been made aware, sanctioned in the year under report.

- 25. Minor Irrigation Works.—The year's allotment for the up-keep of minor irrigation works in the Presidency was Rs. 4,20,000. The actual expenditure was Rs. 4,04,552 or 96 per cent.
- 26. Wet Cultivation.—Allusion was made, in paragraphs 26 and 27 of the last report, to the question then under the consideration of the Government, of the propriety or otherwise, of charging extra assessment on lands cultivated with water obtained from wells sunk in irrigated lands, when lands, drawing their supply from wells sunk in dry lands, were free from such extra taxation. The Government have since passed orders on the subject and have directed the exemption experimentally, for three years, of all wells constructed on land which is private property, subject to the condition that the concession should be restricted to cases where there is, at the time that the crop is on the ground, no supply of water in the irrigation work under which the well lies.
- 27. Further, with a view to encourage the construction of wells and thereby to enable ryots to tide over the effects of a failure of the ordinary rains, the Government have, in the rules which they have recommended to be made under the Land Improvement Loans' Act, proposed the grant on liberal terms of advances, not more than Rs. 750, for the construction of wells for irrigation, these loans to be repaid within stipulated periods, not exceeding 35 years, by a special annual charge in addition to the land assessment. They have also ordered that the ryots taking advances for the construction of wells may, for a small payment, and if they desire it, have the existence of water in the sites selected by them tested by borings made by trained workmen under the direction of Government officers.
- 28. The rules proposed by Government, under the Land Improvement Loans' Act, are considerably more liberal than those which, at present, exist. The rate of interest has been reduced from  $6\frac{1}{4}$  per cent. to 5 per cent., while the period for repayment has been extended to a maximum of 35 years.
- 29. Rules, under the Agriculturists' Loans Act, have also been proposed by the Local Government for the sanction of the Government of India. These provide for the grant of loans, on liberal terms, to agriculturists for the purchase of seed-grain and ploughing stock, the construction of wells for domestic purposes and for the reconstruction of houses destroyed by flood or fire. Loans granted under these rules are not to exceed Rs. 1,000, and are to be repaid within a maximum period of 3 years. Provision has also been made for the grant, during periods of distress, of loans not exceeding Rs. 200, without interest, to ryots of small means, to enable them to subsist until the next harvest.
- 30. Diversity of Occupation.—The Famine Commission remarked that much of the poverty of the people of India and of the distress to which they are exposed, in seasons of drought, was due to the circumstance that agriculture forms almost their sole occupation. They therefore recommended that the State should encourage the introduction of a diversity of occupation, whereby the surplus population could be drawn from agriculture and induced to find a livelihood by manufactures and similar pursuits. In view to opening up the resources of the country other than agriculture, and to collecting and publishing more accurate information than is now available as regards mineralogical matters, the Government, during the year under report, appointed a Mineralogist who took charge of his office in April last and who has, hitherto, been chiefly engaged in making a partial examination of a portion of the Nílgiri Hills. It is proposed that he shall hereafter take up and examine the district of Cuddapah, in which it is believed that considerable mineral wealth exists.
- 31. As regards native arts and manufactures, Mr. Havell, the Superintendent of the School of Arts, made a tour in several districts and examined what was to be seen in this direction. The result has been that many of the industries connected with native art have been found to be in a failing condition and that others have, it has been ascertained, almost died out. Mr. Havell will make another tour during the ensuing cold weather and proposals with regard to this are being prepared. What has been already done has been reviewed by Government (Vide G.O., No. 463, Revenue Department, dated 24th April 1885).

- 32. V. Agricultural Experiments including Farms—The Government Farm at Saidapet.—Allusion was made, in paragraph 28 of the last report, to the separation of the Farm and the School of Agriculture and to the severance of all connection between them. The unsuitability of the soil of the farm for any experiments in farming, or stock-breeding, having since been prominently brought to the notice of Government, they directed the abolition of the farm from the 1st of the current month. No new farms will be established, but agricultural experiments will, under existing orders, not, on that account, be entirely abandoned. Arrangements will be made to carry them out, whenever necessary, through the agency of private individuals who will be secured against any loss. Meanwhile, Mr. Benson will carefully study the indigenous systems of agriculture and will proceed with the agricultural analyses of districts. This course, it is hoped, will best enable us to ascertain the wants of the existing system of native farming and to form something like a correct idea of the remedies to be employed and the improvements which may be possible.
- 33. Private Experimental Farms.—Mention was made, in the last year's report, of the establishment of farms at Chittoor, Madura and Karúr. In the case of the last two, the Government have agreed to pay the salary of the Superintendents for three years on certain conditions, and to grant some live-stock from the Saidápet Farm. It is to be regretted that the Chittoor Farm, inaugurated under the auspices of the late Collector, Mr. A. J. Stuart, has collapsed. A proposal that it should be taken over and managed by this department was, on the recommendation of the Director, negatived by Government. The live-stock presented to the farm has been withdrawn, with the exception of two rams, which were placed with a respectable ryot of Kalkatur, in the Palmanér Taluk.
- 34. An agri-horticultural society has recently been started at Narsápur, in the Godávari District, by sundry native gentlemen. The Government have sanctioned the grant, free of assessment, of two acres of land to this institution on the condition that it will be resumed if not appropriated to the purpose for which it was allotted.
- 35. The Collector of the Nílgiris consulted the Director, in August 1884, regarding the desirability of reviving the agricultural association, which formerly existed in that district, or of establishing a new one, and asked for copies of rules and regulations of similar bodies elsewhere. The then Director forwarded a copy of those of the Madras Agri-Horticultural Society and observed that that association was the model which he would suggest to the Collector for imitation. He also remarked that the existing Planters' Associations might form the nucleus of a society such as that contemplated. The proposal has, however, fallen through, owing to the present depressed condition of planting affairs on the Hills.
- 36. Agricultural Reporter's Tours.—Mr. Benson was present at the Travancore Agricultural Exhibition held in April 1884, the Poona Agricultural Show held in December last, and at the Rajahmundry Agricultural Show held in February of this year. He also visited Mr. Kristnasawmi Mudalyar's estate at Shiyáli, Mr. Shanmugaraya Mudalyar's estate near Sadras, and the Central Provinces Government Farm at Nagpur. Mr. Benson's report on Mr. Kristnasawmi Mudalyar's estate and the latter gentleman's own account of his attempts to improve the native system of agriculture, possessed much interest and the latter has been, under the orders of Government, published in English and Vernacular in all District Gazettes. The Government in addition awarded a gold medal to Mr. Kristnasawmi Mudalyar for his enterprise and public spirit. Mr. Benson also visited Hosúr to ascertain the capabilities of that locality as a stock-breeding farm. He further made a tour in portions of Kurnool in view to making investigations preliminary to the preparation of the agricultural analysis of that district. These he was, however, unable to complete, in consequence of the charge of the farm necessitating his return to Saidápet and his having, subsequently, to attend the Agricultural Show at Rajahmundry.
- 37. Ploughing Matches.—A ploughing match was held as usual at Madras in January last. These matches were originally intended for the farm servants and were conducted under the direction of the Superintendent. Last year, however, it was decided to place them, in future, under the management of a committee of gentlemen, official and non-official, and that held in January last was under the new direction. The chief features of the competition were the continued and increasing interest taken

in the subject by private firms, who are themselves manufacturers, or are agents for manufacturers of agricultural implements. An attempt was made to give prizes, not only for the best ploughing, but also for the most suitable plough.

38. Ploughing demonstrations were held in parts of the Bellary and Kurnool Districts—in the latter when Mr. Benson was on the spot. One also took place at Kaiti in the Nílgiri District, one of the results of which was that a Badaga purchased

an improved plough for use on his farm.

- 39. With reference to the suggestion of the Committee, in paragraph 14 of their letter recorded in G.O., 20th February last, No. 220, that ploughing matches should be periodically held in district, my predecessor in office issued a circular to all Collectors inviting an expression of their views. Replies have not yet been received in full; but from those which have reached me, it appears very probable that, in several districts, the proposal to hold local ploughing matches will meet with support. The want of funds, consequent upon the existing financial pressure, renders it unlikely, however, that, for some time, anything can be done in this line.
- 40. Agricultural Exhibition.—It was decided in 1883 that a quinquennial Agricultural Exhibition should be held in Madras and annual exhibitions at Erode and Madura, alternately, for the Southern and at Gooty for the Northern Districts of the Presidency. An exhibition accordingly took place at Madras in February of that year, but none could subsequently be held elsewhere, owing to the unfavorable character of the season both in 1884 and at the beginning of this calender year.
- 41. Local Agricultural Exhibitions have, however, been held at Madura and Rajahmundry under the auspices of the agricultural associations at those stations. The Government contributed a grant-in-aid of a moiety of the expenditure. The exhibition at Rajahmundry was fairly successful. I have heard that that at Madura was so also, but although I wrote to the Collector some time since for information regarding it, I have, as yet, not received a reply.
- 42. Work on the Saidapet Farm.—There is little to record under this head. The year was one of extraordinarily heavy rainfall, and was most unfavorable to farming operations. Mr. Benson's report shows that every effort was made to contend against the season, and to make the most of it, but that the results of the operations of the year were poor. No new experiments in manures, rotation of crops, or fodders were made; had they been, it is more than probable that, owing to the very heavy rains, they would have proved failures.
- 43. In paragraph 38 of his report, Mr. Benson again reverts to the question of experiments as regards irrigation. He maintains that the supply of water is not made full use of, and that there is great waste of water in the ordinary practices of irrigation and in the growth of paddy. He thinks, therefore, that it is most desirable that experiments should be organized and carried out, in view to determining whether a better and more extended use of the available supply cannot be made. The order directing the abolition of the farm has, it is stated by him, precluded a beginning being made in this direction at that institution. With reference to these remarks, it may be observed, in the first place, that, although it is pretty generally believed that the ryots do waste the water supplied to them, the position has yet to be established by actual experiments showing what quantity of water is required to bring a crop to maturity. In the second place, the farm has been in existence for many years and as, on Mr. Benson's own showing, the Government have, since 1871, been directing such experiments to be undertaken, the officers of the farm have had ample time to carry them out. It seems a somewhat unreasonable position to assign to the abolition of the farm in 1885, the failure, on the part of the officers in charge of it, to undertake the experiments, which they were in 1871 directed to organize.
- 44. In paragraph 39, Mr. Benson suggests that, if careful local inquiries were made, by competent officers, in Italy, Spain, the United States and elsewhere, much information might be gathered which would be of use in enabling us to determine the quantity of water required to raise a remunerative paddy crop and to settle the question whether the more or less complete substitution of other crops for paddy would not allow of an extension of the area irrigated, and whether this would not, in other ways, be beneficial. The expediency of such investigations appears to me to be of doubtful

utility, and I can hardly think that the results would be at all commensurate with the large expenditure which they would involve. What we have to deal with first, as regards this point, is India itself and this has yet to be done.

- 45. I cannot agree with Mr. Benson in the view expressed by him in paragraph 42 of his report. I do not consider that the falling off in correspondence on agricultural matters with natives is, in the remotest degree, attributable to the cause which he assigns. The real reason for the decline mentioned is, in my opinion, to be found in the fact that the subject of agriculture has as yet been taken up by but a small number of native gentlemen that they have asked the questions on which they required information and have had their replies, and that for the present there is nothing more to write about. The fact that Government have been pleased to vest in the same officer the direction of two entirely separate departments has not, and will not, in one whit affect correspondence upon agricultural subjects.
- 46. As regards the subject adverted to in paragraph 44 of the farm report, the matter is under the consideration of the Government and I have no doubt that in due course satisfactory arrangements will be made.
- 47. Salt as Manure.—Mr. McKenzie, one of the planting community on the Hills, inquired, during the year under report, whether there was any deposit or scum from salt-pans, which could be made available as a manure for tea. The Commissioner of Salt and Abkári Revenue suggested the utilization of the residual brine available in fish-curing yards and the impure salt educed in saltpetre refineries. Arrangements have been made to supply the gentleman, alluded to above, with a quantity of both. From what he has written, this class of manure would seem to be likely to be very beneficial to tea, but the correctness of his views on the subject has yet to be tested by experiment.
- 48. Miscellaneous—(1) Distribution of Seed and Plants.—The statement annexed to paragraph 24 of Mr. Benson's report shows the quantity and varieties of seeds distributed by this department, and in paragraphs 25—32 are given the results of the experiments made by district officers with the seeds so distributed. These in almost every case were unsatisfactory and are reported to be due to bad quality of the seed supplied or to want of rain, or to an excess of it, or to the injury caused by insects. Mr. Benson questions the utility of distributing seeds for experimental cultivation, without a special local agency capable of looking after the experiments made. not at all likely, however, that a special local agency of the kind required can at any time be made available, in each taluk of the Presidency, and all attempts to introduce useful crops should be given up if the existence of such an arrangement is to be considered an indispensable condition attaching to them. Nevertheless, I cannot avoid thinking that the failures adverted to above are the result of want of interest in the experiments and lack of knowledge of the proper modes of cultivating the products One can hardly blame Collectors for this, as they have their hands full of work and it is practically impossible for them to effectually supervise operations. The consequence is that matters are, in most cases, handed on to some one else who is equally busy and that, finally, the real experimenter is the ryot who, if he can be persuaded to do anything at all, knows nothing of what he is dealing with and cares still less whether it turns out a success or the reverse.
- 49. Rhus Vernicifera or Japanese Lacquer tree.—Seeds of this were sent to Collectors, the Conservators of Forests, the Agri-Horticultural Society, Madras, the several Planters' Associations and Dr. Shortt. The Agri-Horticultural Society did not sow the seeds. The reports from other recipients go to show that the experiment was a failure, the seeds having germinated in but very few cases and what plants were produced being weakly specimens.
- 50. Sorghum saccharatum and Amber Cane.—Both grow very well in this Presidency. The difficulty has been to extract a marketable sugar from them. The purchase of a set of the Blymyer machinery has been sanctioned by Government, and when this is received, the question of the value of these products, as sugar-producers, will be finally settled.

It may here be mentioned that spirit manufactured from Sorghum saccharatum was found, on an analysis by the Chemical Examiner, to be of good quality. It was

very clear and tasted much like rum, but, after being opened for a short time, it deposited a gelatinous looking substance. What this was and what caused it has not yet been ascertained. Messrs. Minchin Brothers, who manufactured it, propose to make further experiments and have promised to communicate the results to me.

- 51. Nankin Cotton.—With reference to G.O., dated 20th January last, No. 89, seeds of this variety of cotton were sent to the cotton districts for experimental cultivation, but the results have been failures either on account of want of rain in some districts or of excessive rain and floods in others.
- 52. Sale and Distribution of Agricultural Implements.—The Government have now altogether ceased to have any connection with the manufacture or sale of agricultural implements, as private enterprise has come forward to supply whatever demand there is. It is a gratifying circumstance that private firms have sent trained men into the interior to work improved ploughs, &c., and to demonstrate to the ryots their superiority over the native implements. Messrs. Massey and Co., and Messrs. Oakes and Co., deal in ploughs, of which 230 were sold during the year, and Messrs. Thomson and Mylne, through their agents in Madras and Cocanada, supply sugar mills. Messrs. Rowlandson and Co., of Calcutta, as agents for Patent portable oil mills, requested the Director during the year under report to give wide publicity to their circulars regarding these articles. These mills are constructed to extract oil from all but the castor seed, which is in this Presidency the most cultivated of all the classes of oil-seeds. Messrs. Rowlandson and Co. wrote in September 1884 to say that they were then designing a press which would answer their purpose also. It is not known whether they have succeeded in their efforts. I shall address them on the subject.
- 53. Beheea Sugar Mills.—Some ryots of the Bellary district having complained that the oil, applied to the machinery of these mills, reached the juice and thereby affected the quality of the outturn, samples of the jaggery so manufactured were sent to the Chemical Examiner, who, after analysis, found them to be free from oil. I have been unable to ascertain how many mills were sold during the year. Messrs. Oakes and Co., on my application to them for information, stated that they kept no record of the sales.
- 54. Training of Ploughmen.—On the recommendation of the Collector of Madura, the Court of Wards sanctioned the deputation of six ploughmen from the Ramnad estate for training at the Saidápet farm. These men were duly instructed and have returned to the districts.
- 55. Training of Village Blacksmiths.—The Board of Revenue approved of a proposal to send village blacksmiths from districts in order that they might be taught at Messrs. Massey and Co.'s workshop in Madras and might learn the mode of repairing improved ploughs, &c. Up to date, however, none have attended for instruction.
- 56. Fibres.—The endeavours made to collect and prepare fibres of various kinds did not result satisfactorily. The way in which the fibres were worked up was undoubtedly defective and, when valuations came to be made, they either only just covered the charges, or else there was an actual loss. Though this was the case, I feel assured that as time goes on and extracting machinery is perfected, the fibres of this Presidency will be found to be a source of great profit to those who take them up.

A small consignment of fibre prepared at the Saidápet Farm, under the direction of the Agricultural Reporter, from the Manilla hemp (*Musa textilis*) has recently been sent to the India Office in view to valuation.

- 57. Samples of fibres prepared with the aid of Death and Elwood's machine, from the Manilla hemp (Musa textilis) and the ordinary plantain (Musa sapientum), grown in the Wynaad, were sent home by certain private gentlemen. The valuation was very low, and it is evident that, unless very considerable improvement takes place in the process of preparation, the production of fibre from these plants is not likely to prove remunerative.
- 58. It was hoped that Messrs. Harvey and Co., of Pápanásam, in the Tinnevelly District, would be able to test the wild plantain (*Musa superba*) as a substance for the manufacture of paper. They have, however, recently intimated that they have given up the idea, as it is difficult to procure a sufficient supply of the raw material.

- 59. Aloes (Agave Americana).—The experiment of cultivating this plant in the Tanjore District, alluded to in paragraph 48 of the report for 1883-84, proved a complete failure. This seems to have been owing to the officer entrusted with the experiment having put the plants down in something the same way as one would celery, instead of growing it on a raised bank.
- 60. Nothing was done with regard to the "Fourcroya Gigantea," which is far superior to the ordinary aloe and which deserves attention.
- 61. The specimens of the "Casse tête" and "Gratteuse," alluded to in the paragraph quoted above, have not yet been received.
- 62. Silk-worms.—At the instance of M. Deschamps, of Deschamps and Co., who thought that a new industry could easily be established in this country, by encouraging the rearing of Tussar silk-worms in suitable tracts and who suggested the undertaking of experiments, the co-operation of the Forest Department and of certain officers and private gentlemen was solicited by the Director. The Forest Department have expressed their inability to afford any material help in the matter on account of pressure Nothing further, of their own work. Dr. Shortt has promised his cordial support. however, was done during the year; but I may mention that since its close I had a long interview with M. Deschamps and talked over matters with him. He promised to, after consulting the missionaries of his church, who are settled in Coimbatore, furnish me with a scheme and an estimate of the probable cost of giving effect to it. I have not since heard from him, very possibly, I think, because he has found that Tussar cocoons cannot be, for some time to come, turned out at prices which would pay, that whoever takes the matter up must at first lose money and may perhaps never make any, in fact that the speculation would be a very risky one. This is what I had
  - 63. Wheat.—A sample, consisting of 20 lb. of wheat grown in the Jeypore hill tracts of Vizagapatam District, was received from the Collector in August last year. The grain was small, but well formed and filled; it was found, however, that it would not yield a high class flour. The Superintendent, Government Bakery, Madras, estimated its value at Rs. 2 per bushel in Madras. Mr. Benson did not think it worth while sending it home for valuation. This is perhaps to be regretted, as the particular excellence of Indian wheats appears to be in a marked superiority for mixing with those from other countries.
  - 64. Babul (Acacia Arabica) Bark and Pods.—This subject had attention during the year and it was ascertained that, if a good market could be found for babul bark and pods, there is a considerable supply to be obtained in the various districts of this Presidency. A trial sample of pods, of sufficient quantity to really test the value of the article, has recently been sent to England. If the results are anything as favorable as we have been led to believe, the production of babul pods will, in all probability, prove very remunerative. The bark is decidedly not so valuable as the pods, but still might be made to pay. It is advisable, however, to see, first, what the trade have to say to the latter. Statistics of outturns, more complete than those at present available, are in course of collection.
  - 65. Bee-keeping.—The question of the introduction of bee-keeping into this country was considered by the Government of India, in 1882-83, and was abandoned as impracticable. Mr. R. H. Morris, of Kótagiri, however, represented to the Local Government that one of the commonest of bees in the hill tracts of India (Apis Indica), was extremely well adapted for domestication, and that he had himself succeeded in hiving a swarm of these insects in a rough hive of his own making. He requested that he might be furnished with a proper European bee-hive and a copy of the "British Bee-keeper's Guide Book." Three hives and a few copies of the work, alluded to above, were, accordingly, obtained from England and distributed to Mr. Morris, Dr. Shortt and Mr. A. G. Nicholson of Yercaud. Their experiments have, however, so far not been successful. Mr. Morris thinks that the English bee-hive is unsuited to the diminutive Indian bee, but both he and Dr. Shortt propose to make further trials and have promised to communicate the results.
  - 66. Diseases and Insects affecting Crops.—Inquiries were continued as to the several varieties of the diseases and insects affecting crops and as to the remedial measures adopted by the agricultural population. It has not been possible to obtain

definite information regarding the former; but specimens of insects and of the plants affected by them were obtained and sent to Dr. Bidie for identification. On account, however, of the undeveloped condition of the insects and, in some cases, of the state of decomposition in which they reached him, Dr. Bidie was not able to distinctly identify much.

- 67. Coffee Leaf Disease.—A Java correspondent of the "Weekly Ceylon Observer" remarked that the planting for shade of Erythrina Indica (Dadap or Indian coral tree) induced coffee leaf disease. Inquiry was made of gentlemen who, by reason of their practical knowledge, were qualified to speak with authority on the subject. Their unanimous opinion was that there was no connection between the Dadap tree and coffee leaf disease, and that in their experience the effect of planting Erythrina Indica has been distinctly beneficial.
- 68. VI. Cattle-breeding and Veterinary Establishments.—A portion of the Aden cattle obtained in 1883-84 were distributed for breeding purposes and some rams were also sent out. As far as can, at present, be ascertained, the results have been, on the whole, satisfactory. The Amrat Mahal cattle, which were under the care of the late Sir Henry Vere Levinge, were, after his death, distributed to the farms at Madura and Karúr and orders to make over the remainder to certain substantial landholders of the Madura District were issued. These, however, have been held in abeyance, pending decision of the question of opening a stock-breeding farm or farms and the cattle remain in the charge of the Collector.
- 69. Stock-breeding.—Inquiries are being made as to whether blocks of Government waste land suitable for stock-breeding are available in any of the districts of this Presidency. Replies have not been received from all Collectors, but there is sufficient reason to believe that some suitable localities will be found to be available. It is not necessary to here express any opinion as to whether the State should enter upon stock-breeding or whether it should be left partially, or entirely, to private enterprise. As a step towards encouraging the production of good stock, Government have, recently, approved of the proposal of the permanent Director to, in lieu of a portion of the money prizes awarded at past agricultural exhibitions, give, for the best exhibits of live and dead stock, presentations of selected breeding animals. It will require time to form any decisive opinion upon the efficacy of this measure, but it promises well.
- 70. Horse-breeding.—An Arab stallion was, during the year, purchased by Government and forwarded to the Madura District for breeding purposes; but unfortunately the animal was found to be suffering from an incurable disease and had to be destroyed. Two more Arab stallions were, recently, purchased in Bombay, and sent for breeding purposes to the Coimbatore District which was once noted for its ponies. One of the stallions is in charge of a substantial private landholder and the other accompanies the Collector on his tours in the district. From the report of the Inspector of Cattle-diseases, it appears that the number of mares, brought to be covered, has not been large and the hesitation on the part of the people in making use of the stallions is attributed, by Mr. Mills, to the fees (Rs. 2-8-0) levied for service. On this subject a separate communication will, after consulting the Collector, be submitted to Government. I may, however, mention that Mr. Mills has very lately visited the Coimbatore District and that he has, personally, given me a very encouraging account of the experiment which will, when put into writing, be duly submitted.
- 71. The Collector of the Godávari District recommended the purchase of six pony stallions for the improvement of the local breed of ponies, but, as the Government had, on a similar application from another district, declined to sanction the purchase of any more stallions until they were in possession of the results obtained in the Coimbatore District the Board of Revenue declined to, for the present, move in the matter.
- 72. Ensilage.—Both Messrs. Robertson and Benson have expressed the opinion that it would be a waste of public money to make any experiments with ensilage in this Presidency. Nothing in the way of experiment was, therefore, attempted. That the gentlemen referred to are altogether correct in their views seems to me, in the face of what has been achieved elsewhere, somewhat open to question.

73. Inspection of Cattle-disease and Veterinary Hospitals.—The cattle-disease inspection establishment consisted of an Inspector, a Deputy Inspector, fourteen local Cattle-disease Inspectors and four Probationers.

The report of the Inspector, Mr. Mills, is submitted herewith, from which it will be seen that useful work has been continued. The department is yet in its infancy, and there are manifold difficulties to contend with. These, it is hoped, will gradually be met and matters be put on a footing, which will increase the utility of an undoubtedly desirable department.

- 74. The Veterinary Hospital at Saidapet continued to be of great use to the probationers under instruction by the Inspector and also to the students of the School of Agriculture. One hundred and seventy-five cases were admitted against 160 in the previous year; of these 126 or 72 per cent. were discharged as "cured" or "relieved" and 11 as "incurable." Only 16 of the animals died. Mr. Mills mentions that a larger quantity of medicines was sent out to districts, during the year under report, than in that preceding it, but he has not given the figures. The question of moving the hospital to another site, or of extending and improving existing buildings, is under the consideration of Government.
- 75. Mr. Mills made further experiments in protective inoculation according to M. Pasteur's method. The results have, so he states, confirmed his opinion regarding the efficacy of inoculation, but he thinks that the present arrangements for obtaining the anthracine are expensive and uncertain, and that they must preclude its general adoption, until the protective fluid can be manufactured in India. The people, moreover, are unwilling to allow their animals to be inoculated, but this is, perhaps, not a matter for much surprise, for even authorities on the Veterinary art are not quite unanimous as to the efficacy of the operation in preventing anthrax.
- 76. Mr. Mills also conducted some experiments in trench cremation. He is of opinion, however, that, although burning is the only safe mode of disposing of the carcases of animals dying of anthrax and rinderpest, the dearth of fuel and consequent expense preclude the adoption in this Presidency of the system.
- 77. Mr. Mills found, by experiment, that common salt is an efficient remedy for rot (fluke disease).
- 78. The Madras Municipality having made other arrangements for the inspection of slaughter-houses in the town, Mr. Mills' visits to them ceased.
- 79. The statistics of cattle-disease for the Presidency show that epizootic aphtha, anthrax and rinderpest were the most prevalent diseases during the year. The deaths from all diseases were 43,788, of which 11,226 were due to anthrax, 12,057 to rinderpest and 3,672 to epizootic aphtha. The returns, which in my opinion and in that of the Inspector of Cattle-diseases are utterly unreliable, show that 44 per cent. of the cattle suffered from disease, that 24 per cent. died, and that the proportion of deaths to attacks was 55.45.

There cannot be any doubt that the whole of the cattle statistics of the Presidency do not, even to a moderate degree, approach correctness. The subject has of late had closer attention than heretofore, and every effort to obtain improvement is being made.

- 80. The remarks offered by Mr. Mills on the subject of cattle-poisoning in the Bellary District, merit notice. It has long been known that this kind of thing goes on, or did so, recently, to a large extent in other parts of this Presidency. It is very often difficult to hunt down the culprits, and the owners themselves are often unwilling to prosecute. Stirring matters up through the agency of this department will no doubt be productive of good. Steps to do this will be taken. Local Cattle-disease Inspector K. Padmanabiah deserves considerable credit for the manner in which he has taken up and brought forward the subject of cattle-poisoning in the district in which he is employed.
- 81. VII. Agricultural and Fiscal Statistics.—It has been decided, with the approval of the Board of Revenue and Government, to publish, in the course of each

year, four forecasts and four condition and outturn reports regarding the crops noted in

I. Food-grains.

(3) Cumbu. (1) Paddy. (2) Cholum. (4) Ragi.

II. Special and Industrial Crops.

Cotton. (2) Indigo (3) Sugar-cane. (4) Castor and lamp-oil seeds.

Gingelly-oil seeds.

(6) Tobacco.

The former will be pubthe margin. lished as early as possible after the first day of September, December, March and April and the latter as early as possible after the first day of October, January, April and June. The last will be a final report on the harvest of the year for all crops. The forecasts will deal with crops sown as compared with the normal area under each crop, this latter being taken to

be the average of the previous five years' sowings; and the condition and outturn reports will exhibit the estimated outturn of crops, valued in annas. For this purpose a table of standard production has been prepared, based, in the case of each settled district on the outturn adopted by the Settlement Department for that particular district and, in the case of unsettled districts, on the average outturn of settled This table will be verified and corrected, from time to time, with reference to the results of the experiments which are now being made by Collectors through their taluk officers. By means of the standards, prepared as explained above and from the statements of sowings and estimates of outturn in annas, to be furnished by Collec-

tors, quantitative forecasts and reports will be published by this office.

82. VIII. Trade and Trade Statistics.—According to information obtained from the office of the Board of Revenue, the total foreign or external trade of the Presidency, including exports to, and imports from, other Indian provinces and transactions in treasure and Government stores, amounted to Rs. 20,65,20,761, of which Rupees 11,83,84,272 represented the value of the export trade, and Rs. 8,81,36,489 the value of the import trade. The chief articles of export were hides and skins, cotton (raw), coffee, indigo, seeds, grain and pulse, spices, sugar, oils, cotton piece goods, cocoanut kernel, cocoanuts, coir yarn and rope, tobacco and timber and wood. The chief articles of import were otton piece goods, twist and yarn, grain and pulses, metals, apparel, liquors, timber and wood and railway materials. The interportal trade of the Presidency amounted to Rs. 4,16,22,369.

The value of the total land trade was Rs. 6,95,08,524, of which Rs. 3,67,57,508 represented the value of the export trade and Rs. 3,27,51,016 that of the import trade. The chief articles of export were Indian and European piece-goods, rice and paddy, seeds, liquors, metals and spices. The chief articles of import were spices, seeds, coffee, living animals, grain and pulses, sugar, hides and skins, provisions and raw cotton.

- 83. Conclusion.—I regret the delay in the submission of this report, which has in a very great measure arisen from the non-receipt, until the 18th ultimo, of Mr. Benson's report which was behindhand, owing to that officer having been absent on privilege leave. Added to this, the officer who has hitherto collected the information necessary for the administration report was moved to an appointment elsewhere, and his successor was new to this particular work and could consequently not get through it as rapidly as he would have, had he been longer in the office.
- I would observe that this report is due in the Board's office on the 1st July and in that of Government on the 1st September. I beg to suggest that the former date may be altered to the 1st August, which would give us more time here and still allow a month for review by the Board and printing.

I have the honor to be, Sir. Your most obedient servant,

> J. F. PRICE, Ag. Dir. of Rev. Settl. and Agr.

#### ANNUAL REPORT

OF THE

## AGRICULTURAL REPORTER TO GOVERNMENT FOR THE YEAR ENDING MARCH 31st, 1885.

I have the honor to submit the annual report of the Agricultural Reporter to Government and Superintendent, Government Farms, for the year ending 31st March 1885, charge of which offices I received on 1st of April 1884 from Mr. W. R. Robertson, M.R.A.C., on their separation from that of the Principal of the Agricultural College. I have divided this report into the following sections:—

A. General operations and remarks.

B. Direct farming operations of Government.

C. Miscellaneous.

The preparation of the report has been unavoidably delayed owing to my absence on privilege leave.

#### A. GENERAL OPERATIONS.

#### I. AGRICULTURAL TOURS.

2. These have now become the chief work of the Agricultural Reporter. The first tour of the year was on deputation to the Travancore Agricultural Exhibition at Trivandrum in April, for which the Agricultural Reporter left head-quarters on the 11th April and returned on the 22nd idem, having assisted as a judge at the show. The show was a good one, except as regards stock which do not flourish in Travancore. The Department was represented by a collection of exhibits sent from the Saidápet Farm, which received the following prizes:—

Iron harrow 1st prize.	Cholum fodder	1st prize.
Grubber2nd,	Gram fodder	 2nd
Wood drag harrow2nd ,,	Planters' Friend seed	 1st
Water lift (model of double	White cholum	 2nd
mhote)2nd ,,	Ground-nuts	 2nd ,,
Collection of oil seeds1st ,,		

3. The Agricultural Reporter next left head-quarters on June 17th for a general tour to examine and report on the agricultural condition and systems of the Kurnool district, which aim, however, was only partially carried out owing to causes noted below. The tour lasted till August 2nd and during the time the following places were visited:—

Taluk.	Places.	Taluk.	Places.
Pattikonda	(Pyápali.   Rátana. { Pattikonda.   Jounagiri.	Nandikótkur	Álúr. Nandikótkur. Muchumari. ( Nágatur.
Rámallakót	Maddikerra.  ( Dhone.    Veldurti  Tékur.		Jopádu. Atmakúr. Velapanur. (Rámapuram.
	Kurnool. Nannur.	Nandyál	Nandyál. Ayalur.
		Sirvel	Yerraguntla. Chintakunta. Chayagalamari.

4. In the time available, it was not possible to visit the Koilkuntla, Cumbum and Márkápur taluks, and as the tour was incomplete, no report on the district was

prepared. It was, however, noted that the district should be divided, for purposes of agricultural study, into the following sections:-

(1) The parts of the Pattikonda and Rámallakót taluks overlain with black cotton soil, where the practices are very similar to those pursued in the Adóni and Alúr taluks of Bellary reported on in 1879, with which this tract is conterminous.

(2) The hilly and rocky parts of the same taluks where the soils are light and stony, and the agricultural system is similar to that pursued near Gooty,

reported on in the same year.

(3) The northern parts of the Nandikótkur taluk, chiefly the valley drained by the Bhavanássi, where the agricultural conditions are favorable.

(4) The black cotton soil tract lying south of the above, which extends into

the Cuddapah district.

(5) The tract of light soils lying east of the last, along the foot of the Nallamallies.

(6) The Cumbum and Márkápur taluks not visited.

- 5. A good deal of information was obtained, and when a staff of agricultural inspectors is provided, they can be set to work on the different sections of the district at once.
- 6. As in Bellary, one of the most striking points observed is the extremely shallow cultivation generally pursued. No specially interesting practices were remarked, but the district is undoubtedly one capable of great development. There is also a great area of land under the Madras Irrigation Company's canal suitable for irrigation, although the canal undoubtedly passes through much land that is utterly unsuitable.
- 7. Return from this tour was considered necessary in August, as the Agricultural Reporter is also Superintendent of Government Farms, and the Saidápet Farm was then in charge of a Deputy Superintendent who had never before been left for so long a period to his own devices. It was not possible to return to the district again at once, as had been intended, as the Deputy Superintendent was granted a month's privilege leave, from the 17th August, after nearly three years' service in the department, and the Agricultural Reporter remained in charge of the Farm at Saidapet.
- 8. In October, the Deputy Superintendent having returned to duty, the Agricultural Reporter proceeded to Shiyali to visit Mr. Kistnasawmy Moodelliar; to Madura, to see the farm of the Madura Farmer's Club; to Karúr, to inspect the site for the farm proposed by the Reverend Mr. Little, all of which visits were reported on; and also to Coimbatore, to see the Collector regarding the proposed exhibition at Erode. After his return, the then Deputy Superintendent, Mr. C. K. Subba Row, having been transferred to the Educational Department, the Agricultural Reporter was unable to leave head-quarters again for a considerable period. A new Deputy Superintendent was only appointed on the 19th of November 1884, and he was fresh to the work, inexperienced, and could not be left alone.
- 9. On December 14th, the Agricultural Reporter proceeded on deputation to the Poona Agricultural Show and to visit the Nagpur Experimental Farm, which tour has been reported on and from which he returned on December 31st so as to be present at the Annual Ploughing Match on January 2nd.
- 10. It might have been possible during the remaining months of the year to have returned to the Kurnool district and to have completed a preliminary examination of it, but the course of action actually adopted was preferred by the Director of Agriculture, especially as, for the purposes now held in view, a simple tour through a district will not suffice for drawing up a report on it.
- 11. Early in January, the Chittoor Farm was inspected, and it was decided to withdraw the Government stock from it. After that, a visit was paid to the estate of M.R.Ry. Shunmugaraya Moodelliar Avergal, near Sadras, where that Zemindar has been introducing agricultural improvements. Advantage was also taken of being in the neighbourhood of the salt swamps of the coast to make inquiries regarding the supply of salt plants for the manufacture of Barilla, experiments in which had been ordered by Government.
- 12. Whilst absent on this trip, an intimation was received which necessitated early return to Saidapet in order to proceed to Rajahmundry to be present at the

agricultural show held there in February. This tour lasted from 28th January to 20th February and during it, besides attending the show, inquiries were made regarding the tobacco parasite bôdu (Orobanche nicotiana) and the condition and prospects of the sugar industry in the Godávari district. Reports were submitted on these subjects.

- 13. The greater part of the year had thus been taken up and the only other tour made was a visit to Hosúr to see whether that neighbourhood presented special advantages for a stock farm.
- 14. This branch of my work, during the year under report, has not been very satisfactory to me, but I believe that the want of definite results was unavoidable under the conditions met with. Under the arrangements lately resolved on by Government, it will be possible to take up the examination of the country systematically, and, though such a work in the hands of one individual can only be very slowly disposed of, still it will be possible to report on definite tracts in the Presidency, I If it is desired to get the "Agricultural Survey" completed in a hope, annually. reasonable time, the department must be greatly strengthened and competent assistance If the Agricultural Reporter is to devote his chief attention to this work he must not be burdened with the executive details of the management of farms. As regards the latter, he should be chiefly an advising and inspecting officer. ment has resolved on a policy of agricultural inquiry but it must be remembered that such inquiry can never be complete or decisive without experiment. cultural inquiry includes, properly speaking, experimental research, and without it can never be really fruitful. Our general knowledge may lead us to believe that the methods, systems, or practices now pursued should be, and are capable of being. improved upon, but experiment alone can prove the truth or otherwise of our reasoning. It will only be doing the work in a partial manner if we simply inquire into the agricultural condition of the country. The field is already cleared by our present knowledge for agricultural inquiry in its widest sense.

#### II. EXHIBITIONS.

- 15. Again, no Government Exhibitions were held in the Presidency during the year. Preparations were being made for holding one at Gooty and one at Erode, but the unfavorable character of the season in the Ceded Districts and Coimbatore rendered it advisable to postpone them. A draft standard prize list has been prepared and is under discussion, and it has been suggested that Government should reserve the offer of prizes to a few general and special breeds and products and leave to local enterprise the offer of prizes for local and minor produce or stock. Local Fund Boards and the Municipalities of places where Agricultural exhibitions are held are all interested in the development of the agricultural resources of the country and may well grant funds to promote this object.
- 16. A local Agri-Horticultural show was organized by private enterprise at Rajahmundry and opened on February 5th with a fair amount of success. It was visited by the Agricultural Reporter and a special report submitted, in which it was suggested that Government should endeavour to develop this into a permanent and more general show for the Northern Circars. In connection with this show a small ploughing exhibition was held under rather unfavorable circumstances owing to the time of year, but it led to the sale on the spot of several ploughs exhibited by Messrs. Massey and Co., and to orders being given for several more.
- 17. The management of the Annual Ploughing Matches in Madras was handed over to a committee, which decided to offer prizes both for the best ploughing and the best ploughs. It also resolved to exclude from competition all persons competing with Government equipment. This is simply a development to what began the year before, and was referred to in paragraph 7 of the last report. The matches were held on January 2nd when the following competitors appeared:—

In Class	I—for ordinary work				•••	6	competitors.
,,,						-	do.
"	III—for work in irrigated	land				3	do.
,,	IV-for work with the nati	ve pl	lough on	unirri	gated		
	land					22	do.
,,	V-for work with the na	tive	plough in	a irri	gated		
	60 C. (1980) 이 경기 프로그램 (1980) - 1980 (1980) - 1980 (1980) - 1980 (1980)					8	do.

In submitting their report, the committee made the following suggestions which have been accepted by Government, and the best manner of carrying them out is now under discussion :-

(1) That there should be a separate class for competitors working with native

ploughs only.

(2) That the competitions should be continued annually in Madras, and that, in future, they should take place in August or September instead of

(3) That similar competitions should be arranged for in different parts of the Presidency, so as to bring to the knowledge of the people the utility and value of implements superior to their simple and inefficient ones.

#### III. INTRODUCTION AND DISTRIBUTION OF IMPLEMENTS.

18. Whilst on tour in Kurnool, the Agricultural Reporter carried with him and exhibited a number of ploughs at work in many villages, and when the utility of such implements can be kept continually before the ryot, there is great hope that real ploughs will become a part of the regular farm equipment throughout the country. by persistently keeping this novelty (to the ryot) perpetually before his eyes that we can hope to break down the ryot's prejudices against it. The following quotation from a report of a visit to an enterprising and hard-headed farmer in the Kurnool district will illustrate the difficulty of introducing real ploughs:—

"However, as an instance of the difficulties which attend on the introduction of an improved plough, I may mention the fact that I found a well-to-do ryot working within a quarter of a mile of the field where Venkata Reddy's ploughs were at work with the ordinary native plough, and until I went to him and asked him, he never seemed to have paid any particular attention to the superiority of the ploughs he must have seen the Reddy using. His plea was that the Reddy was a man apart from all other ryots and could get the assistance of all Government officials in his experiments."

19. The department has now altogether withdrawn from the sale of ploughs,

\*Twelve Swedish and three improved country ploughs and one chain harrow were sold at Saidapet during the year. excepting as regards the few \* that remain in stock still, and information is not available in this office as to the number sold by different manufacturers and agents during

In a report received during the year, one Mirasidar in Tanjore, however, reported that he had 107 ploughs working on his own estate, and that he had sold some to his neighbours. He had set up a smith's shop on his estate and was making ploughs himself. Gradually, doubtless, local makers will spring up for the simpler descriptions of ploughs, whilst for the better classes there are already makers at work in Madras.

20. A trial was held during July in Kurnool of several sorts of ploughs designed for breaking up and reclaiming "black cotton" soil, on which a report was submitted, pointing out that one of the patterns tried seemed to be well adapted to the purpose. The same plough was tried last Christmas at Poona and gave general satisfaction there. Such a plough, or soil breaker, has been long wanted, for the implement ordinarily used by the ryot for the purpose is clumsy, inefficient, and very expensive as regards the work done.

21. Trained ploughmen were sent out from the Saidapet Farm during the year to exhibit the working of improved ploughs as shown in the following table :-

District. Number.		Started.	Returned.	Remarks.		
North Arcot Kurnool	* 2	26th Feb. 1885 16th June 1884	28th March 1885. { 1-2nd Aug. 1884. { 1-12th do. ,,	*Working with the Agricultural Reporter while on tour in the district.		

A number of men were sent to the Saidapet Farm to undergo training in ploughing, particulars of which appear in the following table:—

District from which sent.	Number of men	TIME SPENT AT SAIDAPET.				
District from which sent.	sent.	Arrived.	Left.			
Madura	{ 3 2 2 2	10th June 1884 17th ,, ,, 28th May ,,	21st September 1884 2nd August 1884.			

22. Regarding the Bihia Sugar Mill, no information is available as to the sale made generally in the Presidency, but during the Agricultural Reporter's visit to the Godávari district his attention was drawn to their sale there, and he learnt from the local Agents to the manufacturers that they had sold the following mills:—

	AL ULLEY						NO.
In the	season of	1882-83		 	 -	181	 48
Do.	do.	1883-84		 •••	 	•••	 169
Do.	do.	1884-85	about	 	•••		 160

The depressed state of the sugar trade, however, seems likely both to restrict the area put under the crop and to check enterprise on the part of the ryot, although depressed times are really those when superior machinery is most valuable.

23. Bamboo seed drills.—Nine of these drills were constructed on the Farm after the fashion of the Bellary three-rowed drill and distributed to the following districts for experimental working:—Ganjam, Vizagapatam, Tanjore (2), Trichinopoly (3), Tinnevelly and Malabar. These drills cost about Rs. 7-8-0 each to make up at Saidápet, but it will easily be seen from the following figures that to the ryot the cost would be less.

						KIS DOS			DO	A	P.
									RS.		r.
1	Hopper							•••	1	12	0
3	Pieces of bam	boo					•••		0	1	0
2	Shafts	•••					•••		0	8	0
3	Tines	•••				•••			0	6	0
1	Log					•••	•••		0	8	0
3	Carpenters			•••	•:•				1	8	0
	Smiths		•••						1	0	0
2	Coolies		•••	2					0	6	0
	Iron						• • •		0	12	0
	Coal			•••			•••		0	3	0
	Rope	•••				•••			0	8	0
					teld to the		THE PARTY		_		
					Links E.		Total		7	8	0
					,					1	

It is very desirable that continued efforts should be made to introduce this drill to the notice of the ryots of our southern districts. It can certainly in no sense be called efficient, but still it is better than nothing, and the advantages of drill-sowing over broad-casting are incontrovertible. The extraordinary thing to be noticed regarding this drill is that its use has been so long confined to a part of our Telugu districts. If the ryot were ready to seize on any improvement, as soon as he saw it, this would have been impossible. The ryot is naturally conservative in the extreme; and if generations have not sufficed to extend the use of the drill all over the Presidency, how long may it not take to introduce real ploughs and other improvements which we may indicate?

#### IV. SEED DISTRIBUTION AND EXPERIMENTS.

24. The following table shows the amounts of various seeds distributed gratis by the department during the year:—

Districts.	Maize.	Wheat.	Barley.	New Orleans Cotton.	Nankin Cot- ton.	Sugar Sor- ghums.	Castor Beans.	Cholum.	Broom Mil- let.	Paddy of sorts.
1	2	3	4	5	6	7	8	9	10	11
Ganjam Vizagapatam Godávari Kistna Nellore Cuddapah Bellary Anantapur Kurnool Madras Chingleput North Arcot Fanjore Trichinopoly Madura Finnevelly Coimbatore Nilgiris Salem South Canara Malabar Outside the Presidency	LB. 49 50 90 250 200 30 37½ 100 59½ 200 55½ 167 10 120 12 130 171 3 38 40	LB.  85 140 40 30 110 300 70 80 20 76 160 40 40 120 520 200 130 320	1B. 20 60 25 50 75 300 125	LB.  3  50  50  50  20   270   564  50  10  72  10  30   50  12	LB 6 5 25 47½ 62½ 100 25 25 500 100 12½ 50 25 30 150	LB. 168 20 9 90 115 102 1 501 2 56 123 100 5 40 2 86 209 7 4 427	LB	LB	LB.  13 150 25 10 2 1234 95 10 10 13 5	LB
Total	1,8123	2,481	- 665	8043	$1,163\frac{1}{2}$	$1,504\frac{1}{4}$	515	4451	336%	76

Districts.		Tree seeds.	Oats,	Guinea Grass roots.	Divi Divi.	Tobacco.	Ground nuts.	ManillaHemp Shoots.	Rheea cut- tings.	Bastard Ce- dar cuttings.	Cyprus Cactus leaves.	Miscellane- ous.
		12	13	14	15	16	17	18	19	20	21	22
Ganjam Vizagapatam Gadávari Kistna Nellore Cuddapah Bellary Anantapur Kurnool Madras Chingleput North Arcot South Arcot Tanjore Trichinopoly Madura Tinnevelly Coimbatore Nifgiris Salem South Canara Malabar Outside the Presidency	Total	LB	LB	BDLS	LB. oz.  2 0  5 0   1 0 2  1 0   8 6	LB. OZ. $2   1\frac{1}{2}$ $0   5\frac{1}{2}$ $1   10\frac{1}{4}$ $0   2$ $0   2\frac{1}{4}$ $7   0$ $0   1\frac{1}{2}$ $0   2\frac{1}{6}$ $0   4\frac{1}{2}$ $0   4\frac{1}{2}$ $0   1\frac{1}{2}$ $0   6\frac{1}{2}$ $0   6\frac{1}{2}$ $0   0$ $13   8\frac{1}{3}$	LB 103 135	50 50 30 20 22 8 10 63 30 125 30 24 58	NO. 150	BDLS	NO	LB
	TODAL	102	1 30	0	100	10 53	2004	520	300	1	96	614

<sup>25.</sup> A file of the reports received is attached in manuscript, but the results recorded are in almost all cases unsatisfactory and it is questionable whether any good results can be hoped for from the distribution of seeds for experimental cultivation

until we have a local agency capable of looking after the experiments made. Unless in particular cases where special interest and sufficient knowledge can be secured, it appears undesirable to continue the practice of distributing the seed of new crops for experimental cultivation. Such seeds will be more unlikely than ever to succeed in the future as we shall be unable to raise and furnish even partially acclimatized seed.

- 26. Wheat.—Reports have been received from Madura, Coimbatore, Salem, Nílgiris, Malabar, South Canara, and the Godávari, and in almost every case the result was a total failure. In some few of these districts better results might have been hoped for, but the season was a very bad one generally. The seed in several cases is also said to have been bad, but this was not the case when it was despatched from Saidápet. The seed distributed early in the year showed a vitality of 92 per cent. and that sent out later, of 90 per cent. Barley met the same fate as wheat.
- 27. Maize.—The reports almost entirely record failures, but there is nothing to show that the seed had a fair trial. The cause of failure is generally said to have been a bad season or the ravages of insects; in some cases the seed is said to have been bad.
- 28. Cotton.—The seeds distributed were New Orleans raised on the Saidápet Farm, and Nankin obtained from the Cawnpore Farm. The results as regards the former are as bad as those with maize, and as regards the latter, the reports available are incomplete. Messrs. Binny and Co., however, who received the greater part of the Nankin Cotton seed, furnish three reports, neither of which is complete, and also a report on the growth of Red Cotton obtained from Rajahmundry which, though incomplete, is tolerably favorable.
- 29. Sorghums.—These are the sugar Sorghums, Chinese sugar-cane and Planters' Friend. The South Canara Collector submitted a special report during the year on experiments with this plant and his results were to the effect that it would grow on even the poorer soils of his district, but that there is no market as yet for the saccharine product. The other results reported are as unsatisfactory as they can be, and are ascribed to a bad season, or damage done to the crop by insects, &c.
- 30. The Castor beans distributed were of ordinary sorts, and it is not necessary to notice the experiments. The success of the South Canara experiment with Sunn hemp is notable, as also is the encouraging report for the same district as regards ground-nuts. It is too early to expect results from the Manilla hemp plants sent out, but they appear to be thriving at Pálghat, Coimbatore, and Bellary. Major Johnson reports also very favorably from Kullar up to the present time. Regarding the growth of Rheea, the following extract from Mr. M. E. M. Breithaupt of Ammutty, Coorg, is interesting:—

"The remaining ninety cuttings, which were cut in two parts before planting, were planted in nurseries, and cuttings and shoots as they appeared were taken off and planted in turn; and I reckon I have now nearly 2,000 plants of Rhea, including cuttings, shoots and rootlets I have just planted in nurseries taken from the old stock. The soil of the field where the Rhea plants are planted is an ordinary red loam. The soil of the nurseries—black with a very large mixture of sand and clay. The Rhea does equally well in both soils. Some of the plants from the first lot of cuttings have been flowering for the past three weeks. The old and young plants are extremely healthy and show no signs of any disease whatever. Our rainfall averages 65 inches per annum."

31. The Tobacco seed distributed was of several sorts as follows:

Havana. | Chinese (large-leaved giant).
Brazil. | Manilla.

The reports are generally incomplete. From the Godávari and Trichinopoly they are those of failures; from Salem the same, the reasons given being generally want of rain or insect attacks; from Coimbatore, the only result reported is of a failure, but a further report may be expected; from the Madura Farm, the result is not complete as the leaves were not cured; from the Kistna, an outturn of four candies from two acres is reported in one experiment, but these figures do not suffice to enable any opinion to be formed on the result, otherwise the results were failures or are incomplete; and finally, from the Nílgiris and South Canara the reports are incomplete, but further details are promised.

32. The Eucalyptus seed sent out was of the following varieties and quantities:-

	*			56			1000		
San I San Francis			LB.	oz.				LB.	OZ.
Eucalyptus	Terticormis	 	1	11/8	Eucalyptus	Globulus		1	11/8
	T)	 	0	121		Citriodora		0	$3\frac{3}{4}$
,,	Rostrata	 	1	15	,,	(Yellow Mahogany)	)	0	$10\frac{3}{4}$
"	Bicolor	 	1	15/8	"	Baileyana		0	$2\frac{1}{8}$
	Goniocalyx	 	1	11/8	,,	Planchoniana		0	$7\frac{3}{8}$
"	Sideropholia		1	11/8	,,	Microcorys		0	$5\frac{3}{8}$
West Control	Paniculata	 	1	25					

Of these, all, except the last three sorts, were purchased in Sydney, the others having been received from the Queensland Acclimatization Society, in reference to a request for assistance in obtaining them, as they seemed likely to be suitable for growth in Southern India. It is too early to report any definite results as to the possibility of growing this species of tree in the plains, but the reports so far are as follow:—

Godávari—failure; seed did not germinate.

Coimbatore—most of the seed failed, but some has germinated, and some has yet to be sown.

South Canara—failed to germinate.

Malabar—only a portion of the seed has been sown, and only two species have germinated.

Cuddapah—plants of seven species have been raised on Horsleykonda, but the results of the sowing were poor.

The following officers also received supplies of the seeds, but no reports have yet been received from them:—

Collector	of Salem.	Collector	of Kurnool.	Conservator of Forests—
"	Ganjam.	, ,	Chingleput.	Northern Division.
22	Vizagapatam.	"	South Arcot.	Southern Division.
. ,,	North Arcot.	"	Tinnevelly.	The Honorary Secretary, Agri-
"	Madura.			Horticultural Society, Madras.

Some of the seed of each variety was sown at Saidápet, and seedlings of each have been raised, there now being about 400 of them available and many of them 2-3 feet high.

#### V. IMPROVEMENT AND DISTRIBUTION OF LIVE STOCK.

- 33. That to a very great extent the improvement and development of agriculture in this country must depend in the first place on the live stock must be universally admitted. That most careful and close attention should be given to this branch of agriculture necessarily follows, and it must always be one of the most important duties of the Agricultural adviser of Government to study it in addition to what is too frequently and erroneously looked upon as his peculiar work, namely, husbandry. Stock farming and husbandry or arable farming are the two great branches of agriculture, and it is difficult to say, in the present condition of South Indian farming, which needs most attention. In all that relates to the breeding, rearing, feeding and management of live stock, the closest attention of the Agricultural officers of Government is required, just as in the prevention and treatment of diseases the assistance of the Veterinary branch of the department is to be looked for. But it may be remarked that, by careful attention to the best practices of stock-breeders, the necessity for that assistance will, to a great extent, disappear.
- 34. No steps could be taken during the year towards the development of what is now acknowledged as necessary, viz., the distribution of good breeding sires on an adequate scale. Inquiry and discussion on the subject have begun and in time a move may be made. It must cost a considerable sum to do any good and results must not be looked for under a considerable number of years. If anything real is to be effected, the operation must be started on a solid basis. We have a nucleus at Saidápet round which to form a good breeding herd and flock, and when placed in a suitable locality with an adequate area of land for a run and under competent superintendence, this herd and flock should, if well selected and organized, be able to furnish bulls and

rams in as great a number as can be satisfactorily placed. After the animals are placed, we must have a local staff able to see that they are properly cared for and made use of.

- 35. The Aden bull sent to North Arcot last year has been recalled, as it had been greatly neglected by the Society to which it was entrusted.
- 36. Of the young bulls imported from Aden last year, only three were considered fit for distribution and sent out during the year—one to Malabar, one to the Sheveroys, and one to a Zemindar in the Chingleput district. Besides these, a young bull of the same breed and three of the cows imported from Aden last year, with a calf, were sent to the Madura Farm. An Aden cow was also sent to the Sheveroys for breeding purposes.
  - 37. The rams were also sent out as follows:—

Coimbatore Municipality	 		 1
Karúr (Rev. Mr. Henry Little)			2*
Erode			
Ruthnasabapathy Moodelliar of C			

<sup>\*</sup> One died and the second replaced it.

#### VI. THE USE AND ABUSE OF IRRIGATION WATER.

- 38. In the last few reports of the Saidapet Farm attention has been drawn to this subject and the remarks made last year on the subject being in a great measure misunderstood, elicited a considerable amount of discussion. The Agricultural advisers of Government have persistently held the opinion that our supply of irrigation water is not made full use of. Elementary experiments on a small scale have borne this out, although perhaps the figures recorded have not, to those unacquainted with the details of agricultural practice, been entirely free from doubt on this point. The subject is one of those most pressing in connection with South Indian agriculture. If, as is generally believed, there is a great waste of water in the ordinary practices of irrigation and in the growth of paddy as almost the only crop on irrigated land, it is most desirable that experiments should be organized and carried through to determine whether a better and more extended use of the water available for irrigation cannot be made. Ever since 1871 it has been desired that the Agricultural Department should conduct experiments in the use of irrigation water for paddy, and it is surely time that something should be done in this respect. It was intended to make a beginning in the work on the Saidapet Farm in the coming season, but the closing of that institution has put an end to this idea. We require a large series of experiments under numerous and varied conditions to determine what is the least quantity of water required to raise a remunerative crop of paddy. Experiments are also required to determine whether, under many of the conditions met with under irrigation works, the more or less complete substitution of other crops for paddy would not allow of a great extension of the area practically protected from the vicissitudes of season, and whether this practice would not be beneficial in other ways.
- 39. It seems likely that much assistance might be obtained in these respects by careful local inquiry in Italy, Spain, the United States, and perhaps elsewhere, and it appears most desirable that such inquiry should be made by competent persons at an early date.

#### VII. CORRESPONDENCE, REPORTS, &c.

- 40. During the year, special reports were drawn up by the Agricultural Reporter on the following subjects:—
- \*Trial of Messrs. Massey and Co.'s cotton soil ploughs in Ceded Districts.

\* Visit to Nannur where Swedish ploughs are in regular use.

Value of certain salts as manure.

Experiments made with seeds distributed in 1883.

\* Ensilage.

\* Manufacture of sugar from Sorghum. Sample of wheat from Vizagapatam.

Experiments with Avery's Hindustan plough, Massey's C. P. plough and native plough.

Scheme for plough trials.

\* Cane crushing and manufacture of jaggery in the Godávari district.

Bihiia Mills in the Godávari district.

Stacking and storing hay and fodder in the Presidency.

Visits to the Poona Exhibition and Nagpur Farm.

Visit to Karúr Farm.

\* Visits to Mr. Kistnasawmy Moodelliar's estate at Shiyáli.

Visit to the Rajahmundry Show.

\* Practical utility of the Saidapet Farm.

\*Note on the work of an Agricultural Department.

It would be decidedly advantageous if those marked \* could be reprinted in an appendix to this report. When printed as Government Proceedings they are seldom of any use to the public, and by combining them with the annual report its value would be increased.

- 41. The annual reports for the years 1882-83 and 1883-84 were distributed during the year.
- 42. Again is it necessary for me to draw attention to the falling off of the correspondence of this office with the native public. Last year this was recorded, but not remarked upon by either the Director, the Board, or Government. It is a most serious matter and needs attentive consideration. It began in 1883, after the combination of the work of Revenue Settlement, i.e., rent assessment, with agricultural development. It is to be feared that the people do not yet understand or appreciate the real aims of Government as regards the latter work and hold back from a department which, in its main title, is too often looked upon as a threatening of exaction. Unless we can get the people to work with us, it will be an almost hopeless task to try to introduce agricultural improvements. A brisk and frequent interchange of ideas on agricultural subjects with the native public is one of the best signs of such interest as it should be our object to promote. The record shows that this interest is dwindling.
- 43. "The Saidápet Farm Records" were all in the press at the end of the year and will soon be published. This work has been greatly delayed by want of clerical assistance, but it appears at a fitting time when the connection of the Farm with the Agricultural Department ceases.
- 44. As Editor of the Agricultural sheets of the District Gazettes, the Agricultural Reporter prepared slips for five issues. Difficulties have arisen regarding the translation of the matter, but it is hoped that during the coming year satisfactory arrangements may be made for a regular issue of the sheets.
- 45. During the year, the Agricultural authorities of the following States in America agreed to make an exchange of publications with this department and a large number of valuable reports were received from them:—

California. Missouri. Michigan. New Jersey. Georgia. Vermont.
Indiana.
Virginia.
South Carolina.
Connecticut.

Iowa. Wisconsin. Illinois.

The usual exchanges were also received and deposited as heretofore in the Library of the Agricultural College, it being considered advisable to make one good agricultural library in the Presidency, instead of two weak ones.

#### B. DIRECT FARMING OPERATIONS.

- 46. As in the previous year, these have been confined to the Saidápet Experimental Farm. Government resolved during the year to abandon that Farm as far as the Agricultural Department is concerned, and also to abstain from any further direct operations.
- 47. The farm suffered much during the year from the changes made in the officers in charge, and the other duties of the Agricultural Reporter; whilst the latter officer's residence at a distance from it when at head-quarters prevented his doing what otherwise he might for it. As proposed in June last, operations on the farm have been chiefly controlled with a view to the support of the live-stock on it. No experimental work has been undertaken in rotations, manures or fodders. Ensilage has been left alone, as unsuited to the conditions met with. The season has prevented much being done in raising seeds for distribution and few new implements have come under notice for trial. Preparations for a regular and definite course of experiments in the use of irrigation water were made, but now will have to be abandoned under the new aspect of affairs.
- 48. The whole year was an unfavorable one, but nevertheless the chief objects \*

  \* See letter No. 543, dated 8th July 1884. held in view on the farm were fairly accomplished. A very large stock of cattle was maintained on the farm. It was almost double the average of former years; see paragraph 100 below.

#### I.—SEASON.

- 49. Dividing the year into periods according to the general nature of the weather, it will be seen that in the first period—April and May—the total fall of rain was 2·28 inches, and the number of wet days 2, against an average of 3·55 inches on 2·22 wet days during the corresponding period in the previous 14 years. In April, however, the fall was 1·71 inches, precipitated in a single thunder-shower of about two hours duration. This fall was very beneficial to the crops then standing and to casuarina trees, and advantage was taken of it to sow a large area with fodder crops. Fields Nos. 12, 33, 15 experimental plots, and a part of No. 23 were sown with horse-gram, and Nos. 16 and 22 were also ploughed and fallowed. In May, the rainfall was much below the average, but the single shower of ·57 inch was very beneficial to the growth of the young fodder crops sown in the previous month.
- 50. In the second period—June to September—the rainfall was also considerably short of the average; only 11·36 inches of rain falling on 31 wet days, against an average of 17·10 inches on 32·53 wet days. The figures given in the table below show that rain may be expected at any time after beginning of June, but generally it does not come till the middle of that month, or even later. During the year under report there was a slight fall on the 17th, followed by a little more on the 18th and as much as ·81 inch on the 20th, but no more fell during the month nor till the 6th of July. The total fall during June was only 49 per cent. of the average as shown by the following table:—

	WEEK.					
	10	11	12	13	Total.	
Average of 14 years { Rainfall, inches Wet days, number . Rainfall, inches { Rainfall, inches Wet days, number.	·60 1·07 ···	.97 1.49 	·21 1·22 1·16 3	:51 1:78 	2·29 5·56 1·16	

In July the rainfall and wet days registered were only 69 and 66 per cent. respectively of the average. There was a slight shower on the 6th, followed by another of 1·48 inches on the 8th. The next fall was on the 13th, when ·23 inch were registered. A fortnight's dry weather then succeeded and, although frequent showers fell towards the close of the month and in the early part of August, no satisfactory fall was registered until the 14th of the latter month, when 1·41 inches of rain fell and again ·45 inch on the 15th. The latter half of August and the first fortnight of September were extremely dry and the state of the weather brought all cultivation to a standstill till September 16th, or up to the end of the 24th week. Although the number of wet days in August was nearly equal to, and in September considerably in excess of, the average, the rainfall was deficient, being in each month at the rate of only ·34 inch per wet day, against an average of ·49 and ·76 inch per wet day during these months respectively in the previous 14 years. During the latter half of September, namely, in the 25th and 26th weeks, there were light but frequent showers, and this period was favorable for farming operations.

- 51. Third period—October to December.—The rainfall in the early part of October, that is in the 27th and 28th weeks, was very small; but 20 inch of rain falling in the 27th week, and not more than .05 in the 28th week, against an average of 2.37 and Tillage operations commenced in the latter part of September, 2 inches respectively. were continued without much interruption. The work done, however, was not very The crops, for the most part, looked fairly well. The monsoon rains set in quietly about the 15th October, although some showers had fallen before and the wind had changed about the 9th or 10th. In the 29th week 10.38 inches of rain were registered on 7 days—a very heavy fall and much heavier than has ever been recorded so early in a single week during the past 15 years. The average for the week in the previous 14 years is only 2.67 inches. During the succeeding week the rain was also very heavy and about double the average. Such a heavy and continuous downpour retards farm work seriously and proves very injurious to the cold-weather crops, which, about this time, are generally in a young and delicate state. week formed a pleasant and very useful break, but this was not quite long enough to get all the work then necessary finished. The total rainfall during October amounted to 18.16 inches and the number of wet days to 16, whereas the average for the previous 14 years is 11.54 inches of rain on 11.07 wet days. Thus the month was very wet and not of much use for sowing, the first half being too dry and the second too wet. This month was one of the wettest Octobers experienced during the last 15 years. It was no doubt surpassed in point of rainfall by the October of 1875, as well as by that of 1883, but from an agricultural point of view, it was worse than either of these two. in 1875, there having been sufficient rain in September, all the tillage operations and sowing were done during that month, so that the crops were sufficiently advanced in growth to stand the heavy rains of October; and in October 1883, the rainfall was more equally distributed.
- 52. With the close of the 31st week, a spell of unprecedented rain began, and in the 32nd week, 27.39 inches fell on 7 days, deluging the country, causing heavy floods and breaching the Mylapore tank and thereby washing away a bridge on the farm. A good deal of crop also was damaged, and some entirely destroyed by inundation from the Adyar. Work in the fields was put a stop to for 10 days or more. succeeding week the rainfall was below the average, and the weather was, for the most part, bright and clear, but it was not till the end of it that work in the fields was at all possible. The early part of the 34th week was fine and clear and advantage was taken of this in the assiduous performance of such field operations as were deemed Field No. 37 on which the crop had been ruined by the flood was ploughed up and re-sown with paddy. No. 31 and a nursery in No. 23 were also sown Fields Nos. 19 and 16 were sown with indigo, and No. 11 with cholum. with paddy. Several crops were bullock-hoed. This very satisfactory progress was sadly interrupted by a cyclone which began on the night of the 20th November and lasted till about 10 A.M. on the 21st, when it gradually lulled. It did considerable damage to the Manilla hemp and plantain topes; in the former about 180 trees were broken down and in the latter not less than 300. All these damaged trees were buried in pits dug

for the purpose between the rows and were thus made a source of organic manure to the soil. Many other crops, such as maize, cholum, planter's friend, were also injured by being laid. The storm fortunately was of brief duration. The 35th week was comparatively fine and clear, and in the latter part of it, farm work could be resumed. The total rainfall for November was 34.90 inches on 18 wet days, whereas the average for the month is 14.97 inches on 12.58 wet days. This record was far the highest for any November during the last 15 years.

53. The weather during the two succeeding weeks, namely, the 36th and 37th, was bright and dry and allowed free scope for field work. In the 38th week another remarkable phase of the season was recorded. Incessant and heavy rain was precipitated on six days of the week, amounting to a total of 13·47 inches. The result was an inundation of a more destructive nature than that experienced in November. The Adyar rose higher and overflowed a larger portion of the farm than previously, and nearly all the paddy crops were submerged again. No. 13 and No. 37 which had been sown a second time after the cessation of the rains in November were once more denuded of their crops. The surface soil of some of the fields was washed clean off, while enormous quantities of silt and sand were deposited on the parts of the farm bordering on the river. No more rain fell during December except 54 inch on the first day of the 39th week. The total rainfall for December was 14·90 inches, and the number of wet days 12, the average being 4·49 inches on 5·21 wet days. Such heavy rain-fall for the month of December is unparalleled on the record of the past 15 years.

54. The total rainfall for this period was 67.96 inches on 46 wet days and is more than double of the average. What is more notable is that out of the whole fall, 57.91 inches, or about 85 per cent., fell in 4 weeks, namely, the 29th, 30th, 32nd and 38th; whereas the average weekly falls in the previous 14 years do not differ widely for nearly the whole period as will be seen from the following comparative statement:—

la sell	Week.	27th.	28th.	29th.	30th.	31st.	32nd.	33rd.	34th.	35th.	36th.	37th.	38th.	39th.
	•20					27.39								
	2.37	2.00	2.67	3.32	2.53	3.07	3.73	4.08	3.59	1.19	1.44	•46	.51	

55. In the fourth period—January to March—there were but two wet days with a rainfall of 63 inch; 1.56 inches of rain on 2.34 wet days being the average for the period. Of the above rainfall .57 inch fell in a single shower of a short duration on the 23rd March. The shower was remarkable; it commenced at about 4 p.m., with a storm of wind, thunder and lightning. It blew up from the north-west and was accompanied by a heavy fall of hail—a most uncommon occurrence at Saidápet. The wind was very destructive, and, although it lasted but a few minutes, did considerable havoc on the farm. In No. 4, Manilla hemp tope, 83 trees were broken and in No. 35, plantain tope, about a hundred. Many other trees were blown down. The fruit trees such as tamarind, mango, guava, wood-apple, cashewnut, blue-plum, &c., most of which were just flowering, were stripped of a great part of their flowers and green fruits, and even such short crops as horse-gram were much knocked about both by the wind and hail.

56. Summary.—The year under report was characterized by an extraordinarily heavy rainfall of 82·23 inches on 81 wet days, against 53·21 inches on 65·99 wet days which constitutes the average of a year in the previous 14 years. This is an illustration of the fact that a heavy rainfall does not necessarily betoken a good season. The most singular feature connected with the rainfall of the year is that the fall was below the average in almost every week except the 29th, 30th, 32nd and 38th. In these four weeks alone, 57·91 inches fell, which amount exceeds the average for a whole year in ordinary years. Work in the fields was much interfered with at times when it was most necessary, and the little that could be done after the

cessation of each spell of drenching rains was undone by the next. Some of the fields had thus to be sown thrice over. The season was a bad one and farm work was carried on under great difficulties. The cold-weather crops suffered severely. Most of the paddy crops were twice submerged by inundation from the river. Amber sugar-cane, sorghum and planter's friend yielded the lowest returns ever obtained. Maize proved almost a failure. The cotton crops were sickly and stunted in growth. Manure applied to these crops had no effect and was apparently lost by the excessive wash and the drainage of such large quantities of water through the porous farm soils. Had manuring experiments been attempted they would have been useless under such conditions.

#### II-CROPPING.

57. The arable area at the beginning of the year was  $70\frac{1}{2}$  acres. Of this 5.03 acres were planted out with casuarinas during the year, and .27 acre given over to the Public Works Department, so that the arable area was 65.2 acres at the close of the year. The cropping of the year may be summarized as follows:—

		4		Arable	Crops S	TANDING.	Crops Harvested.			
				Area.	Grass.	Other Crops.	First.	Second.	Third.	
To an and the state of the stat				ACRES.	ACRES.	ACRES.	ACRES.	ACRES.	ACRES.	
1st April 1884	(	•••	•••	70.50	10.50	27.04				
During the year			•••				65.93	34:19	6.90	
31st March 1885		•••	•••	65.20	4.66	48.83		·:·		

- 58. Fodder crops.—The total area of these crops raised was 86.91 acres, of which 11.20 acres were standing at the commencement of the year. There were also at the beginning of the year  $10\frac{1}{2}$  acres under Guinea grass, of which, during the course of the year, 2.99 acres were planted with casuarinas, and 2.85 acres replaced by other crops, so that only 4.66 acres of this grass were left at the close of the year. There were 30.66 acres of other fodder crops standing at the end of the year. The area of the permanent grass land used for grazing purposes was increased by 1.78 acres during the year, and is now  $7\frac{1}{4}$  acres. There are also about 7.11 acres under Guinea grass, growing between the rows of casuarina trees in the topes.
- 59. The total outturn of fodder from the 55·25 acres harvested during the year was 161,913 lb., which averages 2,930 lb. per acre, and is a lower yield than that of any of the three preceding years. The diminution of the outturn is owing to the unfavorable character of the season and to the fact that many of the crops were grazed by live-stock. Some of the Guinea-grass crops were removed altogether, and only the first cuttings of cholum from Nos. 4 and 11 fields have been included in the table. Of the fodder crops standing at the close of the year, many were full grown and almost ready for use. Details are given in the table in appendix II-A.
- 60. Red cholum sown in No. 13 yielded very well, 10,540 lb. of straw per acre having been obtained in 81 days, which equals 130 lb. per day of growth. The seed of this crop was originally received from Aden, having been sent over with the cattle imported last year for their food during the journey. The crop was grown in the hot weather under occasional irrigation. A very satisfactory outturn was also obtained from the Planter's friend in No. 12; yield per acre in 59 days' growth having been 7,298 lb. which is at the rate of 123 lb. per day. The horse-gram crop in No. 34-B also yielded fairly. In 84 days, 6,926 lb. per acre was obtained. The following is a summary of some of the best results obtained during the year:—

Field.		Crop.			Yield per Acre.	Duration of Growth.	Growth per Acre per day.
					LB.	DAYS.	LB.
No. 13 ·	Red cholum			•••	 10,540	81	130
,, 12	Planter's friend			•••	 7,298	59	123
" 34-B.	Horse-gram	,.,	•••	•••	 6,926	84	82
" 37-A.	Do		•••	•••	 4,737	70	67

61. The growth of horse-gram on paddy land was referred to last year; in 1884, about 11 acres were sown with this crop after harvesting the cold-weather paddy. The following statement shows the details:—

F	ield No.		Area.	Date of Sowing.	Date of Harvest.	Duration of growth of Crop.	Outturn.	Rainfall.
			ACRES.				LB.	INCHES.
22			.75	1st April 1884	18th June 1884	78	2,236	2.63
22			-87	23rd " "	9th July ,,	77	840	3.48
29-A			. 80	3rd " "	13th June ,, :.	71	1,764	2.28
29-B-3			•41	8th May "	4th August "	88	120	4:91
80-A			2.05	24th March ,,	26th June "	94	8,080	3.44
31	•• , , ••		1.58	20th ,, ,,	9th May "	50	2,268	2.28
Bi .			1.58	10th May ,,	19th July "	70	520	3.14
4-B			•19	29th March,,	21st June ,,	84	1,316	3.44
4-B	•• ,••		•58	8th May ,,	17th July "	70	872	3.71
7-A			.45	5th ,, ,,	14th ,, ,,	70	2,132	3.71
7-B, C	and D	••	1.80	27th March ,,	12th May ,,	46	3,228	2.28

The outturn is equal to 2113.56 lb. per acre against 1394.27 lb. per acre obtained in the previous year. The increase is chiefly due to some rain having fallen during the growth of the crops, whereas in the previous year there was no rain whatever when similar crops were grown.

- 62. Unirrigated Corn Crops—were raised on 20·1 acres. The detailed statement as to the outturn is given in Appendix II-B. The yield from the crops was almost invariably below average, which is not surprising when the adverse conditions of the season under which these crops grew are considered. Many of them were, during the most important stages of their growth, exposed to three destructively heavy falls of rain, one when they had just appeared above ground, another when they were flowering, and a third when they were nearly mature. The cyclone which burst on the 21st of November caused additional injury. The crops having been thus enfeebled, rust had a stronger hold of them than usual.
- 63. Maize.—This was grown in alternate rows with cotton in field No. 15; the crops having together occupied 2.35 acres. It was manured with box manure at the rate of 30 cart-loads, or 10 tons per acre. It was sown on the 19th of September and made very satisfactory progress during the early stage of its growth. It commenced flowering towards the beginning of November, but, unfortunately, the abnormally heavy rains which fell during the 32nd week greatly interfered with the fertilization of flowers and the formation of good grain. A good many plants were broken down by

the subsequent storm. Maize is a crop which suffers much from high wind. It was interesting to note that both the maize and cotton plants situated in the northern part of the field, which is higher and better drained than the rest of the field, were much the healthiest in appearance and best developed. About the middle of December the maize was fit for harvest, but before the cobs could be gathered, the heavy rains of the 38th week set in and further injured the crop and grain. The total outturn of grain was 193.5 lb., which is equal to only 164 lb. per acre, after excluding half the area of the field as occupied by cotton. The cobs were very small, which will be apparent from the fact that, on an average, about 11 of them weighed only one pound. The yield of grain was thus very low and much poorer than that of last year, which was looked upon as one of the worst returns ever obtained. The outturn of the straw, however, was fair; it averaged 5,179 lb. per acre or 27 times the weight of the grain, while the usual ratio is about 5 to 1.

- 64. Amber Sugar-cane.—This was sown on the 3rd October together with Nankin cotton on a plot measuring 1·25 acres in field No. 4. For about 10 days after sowing, there was little or no rain, while during the fortnight succeeding, there was a fall of 17·05 inches. Such a sudden change in the weather from one extreme to the other, during the early stage of a crop's growth, is bound to affect it during the whole of its existence. This crop in particular suffered further from the weather later on, and the outturn was naturally very low, being at the rate of 201 lb. of grain and 4,763 lb. of straw per acre.
- 65. Sorghum saccharatum.—This was sown on the 24th September in No. 10-B, on an area of 2·32 acres. It throve rather better than the last, but suffered greatly late in the season. The outturn was at the rate of 70·2 lb. of grain and 6121·5 lb. of straw per acre.
- 66. Sorghum sugar.—It was intended to make some experiments to determine the cost and value of this product, but the season was such a bad one that the canes available were very poor and limited in quantity. The apparatus also which could be provided on the spot was very crude, only consisting of a copper boiler made in Madras for heating the juice prior to neutralization, and a roughly made open iron sugar pan for evaporation. Some experiments on a small scale were, however, made both with Chinese and Amber sugar-canes, of which the results are given below:—

		Crus	HING.	WEIG	нт оғ	YIEL	o of Juic	E.
Kind of Cane used and where grown.	Date.	Commenced.	Finished.	Tops and ears.	Stripped canes crushed.	Volume.	Weight.	Per 100 lb. of canes.
1	2	3	4	5	6	7	8	9
Chinese Sugar-cane No. 10.  Do. do.  Amber Sugar-cane No. 4.  Do. do.  Do. do.	31st December 1884 2nd January 1885 3rd do 5th do 6th do 7th do 9th February 1885 10th do	A.M. - 10-35 - 11-50 - 10-10 - 10-40 - 10-5 - 10-0 - 9-30 - 9-35 - 9-35 - 10-0	A.M. 11-55 12-30 10-35 11-15 10-50 10-35 10-0 9-15 10-0	LB. 158 160 144 140 101 156 124 10	LB. 200 200 180 200 180 180 100 33 67 45	MADRAS MEASURES. 30.75 25.0 20.3 24.0 23.0 22.0 14.0 3.25 6.0 4.5	LB. 123 100 92 96 92 88 56 13 24	LB. 61·5 50· 51·1 48· 51·1 48·9 56· 39·4 35·8 40·

		I	EFECATIO	on of Juio	Œ.	EVAI	PORAT	ING.		GGEI	
Kind of Cane used and		leating.		of lime ded.	m fire	Scum removed.				Juice.	Canes.
where grown.	Date.	Commenced heating.	At	Amount.  Removed from		At	Amount.	Finished at	Weight.	Per 100 lb. of	Per 100 lb. of Canes.
•		10	11	12	13	14	15	16	17	18	19
Chinese Sugar-cane No. 10 Do. do. Do. do.	31st December 1884 2nd January 1885. 3rd do	P.M. 12 12-40 A.M. 10-50	P.M. 12-30 1-25 A.M. 11-30	ollocks. 2 do. do.	P.M. 1-15 1-50 A.M. 11-40 P.M.	P.M. 2-0 2-30 12-35	$\begin{bmatrix} LB. \\ 8 \\ 6\frac{1}{2} \\ 5\frac{1}{2} \end{bmatrix}$	P.M. 5-0 5-40	LB. 10 8	ьв. 8·1 8·	LB. 5 4 3.9
Do. do. do.	5th do 6th do	11-35 11-15	12-0 11-55	do.	12-50 12-10 A.M.	1-0 1-15	4 10	3-55 4-0	$ \begin{array}{c c} 7\frac{1}{2} \\ 6\frac{1}{4} \end{array} $	7·8 6·8	3.7
Do. do. do. do.	7th do 8th do	10-55 10-20	11-20 11-10	the point or neutralization.	11-45 11-0	1-0 12-20	9 7	3-45 3-0	$\frac{6\frac{3}{4}}{4\frac{1}{2}}$	7·7 8·0	3·7 2·2
mber sugar-cane No. 4. Do. do. Do. do.	9th February 1885 10th do 15th do	9-30 10-21 10-47	10-45 11-5 11-30	To the neutre	10-0 11-0 11-13	A.M. 11-0 11-55 12-0	4 6 5	1-45 2-30 3-0	LB. OZ. 1-0 1-12 1-1	7·7 7·3 5·9	3·0 3·0 2·4

- 67. The canes used were cut from the crops referred to above, and were all very poor and generally much affected by rust. They were crushed in a two-roller Beheea mill and the juice obtained was very impure and small in quantity. The low specific gravity (1.04) of the filtered juice also showed it to be very poor in saccharine matter, canes grown in America being said to produce juice of 1.07 to 1.09 specific gravity. Both the mill and the vessels intended for receiving and heating the juice were scrupulously cleaned and fumigated with sulphur before use. As soon as the required quantity of juice was obtained, it was heated at once to 160° F. and milk of lime was added to neutralize the acids, and the impurities that then rose to the surface were The juice was then heated rapidly to boiling point and the boiler was then removed and set aside to allow the sediment to subside. In the experiments made on the 31st December 1884, and 2nd, 3rd and 5th January 1885, the quantity of lime used was not quite sufficient for complete neutralization of the juice. A certain amount of scum collected on the surface of the juice while it was being boiled and was carefully removed, but, nevertheless, the syrup retained an impure greenish color and hardly any sediment was deposited at the bottom of the boiler after it was removed from the fire. The jaggery obtained had a similar color and an unpleasant bitter taste.
- 68. In the later experiments, namely, those dated the 6th, 7th and 8th January, lime was added to the juice, after it had been raised to a temperature of about 160°, till it was rendered completely neutral or slightly alkaline, as indicated by test paper. On the juice being then brought to the boiling point, the impurities suddenly coagulated, so that the previous homogenous liquid was filled with suspended flocculi. The boiler being then removed from the fire and kept undisturbed for half an hour, the impurities settled at the bottom of the vessel, leaving a clear transparent liquid above, which was carefully decanted off and transferred to the evaporating pan and boiled down in the usual way for jaggery. The color and taste of the jaggery thus produced was decidedly superior to that obtained in the previous experiments.
- 69. The general result of all these experiments was the production of a syrup, which could not be concentrated beyond the consistency of treacle without burning and consequently impairing both the taste and color. Neither would the syrup crystallize on cooling as sugar-cane jaggery does. On the contrary, it remained viscid and, if anything, became more liquified the longer it was kept, thus indicating probably the presence of hygroscopic salts. No results were consequently obtained in crystallising out the sugar from this variety.
- 70. In the experiments with the juice of Amber sugar-canes the same process was followed as that adopted in the later experiments with Chinese sugar-cane, but the

results obtained were equally unsatisfactory. It is believed, however, that the syrup of this variety of sorghum can be got to crystallise with less difficulty than that of the Chinese cane, and the failure in this point in the present instance must, in no small measure, be attributed to the poverty and rusted condition of canes used. They were so much rusted that the juice extracted from them had a dirty reddish color and was very distasteful. The absence of a better evaporator also, no doubt, was a great drawback. One of Cook's automatic evaporators has been ordered from America and is on its way out.

- 71. Planter's Friend—was sown in No. 33 on the 16th August and, although very little rain fell for about a month after sowing, the crop gave better results than others and suffered less from the heavy rainfall of October and November. The outturn was at the rate of 178 lb. of grain and 6,276 lb. of straw per acre. The crop was reaped on the 12th December, and the sheaves were stooked unthrashed on some open ground near the farm yard, to allow the straw to dry. There, from the heavy rains which commenced on the 15th December and continued till the 23rd without intermission, the greater part of the grain sprouted and was thus spoilt. As soon as bright weather returned, the good seed was carefully picked out and rapidly dried. The damaged seed is not included and this accounts for the low outturn of grain noted above. Field No. 32 also was sown with Planter's Friend as late as the 4th October, and consequently fared much worse than the preceding crop. The outturn was only 69 lb. of grain and 821 lb. of straw per acre.
- 72. Ragi.—That sown in No. 13 with castor was a failure, although carefully treated. The field was covered by the river floods during December, which washed away a good deal of the soil, laid the roots of the crop bare and damaged it beyond recovery. The crop grown in No. 14 field did not, owing to the field being situated at a higher level than No. 13, suffer so much from excessive rainfall, and considering the season, the outturn of 377 lb. of grain and 1,896 lb. of straw per acre obtained from this crop must be regarded as satisfactory.
- 73. Wheat.—The seed of four varieties of this crop received from Australia and of four varieties received from the Central and North-West Provinces was sown on the 5th December on a plot in No. 4 field measuring 955 square yards. It would have been sown earlier had the weather allowed. The soil is loamy and was liberally manured with box manure. The seed was sown on the ridge and all varieties germinated satisfactorily. The crops were very carefully looked after, and were watered when necessary. During the first month of growth, the Australian wheats made more rapid progress, were more robust and presented a healthier appearance than that raised from Indian seed; but later on, the growth of the exotic plants was apparently brought to a standstill and they subsequently withered away. A few sickly, withered, empty ears were produced when the crop was in a half-dead state and finally it all dried off. The Indian wheat grew well and flowered towards the end of January when the plants were about 2 feet high. It was harvested on the 17th March with the following results:—

			Outr	URN.	
Variety.	Area.	Tota	al.	Per Acre.	
		Grain.	Straw.	Grain.	Straw.
White Pisi wheat Soft white do Red*wheat from Central Provinces Red wheat from North-Western Provinces	SQ.FT. 860 860 860	LB. 5·25 5·75 ·75	LB. 26·75 33·25 19·25	LB. 266 291 38	1,355 1,684 975 1,887
Total	3,440	18.50	106.50	234.2	1348.5

The outturn is of course low, but is encouraging for further trials. It will be seen from the above table that the white wheats yielded better than the red, whereas contrary results were obtained in the previous year in the Botanical Gardens, where both these varieties were grown and the outturn from the red was higher.

74. Irrigated Corn Crops.—The total area of these crops raised during the year was 22·13 acres, of which the first crop harvested occupied 19·52 acres, and 2·61 acres of second crop were standing at the close of the year. For a detailed statement of these crops see Appendix II-C.

The outturn from the 19.52 acres harvested was  $19.388\frac{1}{2}$  lb. of grain and 99.350.9 lb. of straw, which is equal to 993.3 lb. of grain and 5089.7 lb. of straw per acre.

75. The varieties of paddy grown during the year were Carolina, Madagascar, kar and several sorts of samba. The crops suffered a good deal from the excessive wetness of the season and some were entirely destroyed by flood, such as those sown in No. 37 and No. 23, but the varieties that suffered most from this cause were the exotics, viz., Carolina and Madagascar; the latter especially being almost a failure. Paddy was sown in nurseries first in the early part of September and again on the 2nd of October. Transplanting commenced in the early part of October. The sowing of the nurseries is usually commenced as early as August, but in this year it was not possible to do so for want of sufficient rain in that month. Some fields were sown with paddy with the drill on the dry system in August, and some others broadcasted on the puddling system in September. Before the Carolina paddy was harvested the indigenous plants mixed with it were carefully picked out, so that a pure supply of Carolina paddy was secured for future propagation and distribution.

76. Notwithstanding the unfavorable character of the season some very good results were obtained; these are the following:—

			78.		Outr	URN.	
(	Field and Plot.	Area.	Total.		Per Acre.		
				Grain.	Straw.	Grain.	Straw.
Gundu samba Chinna samba Seroomony 60 days' samba	 	 30-A 35-B-4 30-A R. F.	Acs. ·39 ·25 1·66 1·41	18. 980 560 2,900 1,611	1B. 3,892 1,904 12,892 6,673	1B. 2,512 2,240 1,746 1,142	LB. 9,979 7,616 7,766 4,732

77. By way of experiment, the average weights of a Madras measure of Carolina and of some varieties of samba paddy were determined, as shown below; care being taken to thoroughly dry the grain before weighing:—

	Paddy.	Average Weight.	Ratio.
Seroomoney Gundu samba Chinna samba Carolina		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	100 97·5 94·9 93·6

78. Industrial Crops and Trees.—The crops grown and the area sown with these during the year under report were as follow:—

									ACS.
Cotton			•••				44		3.35
Castor		a	45.00	•••	I		•••		1.62
Indigo		•••	•••			•••		•••	7.68
Manilla		•••	•••	•••	•••		•••		
Casuarin	as					•••		•••	5.03

Besides the above, 1.85 acres were sown with indigo, but the crop had to be ploughed up, as it was irrecoverably damaged by rain in December. The castor was sown in alternate lines with ragi in No. 13 field. The crop looked very poor till January, but has since greatly improved and is now looking well. The cotton was grown in No. 15 with maize and in No. 4 with Amber sugar-cane. The former was very stunted and unhealthy during the rains, but there has been a change for the better since. That sown in No. 4 is of the Nankin variety and was a poor crop till about February last, but has since greatly improved. The outturn from these crops cannot yet be given.

79. Cotton.—The outturn of cotton-in-seed obtained in 1884 from 9.38 acres was 1463.5 lb., or 156 lb. per acre, which yielded 389.66 lb. of lint or 41.5 lb. per acre. Details are given in the table below. This yield is much lower than usual and is due to the unfavorable character of the season of 1883:—

		Area of Plot.	Sov	VING.		HARVESTING.			
Crop.	Number of Field and Plot.			Amount	Per		Outturn of Cotton-in-seed		
	Piot.	F100.	Date of	sown.	Acre.	Up to	Per Plot.	Per Acre.	
New Orleans Cotton Do. do Do. do Do. do	15-A 10-B 10-A 11	2·17 2·47 1·78 2·96	1st Oct. 1883. 6th ,, ,, 8th ,, ,, 16th Feb. 1884.	LB. 65 60 49 34·5	LB. 30 24·3 27·5 11·6	22nd Sept. 1884. 2nd Oct. ,, 12th Aug. ,, 10th Oct. ,,	LB. 331·5 726·5 282 123·5	LB. 152:8 294:1 158:4 41:7	

The usual detailed information regarding the outturn of lint from the cotton-in-seed obtained in different months of the year is given in Appendix II-D.

- 80. Nankin Cotton.—The crop sown in field No. 4 in 1883 gave during the last bearing season a total of  $240\frac{3}{4}$  lb. of cotton-in-seed or  $210\frac{1}{2}$  lb. per acre, which yielded  $58\frac{1}{2}$  lb. of lint or  $51\cdot3$  lb. per acre. This variety of cotton grows much taller and gives out a greater number of side branches than the New Orleans, but in outturn does not equal the latter. The plants were cut down in October last to about a foot from the ground. They then made a very rapid start, threw out a number of side branches and attained quite a rich appearance within a brief interval. The crop has, however, yielded only 12 lb. up to date, and the prospects of obtaining any appreciable yield from it hereafter are poor. It has been found by experience that keeping New Orleans cotton crop over a second year is not remunerative. The same remark appears to be applicable to Nankin cotton. The expenses of cleaning and gathering the crop during the second year are nearly equal to what is necessary for raising a fresh one, while the yield during the second linting season is much lower. No special observations have been made regarding the bleaching of the lint of this variety.
- 81. Indigo.—The total outturn from the first cutting of indigo sown in 1883 in No. 16 and in No. 32 was 680 lb. seed, which is equal to 122 lb. per acre. The crop in the latter field was a failure, having yielded at the rate of only 97.8 lb. per acre, but the other gave a somewhat higher outturn, namely, 214 lb. per acre. The lowness of these outturns is explained by the fact that within four days of the sowing (17th December 1883) of the seed in field No. 16, 5.40 inches of rain fell, and when the seedlings were only eighteen days old in field No. 32, there was a downpour in the 36th week of 10.86 inches on six consecutive days. The development and success of an indigo crop depends in great measure upon the kind of weather it goes through while in a young state, as the plant is then very delicate.
- 82. A quantity of indigo seed was received from the Cawnpore Farm late in the past year, so late that it could only be sown in No. 37, which is one of the irrigable fields, and on which two sowings of paddy had been destroyed by successive floods. The seed was sown on January 1st, and the plants grew remarkably; some of them were more than seven feet high on the 1st of June, and were heavily laden with well-formed seed-pods. It is hoped that a quantity of valuable seed will be obtainable from this crop for distribution.

- 83. Manilla Hemp (Musa Textilis).—During the year a portion of No. 11, measuring about half an acre, was planted with this crop, so that the total area now occupied by it is about 1·1 acres. Three hundred and fifty-five shoots were distributed during the year and there were about 250 shoots fit for planting out at its close. The storms which broke over the district in November and March last damaged about 190 trees, which were buried in pits dug for the purpose between the rows and thus utilized in supplying organic manure to the soil. The tree now grows very freely, attains a gigantic size and puts forth very large bunches of fruits. Trees were often sold from 3 to 4 annas each on the occasion of weddings, &c. This is a fair price when it is considered that the fruits are not useful as food like those of the ordinary plantain. No experiments in fibre-making were conducted during the year. Experiments having been carried as far as they usefully can be without a proper crushing apparatus. It is a great matter for regret that the huge bunches of fruit produced by these trees cannot be turned to some really useful account.
- 84. Casuarinas.—The area under these trees was augmented during the year by about five acres. Numerous blanks in the topes were also filled up, and the number of the seedlings planted in this way was about 9,000, which, at the rate of 1,800 plants per acre, is equal to about five acres planted. A large nursery of casuarina seedlings was raised during the year and, after planting out as above from it, about 8,000 seedlings were standing in it at the close of the year. A good deal of thinning was done in some of the older topes with fair results. On the whole the condition of the casuarina trees planted on the farm is satisfactory and they now form a valuable property.
- 85. Cocoanut Trees.—At the close of the year they were in all 543 cocoanut trees on the farm, of which 93 were mature. Some losses occurred in the tope in field No. 35 and amongst the trees planted as a road-side avenue; in the former case from excessive wetness of the soil, and in the latter from the ravages of a borer. The trees planted on the saltish soils of fields Nos. 28 and 30 were somewhat injured by the last rains, but are now looking healthy. The trees growing near the well in field No. 11 bear very freely. It was frequently necessary to remove the green nuts from these trees, as the stalks supporting the bunches used to break under their weight.
- 86. Divi-Divi—(Casalpinia coriaria).—Most of the plants put out during the previous year perished from the heavy rains and floods owing to the low situation of these plantations. The dead plants were all replaced by fresh seedlings raised in the Botanical Gardens, except the plantation in No. 21 field which, having been absolutely annihilated, was converted into one of casuarinas. The number of the seedlings planted in blanks was 375. These are now looking well and are occasionally watered. Some of the plants that remain out of those planted in 1883 have acquired a fine bushy growth and are from 4 to 5 feet in height. A few of them flowered during the year, but did not seed.
- 87. American Sumach—(var. of Casalpinia coriaria).—About 30 seedlings raised from seed obtained from Sicily were planted out on a strip of land to the north of field No. 23 early in December last, but were destroyed by the drenching rains and floods which occurred during that month.
- 88. Eucalyptus.—The seed of several varieties of this tree received from Australia was sown on the farm during the year and a large stock of seedlings raised. There were on the 1st of July, 405 seedlings of different varieties from different sowings in the nursery, besides 147 plants that have been put out. Of the above seedlings, about 240 are fit for planting out and from 2 to 3 feet in height. They belong to the followin varieties:—

Eucalyptus Teriticormis. Eucalyptus Bicolor. (Yellow Mahogany). Globulus. Citriodora. ,, " Paniculata. ,, " Resinifera. Baileyana. ,, " Planchoniana. Rostrata. 99 2) Goniocalyx. Microcorys. Sideropholia.

The seed of the first ten varieties was obtained by purchase and that of the last three through the kindness of the Queensland Acclimatization Society. The transplanted

trees were 8 months old on the 1st of July and their heights ranged from  $3\frac{3}{4}$  feet to  $7\frac{1}{2}$  feet, the mean being about 5 feet. The best progress has been made by Yellow Mahogany, Eucalyptus teriticormis, E. paniculata and E. bicolor, but E. globulus, E. rostrata, E. goniocalyx and E. citriodora have made comparatively slow growth.

- 89. The Ceara Rubber and Eucalyptus trees planted on the sides of the eastern and western channels in 1883 were mostly destroyed by the floods, which filled these channels during the last monsoon rains.
- 90. Paper Mulberry—(Broussonetia papyrifera).—This shrub is a native of the South Sea Islands as well as of China and Japan, where it is cultivated for its fibrous bark, out of which cloth is made. The Chinese and the Japanese are said to manufacture a kind of paper from the inner bark of this plant. On the 29th July last, 30 cuttings of this shrub were received from the Royal Botanical Gardens, Calcutta. These were planted in a bed in field No. 35, under the shade of plantain trees, where 25 took root, but the rest died. During the monsoon rains 10 more plants died. The rest were planted out at the close of December amongst the Manilla hemp trees in field No. 4. There are 13 plants now living and they are in a satisfactory condition and possess a fair amount of side branches. Their average height on the 1st July was  $4\frac{1}{2}$  feet.
- 91. Japanese Lacquer tree—(Rhus vernicifera).—This tree is a native of Japan where it is valued for timber as well as a useful resinous substance which exudes from it. A small packet of the seed was obtained from the Royal Botanical Gardens, Calcutta. The seed was sown in pots on three occasions, but none germinated.
- 92. During the year about 500 seedlings, raised in the Botanical Garden from the seed of graft guava trees growing there, were planted in the guava topes on the farm and they are for the most part doing well. A large number of seedlings of the Blue plum (Syzigium jambolanum), Margosa (Azadirachta Indica), Silk-cotton (Bombax Malabaricum), Cashewnut (Anacardium occidentale) and wild Cassia (Albizzia Lebbek) were also put out on different portions of the farm during the year. The soil suits these trees. A considerable portion of the above seedlings were, however, lost during the last rains, but a fair number of them have survived and will prove valuable in the future.

#### III. MANURING.

93. As proposed at the beginning of the agricultural year, no new experiments were begun in this direction. The Department had nothing to do with the land on which the experiments recorded in paragraphs 85 and 86 of the last report were conducted, and it is believed that they have not been continued. The only experiment conducted was a continuation of that recorded in paragraph 84 of the last report on green manuring in No. 15 field. The same plots were used and treated in the same manner as in the previous year. The green crop, horse-gram (Dolichos uniflorus), was first sown on April 25th, but as it failed to germinate well and cover the field uniformly, it was ploughed in and the field resown on the 21st June. The crop then raised on plot 1 was grazed by 34 rams from the evening of the 1st to the morning of the 4th September. Plots 1, 2 and 3 were then ploughed, the crop on plot 2 alone being reaped and removed. Plot 5 was grazed by the same rams from the 4th to the 7th September, both days inclusive, and on the following day it and plots 4 and 6 were ploughed up, the crop on plot 4 being ploughed in. The outturn from plots 2 and 6 was 280 lb. and 308 lb. of green plant respectively, that is a total of 588 lb., which is equal to 2,352 lb. per acre. Plots 3 and 4 probably received about the same amount as green manure, and on plots 1 and 5 a similar amount was probably fed off by the The first ploughing having been found ineffective owing to an insufficiency of moisture, all the plots were ploughed a second time and sown with yellow cholum on the 23rd of September. Heavy rains and rust injured this crop so much that, as far as the yield of grain goes, it was a failure. It was reaped on the 9th January last and the results obtained were the following:-

			d and the last paid and			OUTTURN.			
Plot.			Treatment			Total.		Per Acre.	
						Grain.	Straw.	Grain.	Straw.
•••		•••	Grazed Reaped Ploughed in Do Grazed Reaped	•••	•••	LB. 7 16 28 8 4 11 4 3 4 3 8	LB. 504 336 308 532 504 448	LB. $3\frac{1}{2}$ 17 6 10 6 3	LB. 4,032 2,688 2,464 4,256 4,032 3,584

The average of the above results stands as follows:—

		Treatment.			Outturn.			
j	Plots.				Per Plot.		Per Acre.	
					Grain.	Straw.	Grain.	Straw.
1 and 5 2 and 6 3 and 4	••• •••	Grazed Reaped Ploughed in			$9\frac{1}{2}$ oz. $1\frac{1}{4}$ lb. $1$ ,,	1B. 502 392 420	LB. 4 <sup>3</sup> / <sub>4</sub> 10 8	LB. 4,016 3,136 3,360

As far as the outturn of straw goes, the results are fair and in the order in which they might be expected. The outturn of grain is not worth notice; the season undoubtedly vitiated the results in this respect.

94. There is little to note regarding the manures used generally on the farm; they were the same as usual. A very marked result was noted on a crop of cholum grown for fodder in No. 4 field, to which a mixture of bones and cake that had been fermented together for some time was applied. At the time of application the crop was in a miserable state, but within a fortnight after it displayed great vigor and finally grew rapidly and strongly to maturity.

#### IV. LIVE-STOCK.

95. Cattle.—At the beginning of the year the breeding stock on the farm was as below:—

 Cows
 ...
 ...
 ...
 Aden 10, Kerry 1.

 Heifers
 ...
 ...
 ...
 Aden 4, Kerry 1, (by an Aden bull).

 Bulls
 ...
 ...
 ...
 Aden 18, Punganúr 1.

 Bull calves
 ...
 ...
 ...
 Aden 9.

The births during the year were as follow:-

Bull calves ... ... ... From Aden cows 4 (of which 2 by a Devon bull).

Heifer calves ... ... From Aden cows 5, Kerry 1 (by Devon bull), half bred 1 (by Devon bull).

The number and description of stock distributed has been referred to in another part of this report.

96. Of the 15 young bulls imported from Aden last year, 3 were sent out. The remaining 12 bulls are in a very satisfactory condition and are quite fit for breeding with the exception of three, which are still undeveloped. On the 31st March

last, their live weights ranged from 448 to 618 lb., and gave a mean of 527 lb. perhead. Adverting to the weights of these bulls noted in the statement given on page 42 of last year's report, it will be seen that their average weight on the 26th May 1884 was 399 lb. The average increase was therefore 128 lb. per head, which is thoroughly satisfactory.

97. The Devon bull referred to in paragraph 94 of last report covered the following farm cows with the results recorded:—

Banu		 	 		 Bull calf.
Rani	 		 		 Bull calf.
Baggium II		 	 		 Heifer calf.
Baggium I	 	 	 	• • •	 Heifer calf.

The calves, except last named, show a strong cast of the Devon type and promise to make valuable crosses.

- 98. The breeding bull Rajah, out of the cow Rani, referred to in paragraph 95 of last year's report, continues to thrive well and has proved a very successful stockgetter.
- 99. One hundred and twenty cows from outside were served by the farm bulls during the year, against 94 during the previous year, which shows an appreciation by the public of the advantage of putting their cows to well-bred and selected bulls. To encourage this, no charge whatever is made for bull service on the farm.
- 100. The system of management pursued during the year did not differ in the main from that of the previous years. The health of the cattle was on the whole very good, and the mortality was exceptionally small, there having been a solitary death of a calf not quite eight days old from dysentery. The usual information regarding the live-stock maintained is furnished by the following statement. For further details vide Appendix III:—

			Average.		
	1876-81.	1881-82.	1882-83.	1883-84.	1884-85.
Live-stock maintained calculated as country cattle Stock as country cattle per 100 acres of cultivable land Percentage of deaths  Cost of purchased food a head per mensem	123·4 84·5 10·8 A. P.	76 63·33 4 A. P.	111 105.7 7.5 Rs. A. P. 1 4 10	91·6 117·4 4·4 A. P. 13 2	95 140·2 1·68 A. P.

<sup>101.</sup> Working Cattle.—Although, as pointed out last year, these animals are nearly all of them old and needing replacement, it was not considered advisable, with the future of the farm so uncertain, to purchase new stock. These cattle are now nearly all worn out and will have to be sold off for a trifle. They have had a very heavy season's work on the farm, besides performing a lot of miscellaneous work for the Department.

<sup>102.</sup> The young breeding bulls are being gradually broken to light work, in order to give them useful exercise and thus keep them in health.

<sup>103.</sup> Dairy.—The following statement shows the monthly yield of milk recorded during the year from all the cows:—

Husain Bí (Red Second).	Aden.	14	52. 83. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	550 11/2	1st Sep. 1884.	5th June 1884. 5th Sep. 1884.	
Muhi-ud-dín Bí (Grey).	Aden.	13	M. 72 7. 75 66 3 56 3 56 6 3 56 6 4 1 6 4 5 7 6 6 6 1 1 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6	604 4	19th Jan. 1885.	9th Dec. 1884. 23rd Jan. 1885.	Sent to Madura, 24th March 1885.
Rahímán Bí (white).	Aden.	12	7	436 22	:	25th Dec. 1884.	Sent to
Qadir Bí (Red First.)	Aden.	11	M. 0. 6 6 6 6 6 11 1 1 1 1 1 1 1 1 1 1 1 1 1	694 73	14th July 1884.	16th April 25th 1884. 17th July	
Kázim Bí (white first).	Aden.	10	X. 777 0. 777 0. 20 5 5 6 6 6 7 7 7 7 6 6 4 8 8 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8	9 964	4th Dec. 1884.	3rd Sep. 1884. 8th Dec. 1884.	Sent to Madura, 24th March 1885.
Amír Bí (Brown).	Aden.	6	M. 28 29 29 20 26 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	260 5	20th Nov. 1884.	20th July 1884. 23rd Nov. 1884.	
Rani.	Aden.	8	M. o. M. s.	221 2	14th Sept. 1884.	8th March 1884. 17th Sept. 1884.	Sent to Salem, 11th Jan. 1885.
Banu.	Aden.	7	XX. 0. 555 4 4. 118 11. 12. 0. 69 69 69 67 77 6 67 67 67 67 67 67 67 67 67 67 6	581 7	17th Aug. 1884.	20th May 1884. 21st Aug. 1884.	
Baggium II.	Half bred Aden- Kerry.	9	M. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	403 3	21st Sep. 1884.	: :	First milking.
ij	Kerry.	5	M. * * 13	712 3	13th May 1884.	8th March 1884. 16th May 1884.	* Sick from 12th June to 29th July 1884.
Sultana IV. Baggium	Aden.	4	M. 66 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	$1,021$ $1\frac{1}{2}$	3rd April 1884.	:: ::	***************************************
Sultana I. Sultana III.	Aden.	8	110. 110. 100. 173. 173. 173. 173. 173. 173. 173. 174. 175.	849 3½	29th Dec. 1884.	19th Nov. 1884. 2nd January 1885.	
Sultana I.	Aden.	2	0. 24 2 1 2 2 1 2 2 2 1 2 2 2 2 2 2 2 2 2	36 3		1st June 1884.	
Cow.	Breed.	1 to the state of	April 1884  May  June  July  September  October  November  January 1885  February  March	Total	Calved	From	Remarks.

104. Sultana I.—the old Aden cow, was on the recommendation of the Inspector of Cattle Diseases destroyed on the 23rd March last, on account of a fracture of the pelvis caused by an accident. She dropped her ninth and last calf in September 1883 and continued to yield milk till the close of May 1884, after which it was not found possible to get her to carry again. The yield of milk during her last milking period was the smallest recorded during the seven periods for which only full statistics are available, as will be seen from the following table. The small yield in the fourth period was probably due to the cow calving before her full time:—

		M	ILKING I	PERIOD.			Interval be-				
	Number.				Date of comencement		tween each calving.	Yield of milk.			
							DAY.	MEAS.	ols.	GALLONS.	
Third	Fall N		100		May	1877	396	832	3	299.41	
Fourth			1		June	1878	335	694	1	241.68	
Fifth					August	1879	426	831	1	298.96	
Sixth					July	1880	427	965	2	347.27	
Seventh					September	1881	373	843	$1\frac{1}{2}$	304.39	
Eight					October	1882	340	1,024	5	369.54	
Ninth					September	1883	260	627	$1\frac{1}{2}$	226.42	

This cow was nearly 11 years on the farm and produced nine calves during that period. She had a calf at foot when she was imported and it is probable that she had one or more before she arrived, as she was then over six years old. As to her milking capabilities, the figures given speak for themselves, and her milk was remarkably rich.

105. Sultana III, a daughter of the above cow, referred to in paragraph 100 of last year's report, gave during her last, that is, her second milking period, 1,153 Madras measures, or 416·23 gallons of milk, which shows an increase of 32 measures over the outturn of the first milking period. She produced her third calf on the 29th December, and the yield of milk has since been fair. The cow promises to succeed nearly as well as her mother.

Sultana IV is the third heifer dropped by the old cow Sultana I. She dropped her first calf on 2nd April 1884 when about 3 years and 9 months old, and her yield of milk, recorded up to 31st March last, was 1,021 measures, or 368.59 gallons, and the milking period was not closed. This outturn is satisfactory and particularly so for a first milking period.

106. Banu, a cow imported in the year 1881 and referred to in the same paragraph of the last year's report as the foregoing cow, calved on the 17th August last, and the calf, a bull, strongly resembles the Devon bull to which the cow was put. Up to the close of the year 508 measures  $1\frac{1}{2}$  ollocks, or 183.46 gallons of milk were obtained from her, which is less than her yield in previous periods.

Rani is the second cow imported in 1881. She also had a calf by the Devon bull on the 13th September last. The calf is a bull and possesses a good many of the characteristics of the sire. She yielded up to the 12th January 221 measures and 2 ollocks, or 79.87 gallons of milk. She was then sent with her calf to the Shevaroys. The milking capabilities of this cow have hitherto been below the average of the Aden breed.

107. Baggium I, the Kerry cow referred to in paragraph 100 of the last report, calved on the 13th May 1883 and yielded milk till the close of the year, the outturn being 712 measures 3 ollocks, or 257·17 gallons, which is far below that of the preceding milking period. The cow was for a long time suffering from partial paralysis and a good deal of the milk during her illness has not been taken into account. This cow was also served by the Devon bull, but the calf, which is a heifer, does not show much resemblance to its reputed sire.

A heifer, Baggium II, out of this cow, by an Aden bull dropped her first calf on 22nd September last when not 3 years old. This calf, a heifer, is by the Devon bull referred to. The registered of yield milk up to the 31st March was 403 measures

3 ollocks, or 145.62 gallons, and she was still milking at that time. The yield is not very good, but the cow may improve in this respect in future milking periods.

108. The cows to be considered next are those imported from Aden last year and also referred to in paragraph 100 of that year's report. These were brought over in two batches of three each in the months of January and February. They all had calves at foot on arrival.

Amír Bí yielded 241 measures and 1 ollock, that is 87·40 gallons of milk before she ran dry, and dropped her first calf on the farm on the 20th November. Up to the close of the year under report her yield of milk was 160 measures and 4 ollocks, that is 57·94 gallons, a very poor outturn. The cow is the oldest of those imported with her and, as far as can be judged at present, is the poorest milker of the lot. She is, however, a well-built and good-conditioned animal. Kázim Bí, another cow of the same batch, yielded, before she dropped a calf here on the 4th December, 371 measures and 6 ollocks, or 134·20 gallons of milk. Up to the 24th March last in the present milking period, she yielded 245 measures and 6 ollocks, or 88·72 gallons of milk, when she was sent with her calf to the Madura Farm. She promises to turn out a fair milker, but no definite conclusion can be arrived at regarding her milking powers, as she was not sufficiently long under observation.

Qádir Bí, the red cow of the same batch as the last two, after her first arrival here gave 96 measures and 2½ ollocks, or 34.77 gallons of milk, and dropped her first calf on the farm on the 14th July last. Up to the close of the year 688 measures, 1½ ollocks, that is 248.44 gallons of milk, were obtained and the cow continues to yield on the average  $1\frac{1}{2}$  measures daily. She appears to be the best milker of her batch. The cows of the second batch are distinguished by the names of Rahímán Bí, Muhí-ud-dín Bí and Husain Bí. The first named is a white cow, which continued after her arrival to give milk till the end of December last, the total outturn being 538 measures and 7 ollocks, or 194.54 gallons. She was sent to Madura on the 24th March, being at From the above yield, the cow appears to have fair milking capabilithe time in calf. ties. Muhí-ud-dín Bí, a grey cow, produced her first calf on the farm on the 19th January last. She had given 536 measures and  $2\frac{1}{2}$  ollocks, that is 193.61 gallons of milk before then, and has yielded 149 measures, or 53.79 gallons since. The calf died of dysentery when about eight days old. The cow was sent to Madura along with the The last cow of this second batch is Husain Bi. She, having after others named. her arrival yielded 146 measures, 6 ollocks, or 52.98 gallons of milk, had a calf on the 1st September last. She gave during the ensuing milking period, which ended on the 30th April, a total of 513 measures and 7 ollocks, or 185.51 gallons. This is but a poor outturn, but she may improve in future.

109. Sheep.—Of the two half-bred South-down rams purchased in 1879, one died in October 1883 and the other was sold in August 1884, being too old for breeding purposes. Three farm-bred rams were put to the flock between 15th August and 2nd September last, and as the result of this crossing 41 lambs were born during the year, the bulk of which were dropped in January and February last. The mortality among the lambs did not exceed 12 per cent., and the flock on the whole was very healthy. The usual statement showing the strength of the flock and the mortality among them as compared with the corresponding figures for the previous years is given below:—

				Average, 1873-77.	Average, 1878-82.	1883.	1884.
Average number of flow Number of deaths Percentage of deaths Rainfall	ck 	 	 	247 20·6 8·40 48·32	173·8 48·2 27·70 48·27	108·6 4 3·6 66·10	120·58 8 6·66 82·23

It has generally been found to be the case that the heavier the rainfall the greater is the mortality among sheep, but it is very gratifying to remark that, although the year under report was the wettest ever experienced, yet the death-rate in the flock was small.

110. The flock was shorn between 25th April and 13th May last, and the statistics of the yield of wool are as follow:—

				2			RAMS.		Ewes.			
	Age	s.				Number.	Average weight.	Average yield of wool.	Number.	Average weight.	Average yield of wool.	
Lambs Lambs six months Shearlings Two shear Three shear Aged	· · · · · · · · · · · · · · · · · · ·					10 5 15 12 1 None.	1B. 33 64 86-67 70	LB. Not shorn 1·4 2·08 2·33 1·50	26 None 20 1 4	LB.  66 58 83·25 70·39	LB. Not short 2·16 ·25 3·19 2·32	
				Averag	e	33	67.76	2.05	70	69.71	2.30	
					Avera	ge of 104 sh	eep of all a	ges except 3	6 lambs	69.09	2.22	

The following table shows the yield of wool for every 10 lb. of weight by the sheep of different sexes and ages:—

	s	Sex.		Lambs.	Shearlings.	Two shear.	Three shear.	Aged.	Average
				oz.	oz.	oz.	oz.	OZ.	oz.
Rams			· www.	6.8	5.2	4.3	3.4		4.8
Ewes		(1914) (1914)		(6).	5.2	6.9	6.0	5:3	5.3

The outturn of wool, it will be noticed from the above tables, was 5·1 oz. for every 10 lb. of weight, against 4·95 oz. obtained in 1877. This is satisfactory, the figures collected last year having been, as pointed out, in a measure vitiated by the large proportion of lambs shorn with the other sheep in the flock.

### V.—IMPLEMENTS, MACHINES AND TOOLS.

111. Ploughs.—The only trial of these implements was one conducted in September last with a view to test the comparative cost of working with improved and the indigenous plough. Massey's C. P. and Avery's Hindustan ploughs were used in this experiment.

In the following table the results of the trials are shown, and it is scarcely necessary to point out that the real criterion of the value of a plough or any other implement or machine is the rate at which it performs its work. In order to attain a result at all approaching that secured by one ploughing with Avery's or Massey's ploughs, it was necessary to go over the ground twice with the country plough:—

Ploughs.	Time.	Area.	Rate of ploughing in a day of 8 hours.	Average depth of furrow.	Cubic yards of soil turned over per diem at this rate.	Cost of working and maintaining ploughs per diem suppos- ing it to work 32 days per annum.	Cost of turning over 100 cubic yards of soil.	Proportionate cost.
Avery's Hindustan, 1st Do. do. 2nd	MINUTES. 35 45	ACRES.	ACRES. 1.3 1.06	inches. 5·5 5·5	961 784	A. P. 13 6	As.	
Average	40	•1	1.2	5.5	873	13 6	1.54	100
Massy's C.P., original Do. C.P., improved	50 40	.09	.86 1.08	4.5	520 726	} =12 =9 {	2:45 1:75	114
Country, 1st furrow Do. 2nd do	105 82	} •17	•43	* Supposing soil to be	* 231 g the whole removed.	12 9	5.52	358

112. These figures speak for themselves. Massey's new C. P. and Avery's plough may be said to be equal in effect, as the pattern of the former was not new when used and Avery's was. The manner in which a real plough of even so rudimentary a nature as those tried excels the stick of the country is brought out in these figures with most startling effect—a result not fully anticipated as it was not believed that, taking the favorable calculation as to depth for the country implement, it would have been shown to cost between three and four times as much to stir the soil on the same area of laud with it as with a real plough.

The great saving shown in the cost of turning over the soil is remarkable. Besides this aspect of the question there is the effect on the land. With a real plough the furrow slice is inverted, the soil thoroughly exposed and the weeds buried and thus

destroyed.

It was intended to record the outturn from the plots thus ploughed, but as they were submerged by the floods of December, the results are not worth of record.

- 113. In this trial Avery's plough did very good work; it cuts its furrow clean, and turns the slice well. The draught did not appear to be much even for the small cattle used; in fact those working with the country plough were straining a good deal while doing less work. The plough is a good one, but its cost is high, Rs. 15. Its working parts are steel. An arrangement is said to exist in it for raising and lowering the pole for cattle of different sizes, but it did not work. The manner of fastening the pole to the plough is faulty and likely to lead to accidents.
- 114. Seed-drills.—Some experiments were made during the year to test the cost of working with the ordinary bamboo seed-drill, and Bird's seed-drill imported last year. The Garret's seed-drill generally used on the farm was also worked at the same time, but as the cost of working it is well known, and the specimen we have is antiquated, and the results are not recorded here. In the trial of the other drills some minor mistakes occurred, which, however, do not materially affect the results. They are tabulated below:—

					THE RESERVE AND ADDRESS OF THE PARTY.	
			Bird	's Drill.	Bamb	oo Drill.
Length of run			220	yards	220	yards
Total distance travelled			1,833	yards	1,173	yards
Time, working			31	minutes	31	minutes
Day's work, eight hours			33	acres	$3\frac{3}{4}$	acres
			RS.	A. P.	RS.	A. P.
Total cost of machine			70	0 0	6	0 0
Daily cost—						<b>原意 新</b> 意
Coolies			2=0	6 0	2= 0	6 0
Cattle	•••		The late		0	8 0
Interest, wear and tear, &c.			0	2 9	0	0 3
	m.	1.1		0 0	_	14 9
	10	tal		8 9		14 3
Cost per acre	•••		0	2 4	0	3 10

Although therefore Bird's drill is eleven times as costly as the simple bamboo drill, it is a far cheaper machine and besides that requires no cattle to work it. It has been used frequently on the farm during the past year and given great satisfaction. It is strong and portable, adjustable in several ways and could, doubtless, be made up in India for far less than its imported price. It has been found possible to sow cholum at rates varying from 20—100 lb. per acre with it, and the rates could be further varied if required. The machine has thoroughly justified its purchase, which was made on two grounds:—

(1) to obtain a small and simple machine.

(2) to obtain ideas for the improvement of our bamboo drill.

115. One of Avery's Stock ploughs, which is a convertible bullock-hoe, was received during the year, and on trial found to be useful for all sorts of work amongst standing crops. Of Howard's "Ryots" implements referred to last year, the grubbers and bullock-hoe are of some use, but they all suffer from their make not giving sufficient control to the driver.

# VI.—GENERAL.

- 116. Estate.—The area of the estate was reduced during the year by 5·30 acres, of which ·27 was arable; this land was handed over to the Public Works Department early in the year for the purpose of erecting training banks for the Adyar. The buildings and other works on the estate were kept in repair, but a good deal of damage was done by the heavy rains and floods, amongst which may be noticed the destruction of the bridge connecting the two sections of the farm, and the washing away of a part of the road leading to it by the breaching of the Mylapore tank near its waste weirs. The old Assistant Superintendent's bungalow, condemned as unsafe in 1881, was partially repaired and a portion taken down, and has since been used as the office of the Agricultural Reporter who previously had no regular office.
- 117. Accounts.—In the following statements, the accounts of the farm are shown. No credit is taken for stock or seeds distributed. No attempt has been made to allot to Live-stock the proper proportion of the crops raised for consumption. Similarly no credit has been taken under Implements for wear and tear in the tillage of land, and in harvesting crops, &c. A comparative valuation statement is given in Appendix IV.

Receipts.  Capital advanced by Government during the year Implements and machines Live-stock Crops Sundries, &c Ploughs sold in districts Refund of unexpended balance of Rs. 50 advanced for aloe	1,453 7 8 Seeds 296 6 1 Manures 150 8 0 Contingencies	2,861 0 5 and machines 526 9 11 1,944 11 10 125 5 11 432 13 11
cultivation	19 15 8	7.102
	7,660 8 3	7,482 9 5
	Profit and Loss Account.	
Establishment Labor Live-stock Implements	RS. A. P. 1,401 8 0 Sundries	RS. A. P. 125 15 10 127 15 10 128 15 10 129 10 99 10 9 129 10 10 10 10 10 10 10 10 10 10 10 10 10
	2,779 15 10	2,779 15 10
70		
Liabilities.	lance Sheet on the 31st March 18	Assets.
Due to sundry persons	RS. A. P. Due by sundry	RS. A. P.
Capital	360 0 1 Due by sundry 31,524 2 4 Valuation for	
	31,884 2 5	31,884 2 5
	V 17 + 20 11	

### C. MISCELLANEOUS.

118. Collection of Native Implements and Tools, &c.—A commencement was made in getting together a representative collection of these articles by indenting for specimens of those used in Tinnevelly, North Arcot, Bellary and Vizagapatam, besides a few from Coimbatore and the Godávari. As soon as these are received, it is intended to add specimens, or models in the case of large machines, of any patterns not represented, so that ultimately the collection may really represent this branch of the rural economy of the Presidency. The collection will be kept at Saidápet, as it is of more use there in connection with the School of Agriculture than it could be elsewhere.

<sup>\*</sup> This represents the cost of the Farm for the year.

- 119. Library.—It being thought better to make one strong library of reference instead of two, all the exchanges, &c., received in the Agricultural Reporter's office are now deposited in the library of the School of Agriculture, where they will remain unless the arrangement is found unsatisfactory. All similar exchanges have, for years past, been passed on to the same library. The Agricultural Reporter receives no papers direct by which he can keep abreast of the agricultural knowledge of the day, and inform himself regarding the agriculture of somewhat similarly conditioned countries to this Presidency, but he receives for perusal the papers supplied to the Agricultural College. During the year, however, sanction was obtained for the supply to his office for several American and other papers for the purpose named.
- 120. Establishment.—Mr. C. K. Subba Row, Deputy Superintendent, Government Farms, remained in charge of the Saidápet Farm from 1st April to 13th October when he was transferred to the Educational Department, excepting for one month when he was absent on privilege leave, and his place was filled up by the appointment of Mr. S. L. D'Silva as Probationary Deputy Superintendent on 19th November, and the latter officer remained in charge of the Saidápet Farm till the end of the year. No changes were made in the subordinate staff, and as a whole they gave satisfaction.

The clerk who accompanied me on tour in Kurnool suffered severely from fever; my peons and lascars also suffered.

121. Finances.—A detailed statement is given in Appendix IV showing, as far as is known, the expenditure on agricultural services during the year. It is not a complete one, as expenditure goes on under various officers and is not always communicated. The following is a comparative statement of the receipts and charges as far as known, for the past five years:—

Items.			1880-81.	1881-82.	1882-83.	1883-84.	1884-85.
Receipts— Provincial Grant Surplus Pound Fund Departmental Receipts	••	 	RS.  20,000 41,694 4,003	20,000 46,832 4,992	29,086 6,049	2,000 34,254 11,209	Rs. 2,000 32,318 3,950
		Total	65,697	71,824	35,135	47,463	38,260
Expenditure— General Supervision Saidápet Experimental Farm School of Agriculture Estate Charges and Improvements District Operations Cattle Disease Inspection	:: ::	 	17,196 7,637 15,401 3,531	21,468 10,198 20,325 2,811	23,285 10,830 24,843 2,487 7,190 8,809	25,219 14,767 23,851 2,035 3,249 23,103	15,374 7,483 * 1,283 2,644 28,008
		Total	43,765	54,802	77,444	92,224	54,792

# MEMORANDUM.

The reports received since paragraphs 25—31 of the general report were written are of much the same general nature as those previously referred to. They generally record failures, and failures due in too many cases to carelessness or ignorance.

- 2. The report from Kistna is a supplementary one, but gives no results worth notice. In one respect it is worthy of attention, however, and that is as regards the conflicting testimony as to the vitality of the seed sown.
- 3. In the report for Vizagapatam, the success recorded with Manilla hemp is promising, as also is that with ground-nuts.

The goodness of the eucalypt seeds distributed is testified to herein, and renders the failures experienced in other districts more inexplicable.

4. From South Arcot, the report now under reference relates solely to eucalypts, and, though some success appears to have been attained at Tenmallai, the main experiment in sowing the seeds was a failure.

<sup>\*</sup> Transferred to the Educational Department.

- 5. In the Tinnevelly report, there is nothing worthy of note, as the results are of the nature of those mentioned in the general review; Mr. Brasier's failure to get the eucalypts seeds to germinate excepted. The Collector's remarks, however, in his letter, No. 578, dated 23rd July, regarding the want of requisite knowledge to deal with the seeds sent out, only emphasise those recorded in paragraph 25 of the general report. For, if it is necessary to furnish instructions as to the cultivation of such simple products as those of which it has been the practice to distribute seed, it can never be expected that good results will follow from such distribution. When first more knowledge has been diffused and the general practice of husbandry has been raised, it will be time enough to distribute the seeds of a better class of products than those which flourish under ordinary native agriculture. The correspondence referred to by the Collector is enclosed for reference.
- 6. From Chingleput, the reports are all of failures, partly owing to the inclemency of the season; but it is noticeable that in one case no ryot could be found who was willing to sow the seeds. Why they were indented for is, therefore, a mystery. A few mahogony seedlings were raised in this district.
- 7. In Anantapur, divi-divi seems to have failed owing to the adverse nature of the season. Regarding tobacco, no particulars of outturn are given, though the crop is said to have been harvested in December last, and in the Collector's covering letter an outturn of 50 maunds (weight not recorded) is said to have been obtained; the area experimented on being 6 acres. In this district also there seems to have been a failure to get ryots to sow the seed sent out.
- 8. From North Arcot, the report is incomplete; and in that portion which relates to tobacco and eucalypts records failures.
- 9. Finally, the Collector of Nílgiris reports favorably of the growth of the Eucalyptus Planchoniana at Coonoor.
- 10. Taken as a whole nothing can be more disappointing and disheartening than such reports as have been received this year. It is too soon yet to surmise what may be the ultimate results obtained with Manilla hemp and the different eucalypts, and for the current year distribution of seed is now rapidly drawing to completion. But it seems doubtful whether it is wise to spend much money on such work, when there is other work of much greater importance only standing still for want of funds; e.g., experimental research regarding our indigenous crops.
- 11. The report regarding the trial of a bamboo drill in Ganjam is not of such value, as results said to have been obtained are in direct contradiction to what is absolutely known as to the powers of the drill.

SAIDAPET, 17th August 1885. (Signed) C. BENSON, M.R.A.C., Agricultural Reporter to Government.

APPENDIX I-A.
Statement showing the Daily Rainfall during the Year 1884-85.

												1		-	
	_			April.	May.	June.	July.	August.	September.	October.	November.	December.	January.	February.	March.
1st 2nd 3rd 4th 5th 6th 7th 10th 11th 12th 13th 15th 17th 12th 12th 12th 22th 22th 22th 22th 26th 27th 28th 30th 30th							······································	·07 ·32 · · · · · · · · · · · · · · · · · ·	·06 ·· ·03 ·· · · · · · · · · · · · · · · ·	······································		·02 ·25 ·10 ·22 ·30 3·25 2·07 5·20 2·63 ·07 ·25 ·54			
31st										.01	••				
		Tota	1	1.71	.57	1.16	2.79	3.04	4.37	18-16	34.90	14.90			•63

# APPENDIX I-B.

STATEMENT showing the Weekly Rainfall in 1884-85 compared with the Average of the previous fourteen Years.

	188	4-85.		of the 14 Years.	Wee	lza.	1884	1-85.		E OF THE 14 YEARS.
Weeks.	Rainfall.	Wet Days.	Rainfall.	Wet Days.	W 66	Δ8.	Rainfall.	Wet Days.	Rainfall.	Wet Days
1st 2nd 3rd 4th 5th 6th 7th 8th 9th 10th 11th	 1·71   57	    	15 ·09 ·04  1·02 ·93 ·17 1·95 ·14 ·60 ·97	·14 ·13 ·13 · · · ·40 ·21 ·21 ·72 ·43 1·07 1·49	27th 28th 29th 30th 31st 32nd 33rd 34th 35th 36th 37th	::	.20 .05 10·38 6·67 1·26 27·39 2·39 2·90 1·82 .59	1 1 7 5 3 7 4 3 3	2·37 2·00 2·67 3·32 2·53 3·07 3·73 4·08 3·59 1·19	2·57 2·14 3·14 3·14 2·36 2·93 3·29 2·93 2·48 1·57 1·36
110th 12th 13th 14th 15th 16th 17th 18th 20th 21st 22nd 23rd 24th 25th	1.16 27 1.71 45 .75 .46 1.86 .03 .08 .03 .28 2.25 1.75	3 1 2 1 4 3 2 2 1 1 2 6 3	21 ·51 ·77 ·84 1·02 ·78 1·10 1·22 1·26 ·82 1·33 1·66 1·32 1·44 ·97	1·22 1·78 1·64 2·14 1·86 2·28 2·58 2·65 2·22 1·93 2·43 2·22 2·00 1·36 1·28	38th 39th 40th 41st 42nd 43rd 44th 45th 46th 47th 48th 49th 50th 51st 52nd	::	13·47 ·54 ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	6 1 	·46 ·51 ·32 ·13 ·05 ·25 ·14 ·50 · ·21 ·10 ·05	**86

APPENDIX I-C.

STATEMENT showing the Monthly Rainfall during 1884-85 compared with the Average of the previous fourteen Years.

	M	onths.			1884	-85.	AVERAGE OF T	
		onuno:			Rainfall.	Wet Days.	Rainfall.	Wet Days.
April					1.71	1	•29	.50
May					.57	1	3.26	1.72
June					1.16	3	2.36	5.93
July					2.79	6	4.02	9.01
August					3.04	9	4.82	9.79
September					4.37	13	5.90	7.80
October				6	18.16	16.	11.54	11.07
November					34.90	18	14.97	12.58
December					14.90	12	4.49	5.21
January							.59	1.36
February							.72	•49
March			•••		.63	2	•25	•49
			Total		82.23	81	53.21	65.95

APPENDIX II.A. STATEMENT showing the Outturn of Fodder Crops for the Year 1884-85.

	Remarks.				From three cutings. The crop is still standing.	Only one cutting: the crop was	Subsequently removed.  Do. do.	Crop still standing.	Casuarina trees have been planted	amongst the crops.  Crop still standing.																					From only a single cutting.	Do. do.	
FALL.	Wet Days.		19	70	3	2	2	1	1	39	25	15	17	10	7 27	4	9 %	2 01	12	00	9 9	7	10	2.0	-	010	7 12	13	1	46		18	7
RAINFALL.	Inches		6.66	81.60	00 10	3.44	2.28	1.71	1.71	19.85	8.45	4.17	5.95	4.52	14.90	2.63	8.48	2.58	11.91	3.44	3.14	3.71	14.94	3.71	3.71	2.28	4.05	4.77	1.71	96.29	14.88	19.62	2.58
	Duration of Growth. Inches		Days.	944	110	96	53	32	34	176	96	99	75	97	81	18	77	128	88	94	202	89	101	70	0.2	46	282	59	43 .	119	79	109	49
	Im.	Acre.	LB. 2436.8	5205.5		1,500	1.6681	1,376	1079.5	6463.9	1,748	3,200	1,840	2041.5	2206.9	2981-3	8.224	2,205	292.6	3941.4	329.1	4517.8	2,800	1503.4	4737.8	1793.3	5989.0	7298.5	2013.5	884.6	10,040	4362.80	1,550
RVESTING.	Outturn. Total.		LB.	101,0	0,040	3,525	\$ 5,642	3,986	2,213	8,920	3,024	1,184	9,204	3,736	4,038 5,143	2,236	840	1.764	120	8,080	520	10,662	6,608	872	2,132	3,228	2,012	25,034	2,678	1,557	1,770	3,752	434
DETAILS OF HARVESTING.	Date.		94th Contourbon 1994	(7th April 1884 to 16th	( March 1885.	July 1884.	(1st April 1884 to 24th	(1st April 1884 to 3rd May 1884	1st April 1884 to 5th	24th April 1884 to 17th	2	4th	2nd October ",		21st February 1885	18th June 1884	9th July "	13th June	4th August ,,,	26th June ,,		21st July ,,,	24th March 1885		14th ,, ,,		12th June ","	7th August	5th May "	31st January 1885	21st February 1885	7th March "	9th May 1884
	Seed. Total.	Acre.	LB. LB.	- 10	rianted.	Do.	Do.	Do.	Do	Do.	-	500	6.0		38 20.7		32 36.5			40 19.5			74 31.36			55 30.5	74 41.57	,	1 100	35.6 20.2	5	_	18.5 66
Sowing.	Date.		304h Inly 1984	19th October 1909	Loth October 1889	25th August 1882	2nd October "	November 1881	9th ,, ,,	11th October 1883	21st June 1884	10th July "	21st June ,,	25th April "	2nd February 1884	1st April "	23rd ,,		8th May ,,,	24th March ,,	10th May	23rd April ,,	13th December "	8th May	5th " ".	27th March "	12th ,, ,,	9th June	23rd March ,,	4th October "."	4th December	18th November ,,	21st March "
	Area of Plot.		ACRES.	1.10	1.12	2.35	2.97	2.17	2.05	1.38	1.73	1.70	.35	1.84	1.84	67.	9.13		.41	2.05	1.58	2.36	2.36	.58	.45	.18	1.78	3.43	1.33	1.76	1.55	98.	.58
	Number of Field and Plot.		30	15 A TIT	10-A 111	15-B	21 East.	27 "	27 West.	34-A	13 South.	4-A	15-A II	16 East.	17 ,,		22 92 South	20-A North.	29-B III	30-A	31	33	33 34 B	34-B	37-A	37-B, C, D.	23 South.	12	14 South.	32 19 Month	4-A	11	River Flats.
					:	:	:	:	:				: :	:	: :	:	:	::	:	:	: :					:	:	: :	:		: :		
	Description of Grop.							:		:		•	::	:	::	:	The state of the s	: :	:		::				:	and and of the	Planters' Friend	::		:	u		App
	Descrip		Cumbu	Guinos comos	Cumea grass	Do.	Do.	Do.	Do.	Do.	Horse-gram	Do.	i Å	Do.	Do.	ϰ	Do.	Do.	Do.		Do.	Ď.	Do.	Do.	D.,	Horse-organ	Planters' Friend	Do.	Do.	Red cholum	White cholum	Do.	w nite car-paddy
	No.		-	. 6	1	00	4	9	9	7		6.0	3 = 3	27.0	14	15	17	18	19	202	22	53	25	26	27	66	30	31	33	34	35	36	10

APPENDIX II-B.

STATEMENT showing the Outturn of Unirrigated Cereal Crops of 1884-85.

	Remarks.		Sown with Nankin cotton and the two crops occupied	1.25 acres, half of which to this crop. Only half the area apportioned to this crop, the other half being occurately and the control of the c	pied by New Orleans cotton.  Damaged seriously by flood	Most of the ear heads were empty.	Crop very much	The straw was weighed dry.
ALL.	Wet	Days.	46	62	46 53 46	46	51 49 50	49
RAINFALL.	,	Inches.	96.49	70.46	67.96 58.35 67.96	67-96	54.43 69.71 69.81	12.69
1	Duration	Growth.   Inches.	DAYS. 140	92	153 118 122	86	123 117 109	108
re.		Straw per Acre.	LB. 4	5157-2	821.3 6276.3 363.2	1896-2 8,360	8496·7 6121·6 4,023	3748.2
DETAILS OF HARVESTING.	Outturn.	Grain per Acre.	LB. 196.9	164	69·2 178 49	377.4	33•1 70·3 19·1	8.9
TAILS OF I	Outt	Straw.	LB. 2,977	6085.5	2,464 148·12 592	2,522 8,360	15,634 14,202 8,730	3,186
DE		Grain.	LB. 126	193.5	207.5 420 80	502	61 163 41·5	5.8
	Date.		20th February 1885.	20th December 1884.	6th March 1885. 12th December 1884. 3rd February 1885.	7th January ". 27th December 1884.	11th November ", 19th January 1885. 9th ", ",	9th ,, ,,
	int.	Per Acre.	LB. 25	6 .69	20· 2 18· 2 16· 8	24.81	67.9 15.3 23.5	23. 5
rh.	Amount.	Seed Sown.	r. 16	70.75	60.7 43 27.4	33 37.8	106.5 35.5 51	20
Sowing.		Date of	3rd October 1884.	19th September 1884.	4th October 1884. 16th August ", 4th October ",	30th September 1884.	11th July 1884. 24th September 1884. 22nd ", "	23rd ,, ,,
	Area	Plot.	ACRES.	1.18	3.00 2.36 1.63	1.33	1.84 2.32 2.17	.85
	Number of Field and	Plot.	4-A.	16-B.	32 33 13	14 16 West	17 10-B East 15-A I	15.A II
	No Description of Crop.		1 Amber sugar-cane	2 Maize	3 Planters' Friend 5 Ragi	6 Do	8 Do. Sorghum saccharatum. 10 Yellow cholum	11 Do.

# APPENDIX II-C.

STATEMENT showing the Outturn of Irrigated Cereal Crops for 1884-85.

81	Remariles			The seedlings were	P 10	The seedlings were much weakened by floods.
FALL.		Wet Days.	11 4 4 25 L 25 4 25 4 25 25 25 25 25 25 25 25 25 25 25 25 25	25.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7	182 252	ଷଷଷ
RAINFALL.		Inches.	49.81 16.72 16.73 16.73 16.73 16.73 16.08 17.73 172.33 172.33 172.33 172.33	8.45 8.47 14.01	14.88 19.62 2.28 7.05 2.28	63.58 63.88 63.88
	Duration	Growth.	DAYS. 102 108 129 129 149 118 105 129 132 132 132 132 132 133 132 133 132 133 133	8.88 9.1	102 101 79 138 82	89 89 89 89 89 89 89 89 89 89 89 89 89 8
		Straw per Acre.	1634.2 1634.3 1833.3 4852.9 2504.9 5427.9 3,848 7,616 4617.2 3720.4 977.6 977.6 6332.5 977.6 7766.2 3762.2	4,32.6 4314.2 2,026	1777-7 2622-7 13341-1 111116-9 5,024	5870.9 9645.5 4,366
	Outturn.	Grain per Acre.	18. 428.9 600 301.4 1773.9 1689.7 632 2,240 1186.3 738.9 278.9 181.8 181.8 600 600 600 1440.6 141.1	485.7 510	332.2 389.9 2470.5 1984.9	1716-1 875-9 246
DETAILS OF HARVESTING	Outi	Straw.		3,322 1,013	1,600 4,144 2,268 5,892 2,512	2,183
LS OF H.		Grain	LB. 81.6 11.6 41.0 41.0 31.7 1,36.5 56.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 1	1,011 374 255	299 616 420 1,052 786	1,004 692 123
Dетап			1886.	1885.	1884.	1885.
		Date.	10th February 1885 12th March "" 27th February "" 2th March "" 12th March "" 17th "" 17th "" 17th "" 19th February "" 14th "" 19th February "" 14th "" 19th February "" 14th "" 18th "" 18th "" 23rd "" 23rd "" 28th September 1884.	25rd 8th October 17th March	18th ', 24th February 2nd June 6th August 22nd May	24th "arch 26th March
	Seed.	Quan- tity Acre. Sown.	do. do. do.	92 41.5 Planted	54 60 50 31.6 Planted 31.5 1 59.5 Planted	61 1 77-2 Planted
Sowing	1	Date.	31st October 1884. 25th November " 1st October " 1st October " 25th November " 25th November " 25th October " 25th October " 7th " 1st September " 7th " 1st September " 26th August " 2	19th July "," 16th December ","	H	27th December ,,
	Area of Field	and Plot.	AORES. 1136 138 138 138 138 138 125 1110 1110 154 158	.50	.90 .17 .53 .50	. 200
	Number of	rien ann rion	34-B 36-B III 36-B EC 29-B III 36-B III 36-B III 36-A 29-B I & II 30-A 34-B 34-B 36-B I 36-A 34-B 36-B I 36-A 36-B I 36-A 36-B I 36-B I	R, E, E & F.	23 31 B, F, F, B, B, F, B,	E, F, D & E.
	No. Description of Grop.	G 11 00	Carolina paddy Do Do Chinna sumba paddy Do. Do Do Goondoo sumba paddy Do. Do Do Serumany paddy Do Do Serumany paddy Do Do Sixty days' sumba paddy	,	Do. Do. White car paddy Do.	Do.

# APPENDIX II-D.

# STATEMENT showing the Lint obtained from Cotton-in-seed harvested in 1884.

	FIELD N	No. 15 E	AST. FII	ELD No. 10	)-B.	FIEL	D No.	10-A.	Fn	ELD No	. 11.
Month.	Cotton-in-seed.	Lint.	Lint. Cotton-in-seed.	Lint.	Percentage of Lint.	Cotton-in-seed.	Lint.	Percentage of Lint.	Cotton-in-seed.	Lint.	Percentage of Lint.
February	32·5 35·0 59·0 35·0 105·0 2	7·75 31 7·75 31 9·25 28 9·75 27 4·50 24 9·00 25 7·00 25	7 270.5	1·25 10·75 2·25 7·25 51·00	37·5 31·2 31·2 32·1 26·9 24·5 25·8 28·4 26·46	LB. 0·5 1·0 59·0 4·5 52·5 83·5 81 ··	LB16 -25 17·75 1·75 14·25 20·50 20·25 74·91	32 25 30·1 38·9 27·1 24·6 25 	1.5 13.5 7.0 89.5 12.0	LB.  .50 3.75 1.75 22.75 3.50 32.25	33·3 27·7 25 25·4 29·2 26·11

### APPENDIX III-A.

# STATEMENT showing the Number of Stock maintained during each Month of the Year 1884-85.

					1884.						1885.		
Description of Stock.	April.	May.	June.	July.	August.	September.	October.	November.	December.	January.	February.	March.	Average.
Bullocks and bulls	19 11 18 12 70 45	19 11 18 13 69 45	19 11 18 13 69 46	19 11 18 14 69 46	18 11 18 15 68 46	18 13 18 16 85 27	18 13 18 16 85 28	17 13 18 17 85 29	17 13 18 19 107 6	16 12 19 16 107 37	16 12 18 16 106 38	14 8 17 15 99 37	17·5 11·6 18·0 15·1 84·9 35·8
cattle of 300 lb. live weight	102.5	102.8	102.9	103.4	101.7	107'7	107.8	106.4	109.5	108.1	107.0	92.0	104.2

<sup>\* 1</sup> Cow, bull or bullock = 2 young bulls or heifers = 4 small calves = 10 sheep = 20 lambs = 2 country cattle.

# APPENDIX III-B.

# Cost of Artificial Food supplied to the Live-stock during the Year 1884-85.

		NG CATTLE BULLS.	Your	NG STOCK.	Cows A	ND CALVES.	s	HEEP.	Sup-	
	Amount.	Value.	Amount.	Value.	Amount.	Value.	Amount.	Value.	Amount plied.	Value.
Ground-nut cake Bran Salt Grains Dholl, husk	LB. 21,948 119 704 72 499	RS. A. P. 351 2 8 2 15 7 20 6 3 1 12 0 7 10 10	18. 12,053 2,479 366 17 4,574	RS. A. P. 192 13 7 61 15 7 10 9 7 0 3 0 70 5 11	LB. 17,597 5,031 668 1,188 5,683	RS. A. P. 281 8 10 125 12 5 15 4 5 42 7 0 87 6 10	LB. 17,514 127 592 5 6	RS. A. P. 280 3 7 3 2 10 17 2 4 0 3 0 0 1 6	LB. 69,112 7,756 2,330 1,282 10,762	RS. A. P. 1,105 12 8 193 14 5 63 6 7 44 9 0 165 9 1
Total Deduct one third charg-		383 15 4		335 15 8	••	552 7 6		300 13 3		1,573 3 9
ed to manure	•••	127 15 9	••	111 15 10		184 2 6		100 4 5		524 6 7
Net charge		255 15 7	.,	223 15 10		368 5 0		200 8 10	• •	1,048 13 2
Cost per head per mensem		1 3 6		1 0 7		2 10 5	•••	0 2 3		0 13 5

# APPENDIX IV-A.

Valuation of the Saidapet Farm and Estate on the 31st March 1885 compared with that made on the 31st March 1884.

	Valuation of Stock on the 31st March 1884.	Increase in the Year.	Decrease in the Year.	Valuation of Stock on the 31st March 1885.
Implementa	RS. 4,358 17,794 100 7,030	RS. 568 2,314 63	RS.   568	RS. 4,926 20,108 163 6,462
Total	29,282	2,945	568	31,659
Estate.				
Buildings	35,000 21,000 7,000	 		35,000 21,000 7,000
Total	63,000			63,000

# APPENDIX IV-B.

Statement of Account for Agricultural Services during 1884-85.

Statement of Account for Agricultura	d Services	aurin	g 1884-	85.		
	RS. A.	P.	RS.	A.	P.	
I. General supervision—						
Establishment	13,060 6	6				
Travelling charges	1,804					
Q1 1:	124 10					
01:	384 10					
Contingencies	004 10	, ,	15 000	11	-	
TT C::1// IT/:/			15,373	14	7	
II. Saidápet Experimental Farm (see report			- 400			
paragraph 117)		•	7,482	9	5	
III. Estate charges and improvements—						
Repairs to buildings	318					
Repairs to roads	195 2					
Sundry repairs and improvements	132 4	4 5				
Extension and repair of water channels.	250 13	3 6				
Irrigation experiments	386 15					
			1,283	4	7	
IV. District operations—			1,200	T		
77 7 17 1.0						
1. 1 B (C. C. C	041 1	0				
	941 1					
Improvement of agriculture and trade.		3		AH U		
Distributing seeds	1,009 10					
Ploughing competition	335 6	5 5				
	-		2,643	8	0	
				Selection of the select	_	
	Total	l	26,783	4	7	
V. Cattle Disease Inspection		5.0	28,008		10	
		40.				
$G_{ m r}$	and Total		54,791	11	5	(verified
			01,,,,,			actuals).
Income						actuals).
Saidapet Experimental Farm (see report						
	2010 15					
paragraph 117)	3,949 15					
Surplus Pound Fund	32,317 12	2 9				
Grant for Improvement of Agriculture						
and Trade	2,000	0 0				
Total	38,267 13	2 1				
Cattle Disease Inspection	437					
	1 1 1 1 1 1 1 1				4	
Grand Total	38,704 1	5 4		A.		
		1 1000		14 34		

# ENCLOSURE No. 1.

# CATTLE INSPECTION.

During the official year four probationers were admitted into the department, and one probationer admitted during the previous year was dismissed as being incompetent. strength of the department on the 31st of March 1885 was as follows:—

Inspector			••••	•••	•••		 1
Deputy Inspector					•••		 1
Local Inspectors	•••	•••		• • •			 14
Probationers					•••	•••	 4
							_
						Total	 20

2. The Local Inspectors are posted to districts as follows:-

1. P. Raghava Pillai			•••	Trichinopoly.
2. T. Ramanujulu Naidu				
3. M. Naraina Rao*				South Canara.
4. M. V. Ramachendra Iyer				TTT:
5. B. Ramiah Reddi				Vizagapatam
6. M. Swarnalinga Naiker				Chingleput.
7. M. Bhavani Shunker Rao			***	Coimbatore.
8. S. L. D'Silva †			•••	South Arcot.
9. M. Venkataramana Sastry‡				
10. K. Padmanabhaya	•••	•••	•••	Madras.
11. A. Canthaya Moodelliar	•••	•••		Bellary.
12. M. Kuppusami Sastri	• • •	: 11:00	•••	Tanjore.
13 B K Contons	• • •	•••	•••	North Arcot.
IA K Sother D.	•••	•••	• • • •	
14. K. Seidu Rao				d.d. South Arcot.

3. The work of all the subordinates has given me entire satisfaction.

4. The system of inspection was carried on in the same manner as indicated by me in my previous year's reports.

5. Personally I inspected in the districts of Bellary, Chingleput and Malabar.

6. Deputy Inspector.—The Deputy Inspector, Mr. Shunker, visited the districts of Madras, Chingleput, Madura, North Arcot, Kurnool and Nellore; but in February last, when on duty in the village of Palambaukam, Conjeeveram Taluk, Chingleput, he was attacked with cholera and had a very narrow escape. His system has received such a shock from the disease that he has been compelled to take three months' leave. I am in hopes, however, at the end of that time he will be able to resume his duties. He can ill be spared and would be difficult to replace. Local Cattle Disease Inspector, M. Venkataramana Sastry, is now acting for him.

7. Local Inspectors.—The Local Inspectors, when not attending to outbreaks of disease, visit cattle fairs which take place on such occasions as "jutras" (festivals), and in addition to preventing diseased animals from entering the fair grounds, report on the various breeds of

cattle brought for sale.

8. Probationers.—The probationers have had a deal of hard work in the districts during the year, as only four were available for extra duties, which was the strength of the class, as candidates possessing the necessary qualifications could not be procured.

For number of inspections made and districts visited see Appendix No. 1.

# HOSPITAL.

9. The hospital continues to be a valuable field for practical training, as animals of every description come there for treatment. One hundred and seventy-five cases were admitted during the year. The percentage of deaths on admissions was 9.14, which compares favorably with that of last year, which stood at 13 13 per cent.

For particulars of admissions, &c., see Appendix No. 2.

- 10. Operations.—The major operations were 13 in number, the most important of which was the amputation of the off hind leg of an ass admitted with a compound comminuted fracture. The operation was perfectly successful, and an artificial limb is being made, which will enable the animal to perform slow work.
- 11. A Painful Case.—A very painful case was admitted in which some one had wantonly or accidentally (I am inclined to think wantonly) pierced the eye of a cow with a stick or some

<sup>\*</sup> Temporary Assistant to Professor of Veterinary Surgery, &c., Agricultural College.
† Acting Deputy Superintendent, Government Farm, Saidápet.
† Acting Deputy Inspector of Cattle Diseases.
† Doing duty, South Canara.

sharp instrument completely obliterating the eye ball and injuring the bones forming the socket. No clue could be got as to the motive, as the owner was disinclined to give any information on the subject. The animal suffered so much that it was found necessary to destroy it and so end its misery.

- 12. Act No. IV of 1879.—The cases sent in by the Madras Magistrates under this Act are, I am glad to say, decreasing in number, which goes far to prove that either the cases of cruelty are not so serious now as they used to be, or that the increase in the number of Agents of the Society for the Prevention of Cruelty to Animals is proving a deterrent against acts of cruelty.
- 13. Pharmacy.—A larger number of doses were sent out to the districts this year than in the preceding. The carbolic balls spoken of by me last year have proved of the utmost value in anthrax and rinderpest, and many reports have been received testifying to the good they have done.
- 14. All the districts seem satisfied with our medicines, save one, Ganjam, where it is reported that the ryots prefer their own remedies and do not appreciate the medicines supplied by Government. It is, however, to be hoped that this prejudice will wear away in time.
- 15. Cyclone.—During the cyclone which swept over Madras in the month of November 1884, the cattle and dissecting sheds erected in the hospital compound were literally blown to pieces, and the rain which followed inundated the hospital stables to a depth of over two feet, rendering them for a time quite uninhabitable. The tank in the compound, from the large quantity of water it contained, was a source of great trouble, from the fact of the foundations of the stable buildings being considerably below the water level, and clearly illustrated that the site over which the stables have been built is a bad one in every way; and I am confident that if the rainfall should be excessive this year, the same inconvenience will be experienced and the stables will have again to be vacated. Besides, the continually damp condition of the foundations must render the buildings unhealthy, as the water mixed with the fluid excreta on the floors rapidly decomposes and renders the atmosphere not only insalubrious but absolutely dangerous.
- 16. Buildings.—The hospital is far too small for the requirements of the department, and one-half of the patients have frequently to be picketed under trees, which is hardly a fit place for a sick animal.
- 17. Hospital-keeper.—It was found necessary to dispense with the services of the hospital-keeper, as he was unsuited to the work of a farrier, and a Farrier Havildar of the IV Madras Light Cavalry was transferred from the Military Department to take up the appointment, who, since joining, has given satisfaction.
- 18. Shoeing Forge.—The want of a forge at the hospital is very much felt, not only for teaching purposes but also for shoeing the animals which are admitted with certain lamenesses.

### OFFICE.

19. The work in the office continues to increase. The number of letters despatched amounted to 2,992, besides the usual returns, &c., and I repeat what I mentioned in paragraph 8 of my report of last year, that it absorbs much of my time, which could be more profitably employed elsewhere.

### FINANCIAL STATEMENT.

- 20. The estimated budget grant for the department for the year 1884-85 was Rs. 29,500,

  \* The expenditure as verified in the Accountant-General's office was Rs. 28,008-6-10.

  \* Comparison of the department for the year 1884-85 was Rs. 29,500, expenditure Rs. 27,497-5-1\*, showing a balance of Rs. 2,002-10-11 saved under different headings.
- 21. The receipts on account of treatment of cases, &c., have been Rs. 437-3-3, an increase of Rs. 39-14-8 over the previous year.

For particulars of expenditure, &c., see Appendix No. 3.

# EDUCATIONAL.

- 22. Lectures.—During the year I delivered at the Agricultural College 261 lectures.
- 23. Assistant.—On the recommendation of the Director of Public Instruction, I have been granted the temporary assistance of Local Cattle Disease Inspector M. Naraina Rao, for which I feel deeply grateful. Already he has rendered me invaluable aid, and now we are able to manage the large classes of over 35 students, while at their practical work, in a satisfactory manner. I sincerely trust that his appointment will be made a permanent one.
- 24. Students.—On the whole the students of the College gave me every satisfaction, and I hope to turn out some very good men from class III at the termination of their course. I have also had the pleasure of seeing a number of the students handling the scalpel and dissecting

14

parts of a carcass, a thing which I know is quite new in the history of the Agricultural College and decidedly a considerable stride in the real advancement of veterinary education. But until we get a proper dissecting room, fitted up with the necessary appliances and the means for preserving specimens, we cannot be expected to do much in this direction.

- 25. Special Veterinary Course.—At present we have no distinct veterinary class, but I hope that the day is not far distant when we will have one; for we can hardly expect young men to come forward and study veterinary surgery and medicine, one of the most important branches in relation to agriculture and the welfare of the ryot, until we grant them some suitable recognition of their studies, either in the form of a certificate or diploma.
- 26. State Students.—Now we have only two veterinary students who have obtained scholarships from the Governments of Travancore and Mysore, respectively, but I have every hope of getting three more from Native States during the coming year.

### EXPERIMENTS.

- 27. Protective Inoculation.—A second series of experiments were conducted with Pasteur's vaccine, and the results only confirmed my past experience. One fact, however, is worthy of record where Pasteur's anthracine proved very useful in a severe outbreak of anthrax at Tellicherry, Malabar. Ten ponies were inoculated and not one of them died, although I made a post-mortem examination of a bad case of anthrax in the very stable where they were standing. But the present mode of obtaining the anthracine, being expensive and uncertain, will, until we can manufacture the protective fluid in India, remain a great obstacle to its general introduction.
- 28. I have made inquiries in all the districts of the Presidency as to whether owners of cattle would allow their animals to be inoculated, and I find on the whole that the general feeling is against it, although I have had Pasteur's method of protective inoculation and the good results it has given translated into the vernaculars and freely distributed. I therefore fear that, until we can demonstrate practically the value of the method, little advancement can be expected in this line. I await with eager interest the results of the establishment of the laboratory under Mr. Hallen in Bengal, and trust the Government will allow me to visit it.
- 29. Cremation.—Experiments were conducted with trench cremation, but I find it has nothing to recommend it and gives no advantage over a well-built cinerator. The more I study the question of making animal cremation general throughout the Presidency the more do I see there are difficulties in the way, the most important of which are want of fuel and want of money. At the same time we must always look upon the cremation of carcasses, especially of anthrax and rinderpest cases, as one of the first and foremost aids in prevention; but I regret to say that, so long as the above state of things exists, the present mode for the disposal of such carcasses, viz., being devoured by pariahs, dogs, &c., left unburied, or buried improperly, must continue to keep disease in perpetual existence. This is amply proved by the reports received from districts where in some parts diesase is hardly or never absent.
- 30. Treatment of Anthrax.—The American method for the treatment of anthrax was tried, but I can give no opinion as to its efficacy for a time at least. Iodine has been given with good success in this disease, in one-drachm doses, but is far too expensive for ordinary use.
- 31. Horse-breeding.—As directed by Government in G.O., No. 1302, dated 25th November 1884, I proceeded the same month to Hyderabad (Deccan) with the view to purchase two stallions for stud purposes, sanctioned by Government under G.O., dated 19th January 1884, No. 770, but no bargain was struck, as the stallions were of too high a class and too high priced for our purposes. I was greatly pleased with His Highness the Nizam's stud of stallions, which were brought in from the districts for my inspection. A finer lot of animals for breeding purposes could not be conceived. They were in the pink of condition and some of them faultlessly handsome.
- 32. Latterly, under instructions from Government, two good-looking Arab stallions were purchased in Bombay by Inspecting Veterinary Surgeon Shaw, in the month of December 1884, which, after being tried at Saidápet, were sent on to Coimbatore where they arrived on the 1st of February 1885.
- 33. The number of covering certificates received in this office, since the breeding operations commenced, has been 14, or exactly 7 to each stallion.
- 34. From reports which I have received from the Cattle Disease Inspector of that district, I am inclined to think that the fee charged, Rs. 2-8-0 per mare, prevents many, who own mares, but are unable to pay, from bringing them to be covered. I believe there is no want of mares in the district. As to whether or not this serving fee should be continued is a question worthy of deep consideration, for I hold that the breeding of ponies which might at some future date be available as baggage animals, should they be required, is a question of no small moment. If ever the contingency should arise that a large number of animals be required for transport

purposes, we will have to look beyond the ordinary bullock of the country. Every possible encouragement ought, therefore, to be held out to private individuals to breed an improved class of animals, because they, in their small way, can do far more than Government ever could on a much larger scale.

- 35. Mule-breeding.—One of the two mules mentioned by me in my last annual report standing at the Veterinary Hospital has been transferred to the Transport Department, and the other will follow in a few months.
- 36. Goat-breeding.—My small stud of goats suffered much during the last monsoon from a severe outbreak of "Variola Caprine" (goat-pox). A pure Arab which I bred myself died, and the others took months to recover from the shock their systems had sustained from the disease. I have, in addition to crossing the Cashmere and Arab breed, crossed the Arab and the ordinary goat of these parts with the best results, and at present, I have on hand, but too young for distribution, two kids out of a Cashmere by an Arab, one pure Arab, and one out of a country-bred by an Arab.
- 37. Out of the two goats that I gave to the districts of Coimbatore and Madura, the one at the latter place died from acute gonorrhea and cystitis (inflammation of the bladder). He was the finest specimen I ever possessed or may ever be able to procure again.
- 38. The industry of goat-breeding is one which ought not to be neglected, especially the introducing of a strain noted for their milk-giving qualities, and I think I have demonstrated, even with my limited means, that it is an undertaking which cannot but prove successful and beneficial, and from my experience, there is no class of animal more needful of improvement than the ordinary goat of this country.

# SLAUGHTER-HOUSES.

39. I regret to have to place on record that my unofficial connection with the Madras slaughter-houses has ceased. I have lost a field for observation second to none in India. I have now no longer the opportunities of studying the many morbid specimens and parasites which were there presented to my notice. These inspections were not only beneficial in adding to my store of knowledge, but also in enabling me to describe to my students conditions of the animal body, which it would be impossible for me to obtain elsewhere, not to mention the good effect which these periodical inspections must have exerted on those who brought animals for slaughter. Not that I consider any very perceptible improvement might have accrued in the short time I devoted to the inspection of the Madras beef and mutton supply, but it is perfectly patent that in time it must prevent a deal of inferior food being supplied for public consumption, and although I am not qualified to give an opinion as to whether or not people actually die from being compelled to eat bad meat, one thing I am certain of is that our constitutions do not improve by the beef and mutton offered to us in the markets of Madras. This is a matter, I am astonished to see, receiving so little attention and yet one of such vital importance.

### STATISTICS.

- 40. These have been compiled for the complete official year. The contagious diseases that were most prevalent are (1) epizootic aphtha, (2) rinderpest and (3) anthrax. As would be naturally expected, anthrax was the most fatal of all, 75.68 per cent. of the animals attacked having died; next comes rinderpest, the rate of mortality from which being 59.88 per cent.; the death-rate from epizootic aphtha was 17.51 per cent. Anthrax was most prevalent in Chingleput: Madras, Anantapur, Coimbatore and Madura were visited by a very slight outbreak, while Kurnool was entirely free from it. The district that suffered most from rinderpest was Kurnool, whereas no outbreak of that malady occurred in South Canara. The only district which reported glanders is Madras. Eight cases were brought to my notice, all of which were duly destroyed. In a city like Madras, where there are many valuable animals, I regard it as very essential that systematic inspection should be carried on there, more especially, when it is remembered that a few years ago Government suffered a serious loss from glanders in the Artillery at St. Thomas' Mount, which no doubt was brought from Madras.
- 41. On comparing the statistics of this year with those of the previous years, it will be noticed that there is a considerable increase in the death-rate from each of the above-named maladies. From this we cannot infer that the rate of mortality among live-stock has actually increased, but the circumstance goes far to prove that outbreaks of disease and their results are more carefully reported now than before, and that our statistics are gradually improving in their character. I fear, however, that for some time to come, and until the public and village officers fully appreciate the value of these figures and take more interest in reporting outbreaks, our statistics must continue unsatisfactory and cannot be of much value, or enable us to draw accurate deductions therefrom.
- 42. The total deaths reported during the official year were 43,788, entailing a monetary loss throughout the Presidency of Rs. 8,60,069, which, although divided amongst a large number of people extending over a vast area, is yet a great and serious loss, and if some check

is not brought to bear on this immense annual mortality, it must, together with other circumstances, tend to impoverish the ryot. Again, we must take into consideration not only the monetary loss but the loss in working power as well. I have no doubt in my own mind that many an acre of land has to lay fallow, due to outbreaks of cattle disease, which might otherwise be turned to good account and made to yield a crop, which would not only support the individual land-holder, but also the grain-consuming community at large. It often strikes me that if cattle-disease does not actually bring about famine, it is one of the main assistants; for if a ryot's cattle are healthy and free from the invasion and ravages of fatal diseases during a good season, he is enabled to farm on a larger scale and produce more of the staple foods of the people, which tends to keep their daily bread at a price within the reach of all; whereas, as matters now stand, the poor have to eke out a miserable existence in consequence of scarcity and high prices.

43. On looking at the percentages of attacks and deaths on strength, they cannot, respectively, be regarded as high, viz., '44 of the former and '24 of the latter. In fact, to me (I speak now from three years' experience of the work) they seem suspiciously small, and prove beyond a doubt that many outbreaks are never reported at all. But as the department becomes more fully organized and the people get better acquainted with the modes of reporting disease and fully appreciate the value of, and the necessity for, applying for timely veterinary assistance, it is certain that we will find more disease than we ever dreamt of. It must also be noticed here that the district of Godávari sent in no statistics during this year; but it is to be presumed that disease exists there as well as in any other part of the Presidency, for in the years 1882-83 and 1883-84 outbreaks of rinderpest, anthrax and epizootic aphtha did occur in that district. For further particulars of outbreaks, &c., see Appendices Nos. 4, 5, 6 and 7.

# MISCELLANEOUS.

- 44. Cattle-poisoning-The Inspector of Bellary District, Mr. K. Padmanabhaya has, I am glad to see, given the subject of cattle-poisoning the attention it deserves. He says in his report on the subject: "This appears to have been practised to a considerable extent some years back in almost every part of the district; but now it is carried on in some parts of Alúr and Ráyadrug Taluks of this district and in a neighboring one of Anantapur. The fruitful source of this crime is a custom under which the "chumars" (chucklers) become possessors of the skins of dead animals. The present high value of hides has, however, induced the ryot to claim the skins of his deceased beasts for well buckets, &c. This the chucklers regard as an infringement on their rights and thus try to make up their loss by poisoning the ryots' oxen."
- 45. He further says: "although the loss at one time in this way was very great, the ryots at first did not suspect what was really going on, but attributed the deaths to natural causes. This has led to great abuses and has become a fruitful source of cattle-poisoning. It is remarkable that although poisoning was going on in this district to a large extent, no intimation of it was given with the exception of the two cases now pending before the Magistrate of Ráyadrug.'
- 46. He confirms the reliability of his information by chemical examination, by which means he found decided traces of arsenic in the contents of the stomach of the two animals above referred to, and reports that he has no doubt that this baneful practice is secretly going on to an enormous extent.
- 47. He then sensibly remarks: "It is extremely difficult to estimate the probable number of cattle that have fallen victims to poisoning; for nothing is more natural than that the culprit in such cases should select as his victims the cattle of the poorest and most ignorant cultivator, who of course would be the most unlikely to suspect anything wrong and the slowest to institute a criminal prosecution, even when he did."
- 48. I have written to this Inspector to continue his investigations into the subject and to do his best to bring those who carry on this nefarious practice to justice. I am personally convinced that there is a large annual loss under this head, for I have received reports of deaths from poisoning from other districts as well. The Inspector deserves every credit for what he has already done in the matter.
- 49. Cattle-breeding.—No systematic or extensive experiment as yet appears to have been made in this Presidency either by the State or by private individuals with regard to the improvement of cattle. But I have every hope that this subject will receive the early attention of Government.
- 50. For the successful breeding of cattle in this country, I consider it essential that private enterprise should receive every encouragement from the State. More, as I have already stated, can be done by people in a small way, who can utilize their cattle and make them pay for their keep than Government can by upholding large breeding establishments. All that is required is the liberal distribution of good sires suitable to the various districts of

the Presidency, and the ryot will soon learn that it is just as cheap to keep a well-made and improved class of animal as a distorted ill-shapen "weed." Anything that tends to improve the condition of the cattle of this country is a measure much to be desired. During the year, I visited, unofficially, the estate of Mr. Kirby at Coonoor, who is breeding an excellent class of cattle well suited for stud purposes, and many of his bulls might, with advantage, be bought and distributed.

- 51. Stock-owner's Manual.—The pamphlet on cattle diseases spoken of by me in my last annual report has been translated into Tamil. In the course of preparing this translation, it was found necessary to add more matter so as to meet the requirements of the Indian stock-owner, which has rendered the book more comprehensive, and it has now been named "The Indian Stock-owner's Manual."
- 52. Tamil Book on Cattle Diseases.—An old Tamil manuscript work on the treatment of cattle diseases has been rendered into English. Although the methods of treatment given in the book are empirical and somewhat of a cruel type, yet the existence of such a book proves beyond a doubt that treatment of cattle was practised in India as an art at a remote period. I understand that there are several such works in this country, some of which I am trying to secure, for I consider it of no small value to search out and publish native literature on the veterinary art, from which there is more to be learnt than most people think of.
- 53. List of Diseases, &c.—To facilitate the work of the compilers of cattle-disease statistics in the districts, I first of all compiled a list of diseases, &c., of animals in English, which was afterwards, to increase its usefulness, translated into the following five Vernaculars:—Tamil, Telugu, Malayalam, Canarese and Hindustani. Many copies of the lists have been sent out to collectorates for distribution among intelligent cattle-owners.

(Signed) J. MILLS, M.R.C.V.S., A.V.D., Inspector of Cattle Diseases.

# APPENDIX No. 1.

Returns showing the Number of Inspections made and the Districts visited by the Inspector of Cattle Diseases, the Deputy Inspector and the Probationers during the Official Year 1884-85:—

		INSPE	CTORS.			PROBAT	IONARY	LOCAL	CATTLE	DISEA	SE INSP	ECTORS.	hall six	
District.		Inspector.	Deputy Inspector.	A. Canthaya Moodelliar.	K. Padmanabhaya.	S. L. D'Silva.	M. Kuppusamy Sastry.	B. K. Santaya.	C. Viswanath Iyer.	R. Narayana Rao.	K. Raman Menon.	V. P. Subramania Moodelliar.	K. Sethu Rao.	Total.
1. Anantapur 2. Bellary		i							4					1  14  1 2 1  7 1 2  9
23. Hyderabad	Total	1 4	14		2	2	2	1	6	2	3	2	1	40

# APPENDIX No. 2.

RETURN of the Sick and Lame Animals admitted to the Government Veterinary Hospital for treatment during the Official Year 1884-85.

Bruisc Canke Cappe Catarr Castra Colic Conjunt Crack Cystit Debili Diarri Dysen Dysen Enteri Eryth Fever Fever, Filaris Fractr Gid (O Gonor Greass Heemis Hydro Lamin Melan Metrit Navice Nebul Nymp Edem Open-Ophth Paraly Parap Mang Partur Perito Pneum Prolag Partur Pruris Pract Pycem Reten Rheun Ring-Spavin Spavin Sprain Sp										Di	SCHARG	ED.			deaths
Ampu Anchy Anthr Broke Bruisc Canker Calcar Castra Colic Conjuu Crack Cystit Debili Diarri Dysen Dyspe Enteri Eryth Fever, Filaria Fracture Gid (O Gonor Greass Heema Herni Hydro Impac Lamin Melan Metrit Navicc Nebul Nymp Œdem Open-ophth Paraly Parap Mangg Parture Prolag Parture Prolag Prurisc Prurisc Prolag Prurisc Pruris			Diseas	se.				Admitted.	Cured.	Relieved.	Incurable.	Died.	Destroyed.	Remaining.	Percentage of deaths
Anchy Anthr Broke Cappe Catari Castra Colic Conju Crack Cystit Debili Diarri Dysen Enteri Eryth Fever Fever, Filari Fracti Gid (C Gonor Greas Homo Hepat Herni Hydro Lamin Melan Metrit Navic Open- Paraly Parap Mang Partu Prema Prolap Prema Prema Prolap Prema Prolap Prema Pr								3	2					1	
Anthra Broke Bruise Canke Cappe Catarra Colic Conju Cracks Cystit Debili Diarrh Dyspe Enterit Eryth Fever, Filaria Fracts Gonor Grease Home Hydro Impact Lamin Melan Metrit Naviou Nymp Edem Open-Ophth Paraly Parap Manga Partus Perito Prema Prolai Pruria Pruria Pruria Pruria Pruria Spaint Spaint Sprain Sprain Sprain Sprain Sprain Sprain Sprain Tetam Thrus Tumo		••	••		***	••		1	1		1				
Bruisc Canker Cappe Cappe Catarri Castra Colic Conjuctor Castra Colic Crack Cystitt Debili Disen Dyspe Entering Cappe Ca		•						1				1			100
Canke Cappe Catarra Colic Conju Cracka Cystit Debili Diarrh Dysen Enteri Eryth Fever, Filaria Fracta Gid (C Gonor Greass Homa Hydro Impac Lamin Melan Melan Melan Melan Merito Navico Nebul Navico Paraly Paraly Paraly Prema Prolap Prunct Pycem Reteri Spavin Spavi	ken-wind							2			2				
Cappe Catarri Castra Colic Conju Crack Cystit Debili Diarri Dysen Dysee Enteri Eryth Fever Fever, Filaria Fracta Gid (C Gonor Greass Hoemo Hepat Hernia Hydro Lamin Melan Metrit Navico Nebul Nymp Edem Open-Ophth Paraly Parapy Mang Partu Prema Prola Parapy Parapy Parapy Parapy Parapy Parapy Parapy Parapy Paratu Prola Prurig Punct Pycem Reten Rheu Ring-Ispavin Sprain Sore-t Surfei Tetan Thrus Tumor	ised Sole							2	2						
Catarra Castra Costra C		• •	••					3	1		1			1	
Castra Colic Conjuctoral Colic Conjuctoral		••				::		î.	î					•••	
Conju Crack Cystitt Debili Diarrh Dysen Dyspe Enteri Eryth Fever, Fever, Flaris Fracts Gid (C Gonor Greass Homo Hepat Hernis Homo Hepat Hernis Homo Metan Navico Impac Lamin Melan Motarit Navico Impac Lamin Melan Nymp Gedem Open-Ophth Paraly Parapy Mang Partu Prema Prolap Parapy Punct Pycem Reten Rheur Spavin Spavin Spavin Sprain Sprain Thruss Tumo	ration							12	9	2			3.1	1	1
Crack Cystit Debili Debili Diarri Dysen Dysee Enteri Dysen Enteri Eryth Fever Fever, Filaria Fracture Gid (Conor Grease Homos Hepat Hernia Hernia Hernia Navice Nebul Nymp Cdem Opental Paraly Paraly Paraly Paraly Prurig Paraly Prurig Prurig Prurig Prurig Prurig Prurig Spavin Sprain Sore-t Surfei Tetam Thrus Tumo								1	1		:				
Cystit Debili Diarri Debili Diarri Dysen Dyspe Enteri Eryth Fever, Filaria Fractor Gid (C Gonor Greass Hemor Hepat Herni Hydro Lamin Melan Metrit Navice Nebul Nymp Edem Open-Ophth Paraly Parap Mangg Partur Prolag Partur Prolag Pruri Prolag Pruri Spavin Spavin Spavin Spavin Sprain Sore-t Surfei Tetam Thrus Tumo	junctivitis		• • •					3 2	3 2	12	.,				
Debili Diarrh Dysen Dysen Eryth Fever Fever, Filari Fract Gid (C Gonor Greas Home Hepat Herni Hydre Lamin Melan Metrit Navic Nebul Nymp Edem Open- Ophth Paraly Parap Mang Partu Perito Pneun Polyu Prema Prolap Pruri Pycem Reten Rheun Sprain Sore-t Surfei Tetan Thrus Tumo					Fe die	***		1	-			1			100
Dysen Dysen Dyspe Enterin Eryth Fever Fever, Filaria Fracti Gid (C Gonor Grease Hepat Hepat Hepat Hernia Hydro Impac Lamin Melan Metrit Navice Nebul Nymp Geden Open- Ophth Paraly Parap Mang Partur Prema Prola Prurig Pru								7	6	1		90.5			100
Dyspe Enteric Eryth Fever, Filaris Fract (Gonor Greass Hemode Hepat Hernis Hydro Lamin Melan Metrit Navice Nebul Nymp Edem Opento Opento Paraly Parap Mangs Partus Prolag Partus Prolag Pruris Prolag Pruris Splaint Sprain Sore-t Surfei Tetam Thrus. Tumo								5	4				1		
Enterit Eryth Fever Fever, Filaria Fracti Gid (C Gonor Greass Home Hepat Hernia Hydro Impac Lamin Melan Metrit Navico Nobul Nymp Edem Openth Paraly Parap Mang Partus Perito Pneun Polyu Prema Prolai Prunct Pycem Reten Rheur Ring-Spavin Splint Sprain Sore-t Surfei Tetam Thrus. Tumo								4 2	2 2			2			50
Eryth Fever Fever, Filaria Fractor Gid (C Gonor Greass Hoemon Hepat Hernia Heydro Impac Lamin Melani Navico Nebul Nymp Gedem Open-Ophth Paraly Parapy Mang Partum Polyu Prema Prolai Prurig Punct Pycem Reteur Ring-Ispavir Splain Sore-t Surfei Tetam Thrus Tumo		•••		• •				1			••		• • •	• •	100
Fever, Filaria Fractor Gid (C Gonor Greass Heemon Hepat Hernia Hydrot Impac Lamin Melan Metrit Navice Nebul Nymp Edem Open-Ophth Paraly Parap Mange Partur Prema Prolap Pruria Pruria Pruria Pruria Pruria Spaint Spaint Sprain Sore-t Surfei Tetam Thrus. Tumoi	thema Mam	milaru						î	***		::				100
Filaria Fractt Gid (C Gonor Grease Hoemo Hepat Hernia Hydro Lamin Melan Metrit Navicu Nobul Nymp Gedem Openth Paraly Parap Mang Partu Perito Pneun Polyu Prema Prolap Prurig Punct Pycem Reten Rheur Ring-I Spavin Sore-t Surfei Tetan Thrus Tumou								4	3			1			25
Fractor Gid (C Gonor Greass Hoemor Hepat Hernis Hydro Impac Lamin Melani Navico Nebul Nymp (Edem Open-Ophth Paraly Parapy Mang Partum Polyu Prema Prolag Punct Pycem Reten Rheur Ring-Ispavir Sprain Sore-t Surfei Tetam Thrus Tumo	er, biliary						••	3	2					1	
Gid (C Gonor Grease Hemat Hepat Hepat Hepat Hepat Hepat Hepat Hepat Hepat Melan Metrit Navice Nebul Nymp Geden Open- Ophth Paraly Parap Mangg Partur Prema Prolap Pruric Pycem Reten Rheun Ring- Spavin Spav Spavin Spavin Spavin Spavin Spavin Spavin Spavin Spavin Spavin			• •	••		• • •		1 2	"1	1	•••	••		1.	
Gonor Greass Heemothepatheric Hydro Lamin Melan Metrit Navice Nebul Nymp Œdem Open- Ophth Paraly Parap Mangg Partur Prema Prolap Prurig Prurig Punct Pycem Reten Rheun Sprain Sore-t Surfei Tetan Thrus Tumou	(Œstrus Ov	is)						1			- ::	••	1		
Homoderic Hepat Hernic Hepat Hernic Hydron Melan Metrit Navico Nebul Nymp (Edem Open-Ophth Paraly Parapy Mang Partu Prema Prolag Punct Pycem Reten Rheur Ring-Ispavin Sprain Sore-t Surfei Tetam Thrus Tumo	orrhœa							2	2						
Hepat Hernis Hydro Lamin Melan Metrit Navice Nebul Nymp Gem- Open- Ophth Paraly Parap Partus Prema Prolap Pruris P								1	1	.,					
Hernia Hydrot Lamin Melan Metrit Navice Nebul Nymp Œdem Open-Ophth Paraly Parap Mangg Partur Prema Prolap Pruris Pruris Pruris Spavin Spavin Sprain Sore-t Surfei Tetam Thrus Tumo	morrhoids	••			••	••	• • •	1 3	1 2	••		••	• •		
Hydro Impac Lamin Melan Metrit Navice Nebul Nymp Œdem Open-Ophth Paraly Parap Mang Partu Perito Pneun Polyu Prema Prolag Punct Pycem Reten Reten Reten Sprain Sore-t Surfei Tetam Thrus Tumos Tumos		••-	•••			• •		1	A STATE OF		1		••	1	
Impac Lamin Melan Metrit Navice Nebul Nymp Gedem Open- Ophth Paraly Parapy Mang Partu Perito Prema Prolap Prurig Punct Pycem Reten Rheur Ring-l Spavin Sprain Sore-t Surfei Tetan Thrus Tumo	rophobia							î	::	**		••	1		
Melan Metrit Navice Nebul Nymp Gedem Opent- Ophth Paraly Parap Mang Partuu Perito Pneun Prolap Prunci Pycem Reten Rheun Spain Sprain Sore-t Surfei Tetan Thrus Tumo	action, intes	tinal						1				1			100
Metrit Navice Nebul Nymp Cdem Open-Ophth Paraly Parap Mang Partu Perito Pneum Polyu Prema Prolar Prurig Punct Pycem Retem Rheum Spraim Sprint Spraim Sore-t Surfei Tetam Thrus Tumo								3	2	••	1				
Naviet Nebul Nymp (Edem Open-Ophth Paraly Parapp Mang Partur Prema Prolap Prurig Punct Pycem Reten Rheur Ring-Ispavin Sprain Sore-t Surfei Tetam Thrus Tumor			•••		•••		••	1		••	1				
Nebul Nymp CEdem Open-Ophth Paraly Parap Mangg Partur Prema Prolap Prurig Prurig Prurig Prurig Spavin Sprain Sore-t Surfei Tetam Thrus Tumot	icular Arthr	itis			• • • • • • • • • • • • • • • • • • • •	•		1			1		••	••	
OEdem Open- Ophth Paraly Parap Mang Partur Perito Polyur Prema Prolag Punct Pycem Retem Retem Ring- Spavir Splint Sprain Sore-t Surfei Tetan Thrus Tunot	ula							2	2				19 20	• •	
Open-Ophth Paraly Parapy Mangg Partum Polyum Prema Prolap Prurig Prurig Punct Pycem Reten Rheur Ring-Ispain Sore-t Surfei Tetanu Thrus Tumou Tumou	nphomania							1			1				
Ophth Paraly Parapy Mangg Partu Perito Pneum Polyu Prema Prolap Prurig Punct Pycem Reten Rheu Ring- Spavin Sprain Sore-t Surfei Tetanu Thrus Tumou		••		• •	• •		•••	2	2	,					
Paraly Parap Parap Mangg Partuu Perito Polyu Prema Prolap Prurig Punci Pycem Reten Rheun Ring Spavin Splint Sprain Sore-t Surfei Tetan Thrus Tumo	thalmia					**		1 2	2	A STATE OF THE			•••	••	
Mangg Partur Perito Pneum Polyur Prema Prolap Punct Pycem Reten Rheur Ring-l Spavin Sprain Sore-t Surfei Tetanu Thrus Tumou	alysis						•	2	2	::			**		
Partur Perito Pneum Polyur Prema Prolap Prurig Punct Pycem Reten Rheum Ring- Spavin Sprain Sprain Sore-t Surfei Tetam Thrus Tumo	aplegia					• •		3			1		2		
Perito Pneum Prolap Prolap Prurig Punct Pyem Reten Rheur Ring- Spavin Sprain Sore-t Surfei Tetan Thrus Tumou	ige				••			3	3						
Pneum Polyu Prema Prolap Prurig Punct Pycem Retem Ring-I Spavin Sprain Sprain Sore-t Surfei Tetan Thrus Tumon	tonitis	nexy	•••		•	••	.,	1 2				2	••	1	100
Prema Prolap Prurig Punct Pycem Retenn Rheur Ring-l Spavin Splint Sprain Sore-t Surfei Tetann Thrus Tumou	umonia					••		5			::	4			100 80
Prolap Prurig Punct Pycem Reten Rheur Ring-I Spavin Splint Sprain Sore-t Surfei Tetam, Thrus, Tumou	ruria							1	1						00
Prurig Punct Pycem Reten Ring-l Spavin Sprain Sprain Sore-t Surfei Tetanu Thrus, Tumou	nature birth					••	••	1	1						
Punct Pycem Reten Rheur Ring-I Spavin Splint Sprain Sore-t Surfei Tetanu Thrus Tumou		100		••	• • •			1 7	1 5	••		1.	••		
Reten Rheur Ring-I Spavin Splint Sprain Sore-t Surfei Tetanu Tumou	cture (foot)			**			•	1		••	1			2	
Rheur Ring-l Spavir Splint Sprain Sore-t Surfei Tetany Thrus Tumou	emia							1	::	**		1	::		100
Ring- Spavir Splint Sprain Sore-t Surfei Tetany Thrus Tumo	ention of Pla				.,			2	2		5.				
Spavir Splint Sprain Sore-t Surfei Tetanu Thrus Tumou		••		• •		••	••	2	2	,					
Splint Sprain Sore-t Surfei Tetanu Thrus Tumou			::	•••	**	• • • • • • • • • • • • • • • • • • • •	••	1 1	1			•	••	••	
Sore-t Surfei Tetani Thrus Tumoi	nt						**	i		::		**	•	1	
Surfei Tetani Thrus Tumoi								8	3	3				2	
Tetani Thrus Tumoi				••				2	2						
Thrus			**			1		1 1	1			1	• •		100
	ush			**			• • •	3		2	::	1		••	100
'I'vmn								3	3				• • • • • • • • • • • • • • • • • • • •		
	panitis		• • •			3		2	2						
Ulcer Urtica			"					6	1				••	2	
								1	1	***	••		••		
Variol	ococele							1				1	••	::	100
Worm	ococele ola Caprino							3	3		4.			•	100
Wound	ococele ola Caprino ms														
1	ococele ola Caprino ms				.,.		••	19	16	1	••		1	1	

## Abstract.

	 		10	1		A	nimals	admitte	ed.			
	 		165									91
					••							50
	 										• • •	16
	 											0
	 • •											10
	 											1
	 		THE RESERVE OF THE PARTY OF THE									1
h 1884	 		15	Elephant								1
		1										145
	Total		175		Franklin					Tota	al	175
C	 	ch 1884				Horses   Cattle   Sheep   Goats   Dogs   Ass   Mule   Elephant   Elephant   Cattle   Cattle	165   Horses   Cattle   Sheep   Goats   Dogs   Ass   Mule   Ch 1884   15   Elephant   Elephant   Cattle   Cat	165   Horses   Cattle   Sheep   Goats   Dogs   Ass   Mule   Ch 1884   15   Elephant   Elephant   Cattle   Cat	Horses   Cattle   Sheep   Coats   Dogs   Cats   C	Horses   Cattle   Sheep   Goats   Dogs   Ass   Mule   Elephant   Elephant   Ch 1884   Dogs   Ch 1884   Dog	165   Horses   Cattle   Sheep   Goats   Dogs   Lich   1884   15   Elephant   Elephant   Cattle   Cat	Cathle   Cathle   Sheep   Cathle   Sheep   Cathle   Cat

# APPENDIX No. 3.

STATEMENT showing Actual Receipts and Charges of the Establishment of the Inspector of Cattle Diseases during the Official Year 1884-85, as compared with the Budget Estimate for 1884-85.

Items.	Sanctioned Estimate.	Up to Last Month.	In this Month	ı.	Total.	Amount available on the 1st
Expenditure.	RS.	RS. A. P.	NO. RS. A.	P.	RS. A. P.	RS. A. P.
Pay of Inspector of Cattle Diseases Pay of Deputy Inspector of Cattle	7,800 3,600	$7,150  0  0 \\ 3,300  0  0$	650 (		7,800 0 0 3,600 0 0	••
Diseases. Pay of Office Clerk Wages of Office Peon Inspector's travelling allowance DeputyInspector's travelling allowance Pay of Hospital-keeper Wages of Hospital Peon Wages of Hospital Mallies Probationers' Stipends Hospital Expenses District Medicines Up-keep of Hospital Probationers', &c., travelling bills	1,000 752 72 144 1,440 1,500 1,200 200	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	56 2 50 0 6 0 12 0	2 0 0 0 0 0 0 0 0 0 0 0 0 0 1 10 5 0 7 0	300 0 0 72 0 0 958 1 0 880 9 6 652 11 7 71 12 10 144 0 0 1,405 1 5 1,463 5 0 1,199 11 8 199 15 6 686 1 10	191 15 0 119 6 6 99 4 5 0 3 2  34 14 7 36 11 0 0 4 4 0 0 6 13 14 2
Contingencies.  Service Labels	} 720	172 4 0 41 9 0 245 2 2 108 4 9	25 ( 3 1) 11	0 0	197 4 0 45 3 0 256 4 2  119 4 9	102 0 1
Local Cattle Disease Inspectors.						
Pay	200	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	537 1 206 58 1	5 0	5,537 10 2 1,613 10 0 294 10 8	732 5 10 366 6 0 305 5 4
Total	29,500	25,260 6 7	2,236 1	4 6	*27,497 5 1	2,002 10 11
Receipts.  Cash realized by treatment of horses &c.		377 10 11	59	8 4	437 3 3	••
Total					437 3 3	

<sup>\*</sup> Rs. 28,008-6-10 was the verified actuals for the year.

# APPENDIX No. 4.

Statistical Return of Cattle Disease in the Presidency of Madras from the 1st of April 1884 to 31st March 1885, showing the number of Attacks and Deaths from various causes separately.

buria.	Died.			166	e :
Hæmaturia	Attacked.	13	13	185	က
	Died.		:::::::::::::::::::::::::::::::::::::::	8	::
Glanders.	Attacked.	12	::::::::::::::::::::::::::::::::::::::	00	::
	Died.		:::::::::::::::::::::::::::::::::::::::	:	::
Fever.	Attacked.	11	:::::::::::::::::::::::::::::::::::::::	4	::
tic na.	Died.		2,026 219 219 213 7583 7583 7583 21 22 23 21 23 21 21 21 21 23	3,672	396
Epizootic Aphtha.	Attacked.	10	7,706 238 238 313 665 3,290 143 84 143 6,186 6,186 1,305	20,969	5,929
psy.	Died.		:::::::::::::::::::::::::::::::::::::::	88	::
Epilepsy.	Attacked.	6		268	::
itis.	Died.			111	::
Enteritis.	Attacked.	8		123	
tery.	Died.	1052	4,438 282 1 1 26 1 77 2 26 4 407 2	5,208	340
Dysentery.	Attacked.	7	4,547 5522  633 73 740 840 840 840 840 840 840 840 840 840 8	5,801	811
hœa.	Died.		8 824 84 1114 1194 1194 1194 1194 1194 1194	1,705	::
Diarrhœa.	Attacked.	9	871 871 172 315 315 cs receii 731 93 2	2,224	::
ic.	Died.		2 10 8 85 35 1	99	::
Colic.	Attacked.	9		87	::
Catarrh.	Died.	4	38 30 102 115 6	302	
Cate	Attacked.		867 111 30 516 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1,605	::
Apoplexy.	Died.	3	10 12 12 12 12 12 12 12 12 12 12 12 12 12	292	::
Apol	Attacked.	t	10 3 3 150 150 96 	317	::
Anthrax.	Died.	2	2,569 838 1,727 2,297 2,287 2,287 15 333 159 1,152 1,152 1,152 1,152 1,152	11,226	5,871 563
Antl	.bestoked.		2,885 978 1,949 420 420 489 3,949 3,949 1,68 41 568 437 1,626 1,62	14,832	9,132
	Name of District.	1	1. Anantapur 2. Arcot, North 3. Arcot, South 4. Bellary 5. Canara, South 7. Chingleput 8. Coimbatore 9. Ganjam 10. Godávari 11. Kistna 12. Kurnool 13. Madras 14. Madura 16. Nallore 17. Nilgriss 18. Salem 19. Tarichinopoly 21. Trichinopoly 22. Vizagapatam	Total	Total for 1883-84 , , 1882-83

Statistical Return of Cattle Disease in the Presidency of Madras from the 1st of April 1884 to 31st March 1885, showing the number of Attacks and Deaths

eaths	Tetanus.	Died.	25	:7:::::::::::::::::::::::::::::::::::::	8	::
a De	Te	Attacked.		: :::::::::::::::::::::::::::::::::::::	8	::
cs an	Rot.	Died.	24	64 1,764 1,764 1,764	1,899	::
Attack	A	Attacked.		. 46 84	2,582	::
Statistical return of Catele Disease in the Freshrency of Mauras from the 18t of April 1004 to Jist March 1009, showing the number of Attacks and Deaths from various causes separately—(Continued).	Rinderpest.	Died.	23	3,816 1,212 1,212 1,109 1,320	12,057	7,824 18,950
10 num	Rinde	.besteattA	2	162 4,705 1,806 1,806 1,417 2,400 2,400 6,488 7,49 7,49 1,49 1,49 1,49 1,49 1,49 1,49 1,49 1	20,132	16,833
20 20 21	atism.	Died.			16	::
жоша	Rheumatism.	Attacked.	22		16	::
6000	onia.	Died.		513 264 167 171 7	1,179	34
TO TO	Pneumonia.	Attacked.	21	2542 177 294 260 278 278	1,470	66 :
ued).	nro-	Died.			146	::
Contin	Pleuro- pneumonia.	Attacked.	. 20		196	::
ly—(	itis.	Died.		9 4	22	::
A pri	Phrenitis.	Attacked.	19	255	36	::
es sel	sis.	Died.		:8:::::::::::::::::::::::::::::::::::::	33	::
s caus	Paralysis.	Attacked.	18		33	::
ariou	mia.	Died.		:::::::::::::::::::::::::::::::::::::::		::
rom v	Ophthalmia.	Attacked.	17		2	::
to &		Died.			1	::
manis	Mange.	Attacked.	16		7	::
A T LA	obia.	Died.			2	::
3	Hydrophobia.	Attacked.	15		2	::
Isease	Chical Programme Co.	Died.			2	
orie D	Hepatitis.	Attacked.	14	.° ::::::::::::::::::::::::::::::::::::	4	::
3					:	::
urn ol		trict.			Total	Total for 1883-84
Lyen		of Dis		ur forth outh houth houth houth houth hout ore ore		l for ]
ricai		Name of District,		Anantapur Arcot, North Arcot, South Bellary Cuddapah Chingleput Coimbatore Ganjam Godávari Kistna Kurnool Madras Malabar Nellore Nilgiris Salem Tinnevelly Trichinopoly		Tota.
Catis		4		22.20.111.00.00.00.00.00.00.00.00.00.00.00.0		
Ω					1	16

Statistical Return of Cattle Disease in the Presidency of Madras from the 1st of April 1884 to 31st March 1885, showing the number of Attacks and Deaths from various causes separately—(Continued).

	Percentage D e a t b Attacks.	37		20.97	17.00	79.15	84.93	07.40	43.43	70.41	47.13	53.27	97.83		52.17	43.49	27.17	52.06	80.97	66.9	22.87	49.00	20.02	69.05	00 70	22.38	29.74	55.45	41.46	59.36	
tal.	Died.	36		27	14 750	4 330	9,609	2,007	331	4,708	5,668	130	588	1000	240	2,931	90	1.676	1,785	49.1	91	120	709	1 601	1,021	47	613	43,788	15.108	20,430	
Total.	Attacked.		4	101	100	6,001	3,080	9,000	291	989'9	12,026	244	109		460	6,739	184	3.219	2,192	7,027	69	1 012	015	0 610	2,012	210	2,061	78,962	33,733	34,414	
Starvation.	Died.	20				0.5	20		:		:		:		:							•	:	:	:		•	93	:		
Starv	Attacked.	35			:		2	:		:			:										:	•			•	93		•	
-bite.	Died.	4			:	:-	1			:	:	:	:										:				•	1		•	
Snake-bite.	Attacked.	34				:-	1	•	:	:	•	•	:	•	:	:					The state of the s		•	:	:	:	:	1	8	20:	
Premature birth.	Died.	3			•	•		•	:	:			1.	:	:		7	•							:	•••	:	23	:		
Premate birth.	Attacked.	33			:	:			:	:			:	:			7		:						•			2	:	•	-
ing.	Died.	3			:		•		:					•	:			38	:			-	•	:		::	1	46	:	:	100
Poisoning.	Atacked.	32							:		:	:			:	:	•	38	:			86	1	•		: •	1	29	:		-
ries.	Died.					:					:	:			:	:					The state of the s		:	:	-	:	:	-	:	:	
Injuries.	Attacked.	31			•	•	:	:	:	•	:	:											>	:	7	:	:	7	:	:	
ning.	Died.		-		:		-	:		:		•										:	:	•	:	:	:	1		•	-
Drowning.	Attacked.	30	-			:	1		:	:												:		:	:	:	:	1		7	
cified.	Died.	29		,	ç.	011	2 4	901	•	2,322	561		06		4		10	6	200	8	:		70	0	•	•	:	3,391		:	
Not specified.	Attacked.	2			14	110	200	198	•	3,387	682		90		10		11	36	116	717	•	:	70	0			<b>-</b>	4,752		:	
Variola 7accina.	Died.	28			•	-		:	7		9		86				TO THE	331	100			: -	27		:	:	:	455	203		-
Variola Vaccina.	Attacked.	2			:	-	:	•	4		52		102				Service of the servic	531	17	17		.:	00	•		:	:	762	603	?:	
Variola Ovina.	Died.	1			:			301	••	19	1				:			105	130	:	:	:	:		369		•	884	437	840	
Variols Ovina.	Attacked.	27			:		•	424	:	47					:	•	:	000	000	:		:	:	•	729		•	1,580	969	1.400	
mitis.	Died.	26			:	155	12	:	:	2		6	1	•	:	•		7		409	:	:	•	-		:	•	989		: :	400
Tympanitis.	Attacked.	2				179	21			2	1		H	:		:		7		491	•	:	7	-	••	:	4	702		:	
	off and Name of District.				1. Anantapur	2. Arcot, North	2.01					Commercial of Co	S. Comingatore	200			100		14. Madura								22. Vizagapatam	Total	Total for 1883 84		

# APPENDIX No. 5.


STATISTICAL RETURN of Cattle Disease in the Presidency of Madras from the 1st April 1884 to 31st March 1885, showing the percentage of Attacks and Deaths on Strength from all Causes.


No.		Distric	ot.				Strength of - Cattle.	Number of Cattle attacked.	Number of Cattle died.	Percent- age of Attacks on Strength.	Percentage of Deaths on Strength.
			100	1110		-		1	-		
1	Anantapur	 					767,100	185	56	.02	-007
2	Arcot, North		1200		2500		914,188	22,671	14,739	2.47	1.61
3	Arcot, South	 					1,108,810	6,001	4,330	.54	•39
4	Bellary	 					535,904	3,089	2,602	-57	•48
5	Canara, South						550,383	762	331	.13	•06
6	Chingleput	 					480,338	6,686	4,708	1.39	-98
7	Coimbatore	 					1,279,084	12,026	5,668	.94	-44
8	Cuddapah	 					2,079,884	224	130	.01	•006
9	Ganjam						249,964	601	588	•23	.231
10	Godávari	 					480,713		No statistic	es received.	
11	Kistna	 					831,166	460	240	.05	.02
12	Kurnool	 					583,126	6,739	2,931	1.15	•50
13	Madras	 -10.					13,453	184	50	1.36	.37
14	Madura	 					1,060,964	3,219	1,676	•33	•15
15	Malabar	 					920,406	2,192	1,785	-23	-19
16	Nellore	 					527,549	7,027	421	1.33	-07
17	Nílgiris	 			.,.		32,971	62	21	·19	.06
18	Salem	 					1,214,939	1,018	438	•08	-03
19	Tanjore	 					1,435,177	913	793	.06	05
20	Tinnevelly	 					1,267,792	2,612	1,621	•20	·12
21	Trichinopoly	 		,			1,413,548	210	47	.01	.003
22	Vizagapatam	 	••				98,099	2,061	613	2.10	•62
					Total		17,845,576	78,962	43,788	-44	·24

APPENDIX No. 6.

Monthly Analysis of Health of Cattle from the 1st of April 1884 to 31st March 1885.

					-84		Numbe	R OF I	ISTRIC	rs Affe	CTED W	ттн	
No.		Mont	h.			Rinderpest.	Anthrax.	Epizootic Aphtha.	Variola Ovina.	Variola Vaccina.	Pleuro-pneumonia.	Dysentery.	Hæmaturia.
1		2				3	4	5	6	7	8	9	10
1 2 3 4 5 6 7 8 9 10 11 12	April 1884 May ,, June ,, July ,, August ,, September ,, October ,, November ,, December ,, January 1885 February ,, March ,,	 		f Outbre	aks	10 8 12 7 11 12 12 11 4 4 3 6	8 5 7 12 12 12 12 12 15 5 6 101	4 1 3 4 7 4 7 6 3 4 7 9	1 2 4 1 1 1 1 1 2 1 3	2 1 1 1  1  2 2	1 1 1 2 3 3 2 2 2 3 3 2	3 2 3 4 2 2 5 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 1 2 1 2 7
				rand To			101	700	345		, 20		





ANANTAPUR 1,22,28.

ARCOT, NORTH 1,2,3,5,6,9,12,13,16,17,18,20,22,23,24,
25,27,28.

ARCOT, SOUTH 1, 2, 3, 5, 6, 9, 14, 20, 22, 23, 25, 28, 29, 33, 34.

BELLARY. 1, 2, 4, 9, 22, 26, 28.

CANARA, SOUTH 1, 3, 4, 9, 18, 20.

CUDDAPAH 1, 3, 4, 5, 6, 7, 9, 12, 18, 20, 21, 22, 25, 26, 28.

CHINGLEPUT 1, 3, 4, 5, 6, 8, 9, 12, 19, 20, 22, 27, 28.

COIMBATORE 1, 3, 6, 9, 22, 25.

GANVAM 1, 22, 27, 28.

GODAVERY

KISTNA 1, 6, 9, 28, 28.

KURNOOL 3,7,9,20,21,22.

MADRAS 1,3,4,5,6,9,10,11,22,25,28,32.

MADURA 1,2,3,5,9,19,20,22,23,26,27,28,31.

MALABAR 1,2,5,6,9,15,20,21,22,25,27,28.

NELLORE 1,3,9,22.

NIL GIRI. 6,22.

SALEM 1,2,3,5,6,9,12,18,22,25,27,28,50,31.

TANJORE 1,6,9,22,25,28.

TINNEVELLY 1,5,6,9,12,13,22,24,26,30.

TRICHINOPOLY. 5,6,9,22.

VIZAGAPATAM. 1,5,9,12,14,15,22,25,28,31.

Signed J. Mills. V. S. A V.D.

GOVERNMENT ORDER, 11TH JANUARY 1886, Nos. 20, 20A, R.D.

## COVERNMENT OF MADRAS

## REVENUE DEPARTMENT

READ - Troovedlence of the Board of Recenne, dated 20th October 1885, No. 2028.

Austrace. Submitting to Government, with lamarks, report from the Director of Revenue Sattlement, and Sagraduare on the administration of the departments under his control for the mast official woon.

# Resident Caren State October 1885, No. 29204

## Submitted to Covernment.

The submant of the present paragraphs of his report the Invertor tarrished as usual a brief submant of the present of the present of the submant of the largest of the submant of the subm

A production of the condition of the Committee appeared to get the principal this managed of the product of the

And the state of t

kort je knopi s 40 mili i s su snovinu su su sovini je provincija je iliži se korijekti, sa ili ili je je ili j su statu poslika nasili sa nastanji sa naja korija sa korija poslikacija in se sovi. Isa sa korija sa se je s suprano s statu i masila s su snovini su korija sa snovini sa sa statu mana sa slove sa slove sa slove sa spoj sa statu sa statu sa snovini snovini sa snovini snavnja sa snovini sa snovini sa slove sa slo

The complete of the statem of the order and street and colored a complete of the colored and t

And the proof of the control of the

### GOVERNMENT OF MADRAS.

# REVENUE DEPARTMENT.

READ—Proceedings of the Board of Revenue, dated 20th October 1885, No. 2926.

ABSTRACT.—Submitting to Government, with remarks, report from the Director of Revenue Settlement and Agriculture on the administration of the departments under his control for the past official year.

Resolution—dated 20th October 1885, No. 2926.

Submitted to Government.

- 2. In the first eight paragraphs of his report the Director furnishes as usual a brief summary of the operations of the Settlement and Inam departments and of the Irrigation Accounts office during the year. These subjects are separately reported upon in considerable detail, and the few salient facts noted by the Director on the present occasion call for no special remark. The Board therefore pass at once to the sections relating to the Department of Agriculture.
- 3. Village Records.—The report of the Committee appointed to revise the manuals of taluk and village accounts will shortly be submitted to Government. The principal change actually effected during the year in connection with village records was the raising of the qualification test for the post of revenue inspector.
- 4. Analysis of Districts.—The analysis of districts for famine purposes naturally divides itself into two parts, viz., first, the compilation of statistics, &c., already on record; and secondly, original research into the agricultural conditions of the tract dealt with. The first portion of the inquiry can best be accomplished in the office of the Director at Madras, as has in fact been done already for the district of Kurnool. The second and more important portion must, however, be carried out in the districts themselves by a staff of trained investigators, and proposals for the provision of such a staff have accordingly been submitted to Government.
- 5. Collection of Revenue.—The proposed re-arrangement of the "kistbandi," or system of land revenue instalments, is still under consideration. Meanwhile, it has been ruled by Government that interest on arrears of land revenue in Government villages shall not be charged until the end of the revenue year.
- 6. Famine Protection.—Under this head the Director notices the subjects of forest conservancy, arboriculture, agricultural banks, extension of communications and irrigation, and encouragement of manufactures and mining. With reference to paragraph 23, the Board note that work is at present suspended on the protective lines of railway. It is to be hoped that, with the improvement in the financial prospects of the empire, operations will shortly be allowed to recommence.
- 7. Agricultural Experiments.—The Government decided during the year on the definite abandonment of the Saidapet farm as a practical failure, and this change has since been carried out. Mr. Benson, the Assistant Director, has thus been set free to devote the whole of his time to the collection of facts and the study of Indian agriculture. The tours made by him with this object during the year under review are noticed in detail in the first section of his report which forms an enclosure to the Director's. With reference to Mr. Benson's remarks in paragraphs 38 and 39 of his report in regard to the use and abuse of irrigation and irrigated land, the Board observe that experiments, having for their object the settlement of the question as to the possibility of extending irrigable area by the economical use of water, have recently been ordered by Government; and that Government has pronounced against the necessity of the preliminary inquiry, suggested by Mr. Benson, into the conditions of irrigation in Spain, Italy and other countries.

- 8. The Board note with satisfaction the progress made by private firms in the dissemination of improved agricultural implements. With reference to paragraph 61 of the Director's report, they observe that the idea of importing specimens of the "Casse-tête" and "Gratteuse," in use in the Mauritius, has been abandoned by Government pending the further improvement of those machines.
- 9. Cattle-disease Inspection.—Mr. Mills' report is as usual full of interesting matter, and shows that very satisfactory progress is being made. The great want of the department is more constant supervision, and this will, it is hoped, be supplied in future under the recent order of Government directing the revision of the veterinary course of the Saidapet school so as to set Mr. Mills free for mofussil inspection for six months of the year.
- 10. A second series of experiments with Pasteur's anthracine was carried out with satisfactory results. It does not appear whether any steps have been taken to ascertain, as desired by Government, whether an efficient prophylactic cannot be produced in Madras, but the Board gather from Mr. Mills' expressed wish to visit Mr. Hallen's laboratory on its establishment, that nothing has yet been accomplished here in this direction. They strongly support the idea that Mr. Mills should be deputed as he suggests as soon as the Bengal laboratory is in working order.
- 11. In his last paragraph, the Director suggests that the date for the submission of his report to the Board should be altered from 1st July to 1st August. The Board regret that they are unable to support this proposal. The present report, though dated the 15th September, was not received from the Government Press until the 9th October, and can hardly be expected to reach Government before the end of the current month, instead of on the 1st September, the prescribed date.

(True Copies and Extract.)

(Signed) E. S. LAFFAN, Acting Sub-Secretary.

To the Secretary to Government, Revenue Department.

Copy to the Director of Revenue Settlement and Agriculture.

ORDER—dated 11th January 1886, No. 20, Revenue.

Miscellaneous.

The Board of Revenue submit the administration report of the department under the Director of Agriculture for the

year 1884-85. As was the case in the previous year, the Director, before dealing with those subjects specially connected with agriculture, briefly notices the operations of the Inam Commissioner and of the Settlement and Irrigation Departments. It is unnecessary to allude to these latter in this review, as they are dealt with by Government in separate orders.

- 2. Village Records.—During the year under report, Government directed that, from the 1st April 1885, no person should be appointed to be a Revenue Inspector who had not passed the lower revenue test, and that, from and after the 1st April 1888, the passing of a special simple test in survey should be enforced as a condition of appointment to, or of promotion in, the grade of Revenue Inspector. It has recently been resolved that a simple educational test shall, at as early a date as practicable, be demanded from claimants for the office of karnam in Government villages. The Government are gratified to learn that the report upon the revision of village and taluk manuals and accounts has been completed. It is hoped that on receipt of this it will be possible to pass early orders with a view to place matters connected with these important subjects on a better footing.
- 3. Analysis of Districts.—The Government have passed orders on the sketch analysis of Kurnool, which was prepared by the Director of Agriculture, and instructions have also issued authorising the employment of Agricultural Inspectors in the manner suggested by that officer. The Government, when dealing with the subject, took the opportunity of directing that, in future, the preparation and revision

of district manuals should be placed under the control of the Agricultural Department. Much of the information in these depends upon the correct preparation of revenue, economic and agricultural statistics, which will be better effected under the immediate supervision of the Director of Agriculture than of any other agency. The specimen analysis of Kurnool, though in regard to some matters incomplete, was on the whole very satisfactory. Similar papers will, as soon as possible, be prepared for the more important districts.

- 4. Collection of Revenue.—The improvement of the system of land-revenue collection is still under discussion. Objections have been raised by district officers and the Board of Revenue to the scheme proposed by Government during the last year, and these will require very careful consideration before final orders upon the subject can appear. The Government have decided that no interest shall be charged on arrears due from individual ryots until the close of the revenue year.
- 5. Famine Protection.—The Director gives some general statistics regarding the operation of the Forest Department, which will be noticed separately when the forest report is dealt with. The Presidents of Local Boards will be asked, in the Financial Department, to give, in their future annual reports, statements showing the lengths of road avenues within their charges.
- 6. The discussion of the subject of agricultural banks, referred to by the Director in paragraph 22 of his report, has resulted in the Government expressing the decided opinion that no bank, which might be established for the purpose of assisting agriculturists with loans, should be granted any privileges involving interference with private rights. His Excellency the Governor in Council recorded his apprehension that an extension of special privileges of the nature suggested might have an effect the reverse of that which was intended, and might, by rendering titles to landed property less certain, raise the rate of interest on all loans not obtained from the favored banks, a result which was obviously undesirable. The rules proposed by Government with regard to advances under the Land Improvement Act and under the Agriculturists' Loans Act have been retransmitted to this Government by the Government of India with certain suggestions. These are now under consideration, and the subject will, it is hoped, be, at an early date, finally disposed of. Government anticipate that the promulgation of the rules bearing upon the construction of wells will be followed by satisfactory results.
- 7. Agricultural Experiments and Furms.—The Government Farm at Saidápet was abolished on the 1st September 1885. No new farms will be established, but agricultural experiments will not in consequence be abandoned, and will in future be carried out through the agency of private individuals. The Government regret to learn that it has become necessary to abandon the farm at Chittoor, in the North Arcot district, which was opened by the Chittoor Agricultural Society in the previous year. It was resolved in February last to grant assistance to the private farms now existing at Madura and Karúr, in the Coimbatore district, by granting a contribution for three years towards the salaries of the Superintendents attached to them. It is believed that both of these farms are, so far, doing good work. It is to be hoped that in time similar farms will be established in other districts. An Agri-Horticultural Society was established during the year at Narsápur, in the Godávari district, and was assisted by the free grant of two acres of land.
- 8. The Assistant Director of Agriculture (late Agricultural Reporter) made several tours during the year for the purposes of inspection and research. He visited, among other places, the estate of Mr. Kristnasami Mudaliar, at Shiyáli, in the Tanjore district, where much interesting work is being carried out. The Government had the pleasure, during the year, of awarding to Mr. Kristnasami Mudaliar a gold medal as a mark of their appreciation of his enterprise in agriculture. In future, almost the whole of Mr. Benson's attention will be devoted to detailed examination of the districts specially taken up, from time to time, for analysis. But he will be still able to supervise any experimental cultivation which may be attempted in any of the more accessible parts of the presidency.
- 9. Ploughing matches were held at Saidápet during the cold weather, and ploughing demonstrations were given in Bellary, Kurnool, and the Nílgiri districts. As the Government have deemed it desirable to retire from the field, private firms now

supply whatever demand exists for agricultural implements. A considerable number of improved ploughs were sold during the year, and it may be expected that there will be, with each succeeding year, an increase in the trade in this respect. Private firms now send out trained men to explain to the ryots the practical superiority of the improved over the country ploughs. The advance made in this respect is decidedly satisfactory.

- 10. The season was unfavorable for farm operations, and the result of the year's work was, in consequence, unsatisfactory. The farm operations are given in full detail in the report of the Agricultural Reporter. Orders were recently issued regarding the conduct of agricultural experiments in the future and it is hoped that the trials regarding diversified crops in irrigated tracts and the curing of tobacco will produce good results. The policy of the future will be to carry out such experiments as may be necessary, through the agency of substantial cultivators, with such occasional assistance as the Agricultural Department may consider it expedient to afford. The Director, in his report, notices the difficulty that exists with regard to the experimental cultivation of new seeds arising from the absence of trained scientific farmers, and the Government concur generally in his remarks on this subject. It is obvious that a special agency cannot be located in all districts for the supervision of experimental agriculture, and that it is, unfortunately, at present generally impossible to experiment except through district revenue officers, who have their hands already full of other important work. It is anticipated, however, that some assistance will shortly be given by means of the experimental gardens which it has been resolved to establish under the supervision of the Director of Government Gardens.
- 11. During the year, a trial sample of the pods of the Babul tree (Acacia Arabica) was sent to England, where, it is believed, a good market for them can be obtained. The tree is very plentiful in many districts of the Presidency, and it is hoped that its growth for the production of the pod may eventually prove a remunerative industry.
- 12. Cattle-breeding and Veterinary Establishments.—Good results were achieved, during the year, by the distribution of a portion of the Aden cattle and rams which formed part of the live-stock on the farm. The Government have now under consideration the question of the advisability of opening a considerable tract of suitable country as a locality in which to carry out an attempt towards the improvement of stock. It is probable that the experiment, which has promise of success, may ere The subject of improving the indigenous cattle of the country is long be started. one of the most important of those to be dealt with in the Agricultural Department, and particular care should be given to it. The report lately received from the Director on the pony-breeding operations in Coimbatore shows that these were fairly successful. There are, at present, two Arab Government stallions in the district, and it is proposed to add to their number at an early date. With further experience, better results will doubtless be attained. The covering fee is, for the present, to be dispensed with, and prizes will be offered in 1888 or 1889 to those ryots who are in possession of the best foals by one of the Government stallions.
- 13. With reference to the Director's remark on ensilage, it is understood that Mr. Lawson, the Director of Government Gardens, is now conducting experiments in connection with the mode of storing fodder, and the results, when received, will be communicated to the Director of Agriculture. Further trials are also being made in the Kistna district. It is of importance that the question of providing fodder for cattle during the hot weather should receive every attention, and this should be borne in mind by the Director.
- 14. The report on the working of the Cattle Disease Inspection Department is very satisfactory and interesting. The veterinary hospital at Saidápet continued to be of very appreciable use to the students in the college. Orders have already been passed on the special report which Mr. Mills submitted regarding the results of animal vaccination according to Pasteur's method. This has shown that, when conducted with care, the operation is thoroughly effectual though for what period has not yet been satisfactorily determined.

Continued attention should be given to the subject of investigations regarding cattle-poisoning. The matter is one of considerable importance, and every effort should be made to put down the practice which appears to be very prevalent in some districts.

The question of providing an Inspecting Veterinary officer for the supervision of the district staff of local Inspectors is now engaging the consideration of Government, and it is hoped that an arrangement will be arrived at by which the whole time of one European Veterinary officer may be made available for this purpose. The existing state of affairs, under which Mr. Mills can devote but a portion of the year to district inspections, is necessarily the reverse of satisfactory. The Government are glad to learn that the staff of local Inspectors has, generally speaking, given satisfaction.

15. Agricultural, Fiscal and Trade Statistics.—Arrangements have been made for publishing quantitative forecasts and reports showing the prospects and existing condition of the following crops:—

I.—Food-grains.

- (1) Paddy (Oryza sativa).
- (2) Cholum (Sorghum vulgare).
- (3) Cumbu (Panicum spicatum).
- (4) Ragi (Elusine coracana).

II.—Special and Industrial Crops.

(1) Cotton (Gossypium herbaceum).

- (2) Indigo (Indigofera tinctoria).(3) Sugar-cane (Saccharum officinarum). (4) Castor-oil and lamp-oil seeds (Ricinus communis).
- Gingelly-oil seeds (Sesamum indicum).

(6) Tobacco (Nicotiana tabacum).

It is hoped that these returns will gradually become sufficiently accurate to be of considerable value.

- 16. Excluding the pay of the Director and the cost of the School of Agriculture now met from the Educational budget—the charges during the year amounted to Rs. 54,791. The receipts of the year were Rs. 38,704, of which the sum of Rs. 32,318 was the contribution from the Surplus Pound Fund, and that of Rs. 3,949, the receipts from the Saidapet Farm.
- 17. The operations of the department during the year were, the Government are of opinion, satisfactory, and considerable progress was made in various directions.

(True Extract.)

(Signed) J. F. PRICE, Ag. Secretary to Government.

To the Board of Revenue.

,, the Director of Revenue Settlement and Agriculture.

,, the Accountant-General. " the Financial Department. ,, the Educational Department.

,, the Director, Government Cinchona Plantations, &c., the Military Department.

No. 20A. Copy to the Government of India, Revenue and Agricultural Department.

te reger on the Verbrig of the Lands Theoree (named to the reger

nistracer's and invested as a Time votational state of the trade of a state of the state of the model in the state of the

bland worth greated at sometrages indeedbarry to pay at forter, all squarese

(Signed) J. F. PRICE, Ag. Secretary to Government.